

PYTHON PROGRAMMING ASSIGNMENT

Group 5: List Introduction & Internal Working

Q1. Which data type is used to store multiple values in Python?

- A) int
- B) list
- C) float
- D) string

Q2. Which symbol is used to create a list?

- A) {}
- B) ()
- C) []
- D) <>

Q3. What will be the output?

```
a = [1, 2, 3]
print(a[1])
```

- A) 1
- B) 2
- C) 3
- D) Error

Q4. Lists in Python are:

- A) Immutable
- B) Fixed
- C) Mutable
- D) Static

Q5. Which method is used to add a single element at the end of a list?

- A) add()
- B) append()
- C) insert()
- D) extend()

Q6. What will be the output?

```
a = [10, 20]
a.append(30)
print(a)
```

- A) [10, 20]
- B) [10, 20, 30]
- C) [30]
- D) Error

Q7. Which function returns the length of a list?

- A) size()
- B) count()
- C) len()
- D) type()

Q8. Which of the following is a valid nested list?

- A) [1, 2, [3, 4]]
- B) [1, 2, 3, 4
- C) (1, 2, [3, 4])
- D) {1, 2, [3, 4]}

Q9. What will be the output?

```
a = [5, 6, 7]
a[1] = 10
print(a)
```

- A) [5, 6, 7]
- B) [5, 10, 7]
- C) [10, 6, 7]
- D) Error

Q10. Which method inserts an element at a specific position?

- A) append()
- B) add()
- C) insert()
- D) update()

Q11. What will happen?

```
a = []
a.append(5)
```

- A) Error
- B) 5 is removed
- C) 5 is added to list
- D) None

Q12. What will be the output?

```
a = [1, 2, 3]
print(type(a))
```

- A) int
- B) tuple
- C) list
- D) set

Q13. Which statement is TRUE about lists?

- A) Lists cannot store duplicate values
- B) Lists are immutable
- C) Lists can store multiple data types
- D) Lists cannot be updated

Q14. What will be the output?

```
a = [1, 2]
a.extend([3, 4])
print(a)
```

- A) [1, 2]
- B) [3, 4]
- C) [1, 2, 3, 4]
- D) Error

Q15. Which method adds multiple elements into a list?

- A) append()
- B) extend()
- C) insert()
- D) index()

Q16. What will be the output?

```
a = [10, 20, 30]
print(a[-1])
```

- A) 10
- B) 20
- C) 30
- D) Error

Q17. Which keyword is used to check membership in a list?

- A) is
- B) in
- C) as
- D) and

Q18. What will be the output?

```
a = [1, 2]
```

```
a.insert(1, 5)
print(a)
```

- A) [1, 2, 5]
- B) [5, 1, 2]
- C) [1, 5, 2]
- D) Error

Q19. What will be the output?

```
a = [1, 2, 3]
for i in range(len(a)):
    a[i] = a[i] * 2
print(a)
```

- A) [2, 4, 6]
- B) [1, 2, 3]
- C) Error
- D) [1, 4, 9]

Q20. What will be the output?

```
a = [1, 2, 3]
for i in a:
    print(i)
```

- A) 1 2 3
- B) [1, 2, 3]
- C) Error
- D) Infinite Loop