

# Cucumber Report

25-May-2026, 7:53:17 am

Start : May 25, 7:41:37.691 am

End : May 25, 7:53:16.202 am

Duration : 11 m 38.511 s

Features



Scenarios

Steps

PASSED - 4  
FAILED - 0  
SKIPPED - 0


PASSED - 58  
FAILED - 0  
SKIPPED - 0

PASSED - 847  
FAILED - 0  
SKIPPED - 0




| Feature                                                             |              | Scenario |    |   |   | Step |     |   |   |
|---------------------------------------------------------------------|--------------|----------|----|---|---|------|-----|---|---|
| Name                                                                | Duration     | T        | P  | F | S | T    | P   | F | S |
| <u>Login Functionality</u>                                          | 23.955 s     | 2        | 2  | 0 | 0 | 14   | 14  | 0 | 0 |
| <u>Create Raw Material via Configuration Module</u>                 | 2 m 57.886 s | 22       | 22 | 0 | 0 | 250  | 250 | 0 | 0 |
| <u>Update Raw Material including Status Change via Swipe Action</u> | 5 m 37.036 s | 22       | 22 | 0 | 0 | 400  | 400 | 0 | 0 |
| <u>View Raw Material Details from Raw Materials List</u>            | 2 m 39.546 s | 12       | 12 | 0 | 0 | 183  | 183 | 0 | 0 |


| <b>TAG</b>  | <b>Scenario</b> |          |          |          | <b>Feature</b> |          |          |          |
|-------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| <b>Name</b> | <b>T</b>        | <b>P</b> | <b>F</b> | <b>S</b> | <b>T</b>       | <b>P</b> | <b>F</b> | <b>S</b> |
| @create     | 22              | 22       | 0        | 0        | 1              | 1        | 0        | 0        |
| @smoke      | 56              | 56       | 0        | 0        | 3              | 3        | 0        | 0        |
| @regression | 56              | 56       | 0        | 0        | 3              | 3        | 0        | 0        |
| @p1         | 56              | 56       | 0        | 0        | 3              | 3        | 0        | 0        |
| @p2         | 38              | 38       | 0        | 0        | 3              | 3        | 0        | 0        |
| @negative   | 9               | 9        | 0        | 0        | 3              | 3        | 0        | 0        |
| @sanity     | 8               | 8        | 0        | 0        | 3              | 3        | 0        | 0        |
| @p3         | 6               | 6        | 0        | 0        | 3              | 3        | 0        | 0        |
| @update     | 22              | 22       | 0        | 0        | 1              | 1        | 0        | 0        |
| @view       | 12              | 12       | 0        | 0        | 1              | 1        | 0        | 0        |




| # | Feature Name                                                        | T  | P  | F | S | Duration     |
|---|---------------------------------------------------------------------|----|----|---|---|--------------|
| 1 | <u>Login Functionality</u>                                          | 2  | 2  | 0 | 0 | 23.955 s     |
| 2 | <u>Create Raw Material via Configuration Module</u>                 | 22 | 22 | 0 | 0 | 2 m 57.886 s |
| 3 | <u>Update Raw Material including Status Change via Swipe Action</u> | 22 | 22 | 0 | 0 | 5 m 37.036 s |
| 4 | <u>View Raw Material Details from Raw Materials List</u>            | 12 | 12 | 0 | 0 | 2 m 39.546 s |




| #  | Feature Name                                        | Scenario Name                                                      | T  | P  | F | S | Duration |
|----|-----------------------------------------------------|--------------------------------------------------------------------|----|----|---|---|----------|
| 1  | <u>Login Functionality</u>                          | <u>Verify onboarding screens and navigate to login</u>             | 9  | 9  | 0 | 0 | 12.201 s |
| 2  |                                                     | <u>Verify user is able to login successfully</u>                   | 5  | 5  | 0 | 0 | 11.712 s |
| 3  | <u>Create Raw Material via Configuration Module</u> | <u>Navigate to Raw Materials list screen</u>                       | 10 | 10 | 0 | 0 | 11.373 s |
| 4  |                                                     | <u>Open Add Raw Material popup and verify all fields</u>           | 13 | 13 | 0 | 0 | 5.107 s  |
| 5  |                                                     | <u>Create Raw Material with all fields</u>                         | 11 | 11 | 0 | 0 | 19.512 s |
| 6  |                                                     | <u>Create Raw Material with mandatory fields only</u>              | 11 | 11 | 0 | 0 | 9.288 s  |
| 7  |                                                     | <u>Create Raw Material with trimmed Raw Material Name</u>          | 10 | 10 | 0 | 0 | 9.347 s  |
| 8  |                                                     | <u>Create Raw Material with maximum allowed characters in Name</u> | 10 | 10 | 0 | 0 | 9.719 s  |
| 9  |                                                     | <u>Create Raw Material without Name</u>                            | 14 | 14 | 0 | 0 | 8.620 s  |
| 10 |                                                     | <u>Create Raw Material without UOM</u>                             | 14 | 14 | 0 | 0 | 13.617 s |



| #  | Feature Name                                        | Scenario Name                                                                           | T  | P  | F | S | Duration |
|----|-----------------------------------------------------|-----------------------------------------------------------------------------------------|----|----|---|---|----------|
| 11 | <u>Create Raw Material via Configuration Module</u> | <u>Submit Add Raw Material popup without any data</u>                                   | 11 | 11 | 0 | 0 | 3.703 s  |
| 12 |                                                     | <u>Create Raw Material with only spaces in Raw Material Name</u>                        | 14 | 14 | 0 | 0 | 9.916 s  |
| 13 |                                                     | <u>Create Raw Material with duplicate Name</u>                                          | 11 | 11 | 0 | 0 | 9.271 s  |
| 14 |                                                     | <u>Create Raw Material with special characters in Name</u>                              | 10 | 10 | 0 | 0 | 9.365 s  |
| 15 |                                                     | <u>Verify UOM dropdown options</u>                                                      | 13 | 13 | 0 | 0 | 6.964 s  |
| 16 |                                                     | <u>Close Add Raw Material popup with data shows Confirmation Alert</u>                  | 12 | 12 | 0 | 0 | 9.219 s  |
| 17 |                                                     | <u>Close Add Raw Material popup without any data should not show Confirmation Alert</u> | 8  | 8  | 0 | 0 | 3.260 s  |
| 18 |                                                     | <u>Rapid multiple Submit clicks should prevent duplicate Raw Material creation</u>      | 10 | 10 | 0 | 0 | 13.874 s |
| 19 |                                                     | <u>Reopen popup after close</u>                                                         | 13 | 13 | 0 | 0 | 6.439 s  |




| #  | Feature Name                                                        | Scenario Name                                                         | T  | P  | F | S | Duration |
|----|---------------------------------------------------------------------|-----------------------------------------------------------------------|----|----|---|---|----------|
| 20 | <u>Create Raw Material via Configuration Module</u>                 | <u>Verify Add Raw Material popup UI elements are aligned properly</u> | 14 | 14 | 0 | 0 | 4.110 s  |
| 21 |                                                                     | <u>Verify Raw Materials list screen UI elements</u>                   | 8  | 8  | 0 | 0 | 0.672 s  |
| 22 |                                                                     | <u>Verify input field behavior</u>                                    | 11 | 11 | 0 | 0 | 3.244 s  |
| 23 |                                                                     | <u>Verify validation message UI</u>                                   | 10 | 10 | 0 | 0 | 3.753 s  |
| 24 |                                                                     | <u>Validate Description field</u>                                     | 12 | 12 | 0 | 0 | 7.333 s  |
| 25 | <u>Update Raw Material including Status Change via Swipe Action</u> | <u>Search and open Edit Raw Material popup and verify all fields</u>  | 33 | 33 | 0 | 0 | 13.933 s |
| 26 |                                                                     | <u>Update only Description</u>                                        | 23 | 23 | 0 | 0 | 22.900 s |
| 27 |                                                                     | <u>Clear Description and save</u>                                     | 16 | 16 | 0 | 0 | 17.526 s |
| 28 |                                                                     | <u>Update Description with trimmed spaces</u>                         | 16 | 16 | 0 | 0 | 15.492 s |
| 29 |                                                                     | <u>Save Edit Raw Material without making any changes</u>              | 15 | 15 | 0 | 0 | 11.448 s |




| #  | Feature Name                                                        | Scenario Name                                                                      | T  | P  | F | S | Duration |
|----|---------------------------------------------------------------------|------------------------------------------------------------------------------------|----|----|---|---|----------|
| 30 | <u>Update Raw Material including Status Change via Swipe Action</u> | <u>Change Raw Material status from Active to Inactive</u>                          | 22 | 22 | 0 | 0 | 15.671 s |
| 31 |                                                                     | <u>Change Raw Material status from Inactive to Active</u>                          | 21 | 21 | 0 | 0 | 13.315 s |
| 32 |                                                                     | <u>Cancel status change</u>                                                        | 18 | 18 | 0 | 0 | 12.381 s |
| 33 |                                                                     | <u>Update Description and change Status together</u>                               | 18 | 18 | 0 | 0 | 18.717 s |
| 34 |                                                                     | <u>Attempt to edit Name field in Edit Raw Material popup</u>                       | 16 | 16 | 0 | 0 | 10.434 s |
| 35 |                                                                     | <u>Attempt to edit UOM field in Edit Raw Material popup</u>                        | 16 | 16 | 0 | 0 | 10.514 s |
| 36 |                                                                     | <u>Attempt to edit Raw Material ID</u>                                             | 15 | 15 | 0 | 0 | 10.275 s |
| 37 |                                                                     | <u>Close Edit Raw Material popup with unsaved changes shows Confirmation Alert</u> | 18 | 18 | 0 | 0 | 16.434 s |
| 38 |                                                                     | <u>Rapid Save clicks should prevent duplicate Raw Material update</u>              | 16 | 16 | 0 | 0 | 20.998 s |

| #  | Feature Name | Scenario Name                                           | T  | P  | F | S | Duration |
|----|--------------|---------------------------------------------------------|----|----|---|---|----------|
| 39 |              | <u>Rapid swipe right-to-left on Raw Material record</u> | 11 | 11 | 0 | 0 | 9.064 s  |




| #  | Feature Name                                                        | Scenario Name                                                        | T  | P  | F | S | Duration |
|----|---------------------------------------------------------------------|----------------------------------------------------------------------|----|----|---|---|----------|
| 40 | <u>Update Raw Material including Status Change via Swipe Action</u> | <u>Rapid status toggle clicks</u>                                    | 17 | 17 | 0 | 0 | 12.465 s |
| 41 |                                                                     | <u>Rapid confirmation clicks on status change</u>                    | 17 | 17 | 0 | 0 | 39.342 s |
| 42 |                                                                     | <u>Verify Edit Raw Material popup UI elements and alignment</u>      | 22 | 22 | 0 | 0 | 17.575 s |
| 43 |                                                                     | <u>Verify non-editable fields in Edit Raw Material popup</u>         | 17 | 17 | 0 | 0 | 10.673 s |
| 44 |                                                                     | <u>Verify pre-filled data accuracy in Edit Raw Material popup</u>    | 15 | 15 | 0 | 0 | 10.314 s |
| 45 |                                                                     | <u>Verify Status confirmation popup UI</u>                           | 20 | 20 | 0 | 0 | 12.467 s |
| 46 |                                                                     | <u>Validate Description field during update</u>                      | 18 | 18 | 0 | 0 | 14.959 s |
| 47 | <u>View Raw Material Details from Raw Materials List</u>            | <u>Search and open View Raw Material popup and verify all fields</u> | 31 | 31 | 0 | 0 | 19.611 s |
| 48 |                                                                     | <u>Verify Raw Material view data accuracy</u>                        | 13 | 13 | 0 | 0 | 9.099 s  |
| 49 |                                                                     | <u>Verify Raw Material ID format in View popup</u>                   | 14 | 14 | 0 | 0 | 10.055 s |




| #  | Feature Name                                             | Scenario Name                                                                               | T  | P  | F | S | Duration |
|----|----------------------------------------------------------|---------------------------------------------------------------------------------------------|----|----|---|---|----------|
| 50 | <u>View Raw Material Details from Raw Materials List</u> | <u>Close View Raw Material popup navigates back without Confirmation Alert</u>              | 13 | 13 | 0 | 0 | 8.895 s  |
| 51 |                                                          | <u>Verify all fields are not editable in View Raw Material popup</u>                        | 18 | 18 | 0 | 0 | 9.209 s  |
| 52 |                                                          | <u>Verify no Save button in View Raw Material popup</u>                                     | 13 | 13 | 0 | 0 | 9.030 s  |
| 53 |                                                          | <u>Background screen should remain inaccessible until View Raw Material popup is closed</u> | 13 | 13 | 0 | 0 | 9.069 s  |
| 54 |                                                          | <u>Rapid click on Raw Material record should open only one View popup</u>                   | 12 | 12 | 0 | 0 | 38.436 s |
| 55 |                                                          | <u>Reopen View Raw Material popup multiple times</u>                                        | 11 | 11 | 0 | 0 | 11.660 s |
| 56 |                                                          | <u>Verify View Raw Material popup UI elements and alignment</u>                             | 19 | 19 | 0 | 0 | 15.432 s |
| 57 |                                                          | <u>Verify all fields are read-only in View Raw Material popup</u>                           | 13 | 13 | 0 | 0 | 9.169 s  |
| 58 |                                                          | <u>Verify status display format in View Raw Material popup</u>                              | 13 | 13 | 0 | 0 | 9.812 s  |

## Login Functionality


|                                      |                            |                                                            |                                                                                     |                                                          |                                                                                     |
|--------------------------------------|----------------------------|------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>PASSED</b>                        | <b>DURATION - 23.955 s</b> | Scenarios<br>Total - 2<br>Pass - 2<br>Fail - 0<br>Skip - 0 |  | Steps<br>Total - 14<br>Pass - 14<br>Fail - 0<br>Skip - 0 |  |
| / 7:41:37.691 am // 7:42:01.646 am / |                            |                                                            |                                                                                     |                                                          |                                                                                     |
|                                      |                            |                                                            |                                                                                     |                                                          |                                                                                     |

## Verify onboarding screens and navigate to login

| <div>PASSED</div>                               | <div>DURATION - 12.201 s</div> | <div></div> <table><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>1.8</td></tr><tr><td>2</td><td>0.3</td></tr><tr><td>3</td><td>1.4</td></tr><tr><td>4</td><td>0.7</td></tr><tr><td>5</td><td>0.8</td></tr><tr><td>6</td><td>0.7</td></tr><tr><td>7</td><td>0.7</td></tr><tr><td>8</td><td>1.0</td></tr><tr><td>9</td><td>4.3</td></tr></tbody></table> | Step | Count | 1 | 1.8 | 2 | 0.3 | 3 | 1.4 | 4 | 0.7 | 5 | 0.8 | 6 | 0.7 | 7 | 0.7 | 8 | 1.0 | 9 | 4.3 | <div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
|-------------------------------------------------|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------|---|-----|---|-----|---|-----|---|-----|---|-----|---|-----|---|-----|---|-----|---|-----|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| Step                                            | Count                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |      |       |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |                                                                                                   |                                                                                                |
| 1                                               | 1.8                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |      |       |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |                                                                                                   |                                                                                                |
| 2                                               | 0.3                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |      |       |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |                                                                                                   |                                                                                                |
| 3                                               | 1.4                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |      |       |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |                                                                                                   |                                                                                                |
| 4                                               | 0.7                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |      |       |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |                                                                                                   |                                                                                                |
| 5                                               | 0.8                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |      |       |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |                                                                                                   |                                                                                                |
| 6                                               | 0.7                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |      |       |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |                                                                                                   |                                                                                                |
| 7                                               | 0.7                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |      |       |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |                                                                                                   |                                                                                                |
| 8                                               | 1.0                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |      |       |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |                                                                                                   |                                                                                                |
| 9                                               | 4.3                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |      |       |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |                                                                                                   |                                                                                                |
| <div>/ 7:41:37.700 am // 7:41:49.901 am /</div> |                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |      |       |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |                                                                                                   |                                                                                                |
| <div>Login Functionality</div>                  |                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |      |       |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |                                                                                                   |                                                                                                |
|                                                 |                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |      |       |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |                                                                                                   |                                                                                                |


| # | Step / Hook Details                                              | Status | Duration |
|---|------------------------------------------------------------------|--------|----------|
| 1 | Given the app is launched                                        | PASSED | 1.807 s  |
| 2 | And Verify the "Digitization" screen is displayed                | PASSED | 0.257 s  |
| 3 | When the user clicks on Next                                     | PASSED | 1.398 s  |
| 4 | Then Verify the "World of Machines" screen should be displayed   | PASSED | 0.640 s  |
| 5 | When the user clicks on Next again                               | PASSED | 0.762 s  |
| 6 | Then Verify the "Accelerating Growth" screen should displayed    | PASSED | 0.639 s  |
| 7 | When the user clicks on Finish                                   | PASSED | 0.708 s  |
| 8 | Then Verify the "Login to Your Account" screen should be visible | PASSED | 0.988 s  |
| 9 | When the user double taps on the APMS AI footer if needed        | PASSED | 4.363 s  |

## Verify user is able to login successfully




| # | Step / Hook Details                                   | Status | Duration |
|---|-------------------------------------------------------|--------|----------|
| 1 | Given the user is on the login screen                 | PASSED | 1.644 s  |
| 2 | When the user enters email "anilkumar.m@apms.ai"      | PASSED | 1.344 s  |
| 3 | And the user enters password "1234"                   | PASSED | 1.509 s  |
| 4 | And the user clicks on Login                          | PASSED | 2.610 s  |
| 5 | Then Verify the user should be logged in successfully | PASSED | 3.061 s  |

### Create Raw Material via Configuration Module





### Navigate to Raw Materials list screen



| #  | Step / Hook Details                                            | Status | Duration |
|----|----------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                               | PASSED | 1.342 s  |
| 2  | When User clicks on "Configurations" section                   | PASSED | 2.432 s  |
| 3  | When User clicks on "Raw Materials" feature                    | PASSED | 6.563 s  |
| 4  | When User clicks on profile icon                               | PASSED | 0.112 s  |
| 5  | Then verify that the "Account Preferences" screen is displayed | PASSED | 0.066 s  |
| 6  | When User clicks on "Configurations" section                   | PASSED | 0.089 s  |
| 7  | Then verify the "Product" section is displayed                 | PASSED | 0.111 s  |
| 8  | When User clicks on "Raw Materials" feature                    | PASSED | 0.095 s  |
| 9  | Then verify user navigates to "Raw Materials" list screen      | PASSED | 0.195 s  |
| 10 | And Add "+" button should be visible                           | PASSED | 0.076 s  |



### Open Add Raw Material popup and verify all fields

|                                              |                    |                                                                                    |                                                          |                                                                                     |
|----------------------------------------------|--------------------|------------------------------------------------------------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------------------|
| PASSED                                       | DURATION - 5.107 s |  | Steps<br>Total - 13<br>Pass - 13<br>Fail - 0<br>Skip - 0 |  |
| / 7:42:13.084 am // 7:42:18.191 am /         |                    |                                                                                    |                                                          |                                                                                     |
| Create Raw Material via Configuration Module |                    |                                                                                    |                                                          |                                                                                     |
| @create @smoke @regression @p1               |                    |                                                                                    |                                                          |                                                                                     |

| #  | Step / Hook Details                                             | Status | Duration |
|----|-----------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                | PASSED | 0.068 s  |
| 2  | When User clicks on "Configurations" section                    | PASSED | 0.071 s  |
| 3  | When User clicks on "Raw Materials" feature                     | PASSED | 0.096 s  |
| 4  | When User clicks on "+ Add" button in Raw Materials list screen | PASSED | 0.192 s  |
| 5  | Then "Add Raw Material" popup should be displayed               | PASSED | 0.828 s  |
| 6  | And Raw Material Name field should be visible                   | PASSED | 0.645 s  |
| 7  | And UOM dropdown should be visible                              | PASSED | 0.151 s  |
| 8  | And Description field should be visible                         | PASSED | 0.140 s  |
| 9  | And Submit button should be visible                             | PASSED | 0.080 s  |
| 10 | And Close "X" button should be visible                          | PASSED | 0.780 s  |
| 11 | When User clicks Close "X" button                               | PASSED | 1.605 s  |
| 12 | Then popup should be closed without saving data                 | PASSED | 0.072 s  |

| #  | Step / Hook Details                                 | Status | Duration |
|----|-----------------------------------------------------|--------|----------|
| 13 | And User should return to Raw Materials list screen | PASSED | 0.076 s  |

### Create Raw Material with all fields

|                                              |                     |                                                                                                                                                                                                                                            |
|----------------------------------------------|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PASSED                                       | DURATION - 19.512 s |  <p>Steps<br/>Total - 11<br/>Pass - 11<br/>Fail - 0<br/>Skip - 0</p>  |
| / 7:42:18.200 am // 7:42:37.712 am /         |                     |                                                                                                                                                                                                                                            |
| Create Raw Material via Configuration Module |                     |                                                                                                                                                                                                                                            |
| @create @smoke @regression @p1               |                     |                                                                                                                                                                                                                                            |

| #  | Step / Hook Details                                                             | Status | Duration |
|----|---------------------------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                                | PASSED | 0.094 s  |
| 2  | When User clicks on "Configurations" section                                    | PASSED | 0.093 s  |
| 3  | When User clicks on "Raw Materials" feature                                     | PASSED | 0.084 s  |
| 4  | When User clicks on "+ Add" button in Raw Materials list screen                 | PASSED | 0.184 s  |
| 5  | Then "Add Raw Material" popup should be displayed                               | PASSED | 0.820 s  |
| 6  | When User enters valid Raw Material Name                                        | PASSED | 3.070 s  |
| 7  | And User selects UOM from dropdown                                              | PASSED | 1.957 s  |
| 8  | And User enters Description                                                     | PASSED | 3.866 s  |
| 9  | And User clicks Submit button                                                   | PASSED | 0.770 s  |
| 10 | Then Raw Material should be created successfully                                | PASSED | 2.218 s  |
| 11 | And newly created Raw Material should be displayed in Raw Materials list screen | PASSED | 6.072 s  |

### Create Raw Material with mandatory fields only

|                                              |  |                    |  |                                                                                                                                                           |
|----------------------------------------------|--|--------------------|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| PASSED                                       |  | DURATION - 9.288 s |  | <div><div></div><div>Steps</div><div>Total - 11</div><div>Pass - 11</div><div>Fail - 0</div><div>Skip - 0</div></div> <div><div></div><div>11</div></div> |
| / 7:42:37.721 am // 7:42:47.009 am /         |  |                    |  |                                                                                                                                                           |
| Create Raw Material via Configuration Module |  |                    |  |                                                                                                                                                           |
| @create @smoke @regression @p1               |  |                    |  |                                                                                                                                                           |

1

2

3

4

5

6

7

8



9

10

11



| #  | Step / Hook Details                                             | Status | Duration |
|----|-----------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                | PASSED | 0.068 s  |
| 2  | When User clicks on "Configurations" section                    | PASSED | 0.074 s  |
| 3  | When User clicks on "Raw Materials" feature                     | PASSED | 0.093 s  |
| 4  | When User clicks on "+ Add" button in Raw Materials list screen | PASSED | 0.155 s  |
| 5  | Then "Add Raw Material" popup should be displayed               | PASSED | 0.828 s  |
| 6  | When User enters valid Raw Material Name                        | PASSED | 3.108 s  |
| 7  | And User selects UOM from dropdown                              | PASSED | 1.841 s  |
| 8  | And User leaves Description empty                               | PASSED | 0.000 s  |
| 9  | And User clicks Submit button                                   | PASSED | 0.918 s  |
| 10 | Then Raw Material should be created successfully                | PASSED | 1.768 s  |
| 11 | And User should return to Raw Materials list screen             | PASSED | 0.113 s  |

### Create Raw Material with trimmed Raw Material Name

|                                              |                    |                                                                                    |                                                                                                     |                                                                                     |
|----------------------------------------------|--------------------|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| PASSED                                       | DURATION - 9.347 s |  | <div>Steps</div> <div>Total - 10</div> <div>Pass - 10</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 7:42:47.019 am // 7:42:56.366 am /         |                    |                                                                                    |                                                                                                     |                                                                                     |
| Create Raw Material via Configuration Module |                    |                                                                                    |                                                                                                     |                                                                                     |
| @create @smoke @regression @p1 @p2           |                    |                                                                                    |                                                                                                     |                                                                                     |


| #  | Step / Hook Details                                                 | Status | Duration |
|----|---------------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                    | PASSED | 0.102 s  |
| 2  | When User clicks on "Configurations" section                        | PASSED | 0.085 s  |
| 3  | When User clicks on "Raw Materials" feature                         | PASSED | 0.081 s  |
| 4  | When User clicks on "+ Add" button in Raw Materials list screen     | PASSED | 0.173 s  |
| 5  | Then "Add Raw Material" popup should be displayed                   | PASSED | 0.919 s  |
| 6  | When User enters Raw Material Name with leading and trailing spaces | PASSED | 3.045 s  |
| 7  | And User selects UOM from dropdown                                  | PASSED | 1.825 s  |
| 8  | And User clicks Submit button                                       | PASSED | 0.919 s  |
| 9  | Then system should trim spaces and create Raw Material successfully | PASSED | 1.828 s  |
| 10 | And User should return to Raw Materials list screen                 | PASSED | 0.094 s  |

## Create Raw Material with maximum allowed characters in Name

|                                              |                           |                                                                                    |                                                                 |                                                                                     |
|----------------------------------------------|---------------------------|------------------------------------------------------------------------------------|-----------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>PASSED</b>                                | <b>DURATION - 9.719 s</b> |  | <b>Steps</b><br>Total - 10<br>Pass - 10<br>Fail - 0<br>Skip - 0 |  |
| / 7:42:56.373 am // 7:43:06.092 am /         |                           |                                                                                    |                                                                 |                                                                                     |
| Create Raw Material via Configuration Module |                           |                                                                                    |                                                                 |                                                                                     |
| @create @smoke @regression @p1 @p2           |                           |                                                                                    |                                                                 |                                                                                     |

| #  | Step / Hook Details                                              | Status | Duration |
|----|------------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                 | PASSED | 0.097 s  |
| 2  | When User clicks on "Configurations" section                     | PASSED | 0.084 s  |
| 3  | When User clicks on "Raw Materials" feature                      | PASSED | 0.074 s  |
| 4  | When User clicks on "+ Add" button in Raw Materials list screen  | PASSED | 0.164 s  |
| 5  | Then "Add Raw Material" popup should be displayed                | PASSED | 0.906 s  |
| 6  | When User enters maximum allowed characters in Raw Material Name | PASSED | 3.091 s  |
| 7  | And User selects UOM from dropdown                               | PASSED | 1.843 s  |
| 8  | And User clicks Submit button                                    | PASSED | 0.921 s  |
| 9  | Then Raw Material should be created successfully                 | PASSED | 2.135 s  |
| 10 | And User should return to Raw Materials list screen              | PASSED | 0.079 s  |


## Create Raw Material without Name

|                                              |                           |                                                                                      |                                                                 |                                                                                       |
|----------------------------------------------|---------------------------|--------------------------------------------------------------------------------------|-----------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>PASSED</b>                                | <b>DURATION - 8.620 s</b> |  | <b>Steps</b><br>Total - 14<br>Pass - 14<br>Fail - 0<br>Skip - 0 |  |
| / 7:43:06.108 am // 7:43:14.728 am /         |                           |                                                                                      |                                                                 |                                                                                       |
| Create Raw Material via Configuration Module |                           |                                                                                      |                                                                 |                                                                                       |
| @negative @create @smoke @regression @p1     |                           |                                                                                      |                                                                 |                                                                                       |

| # | Step / Hook Details                          | Status | Duration |
|---|----------------------------------------------|--------|----------|
| 1 | When User clicks on profile icon             | PASSED | 0.072 s  |
| 2 | When User clicks on "Configurations" section | PASSED | 0.093 s  |

| #  | Step / Hook Details                                                           | Status | Duration |
|----|-------------------------------------------------------------------------------|--------|----------|
| 3  | When User clicks on "Raw Materials" feature                                   | PASSED | 0.078 s  |
| 4  | When User clicks on "+ Add" button in Raw Materials list screen               | PASSED | 0.923 s  |
| 5  | Then "Add Raw Material" popup should be displayed                             | PASSED | 0.833 s  |
| 6  | When User leaves Raw Material Name empty                                      | PASSED | 1.286 s  |
| 7  | And User selects UOM from dropdown                                            | PASSED | 1.242 s  |
| 8  | And User clicks Submit button                                                 | PASSED | 0.903 s  |
| 9  | Then "This field is required" error should be displayed for Raw Material Name | PASSED | 0.524 s  |
| 10 | When User clicks Close "X" button                                             | PASSED | 0.859 s  |
| 11 | Then "Confirmation Alert" popup should be displayed                           | PASSED | 0.053 s  |
| 12 | When User clicks on "Yes, Exit" button on the confirmation popup              | PASSED | 0.152 s  |
| 13 | Then popup should be closed without saving data                               | PASSED | 1.273 s  |
| 14 | And User should return to Raw Materials list screen                           | PASSED | 0.066 s  |


### Create Raw Material without UOM

|                                              |                     |                                                                                    |                                                          |                                                                                     |
|----------------------------------------------|---------------------|------------------------------------------------------------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------------------|
| PASSED                                       | DURATION - 13.617 s |  | Steps<br>Total - 14<br>Pass - 14<br>Fail - 0<br>Skip - 0 |  |
| / 7:43:14.743 am // 7:43:28.360 am /         |                     |                                                                                    |                                                          |                                                                                     |
| Create Raw Material via Configuration Module |                     |                                                                                    |                                                          |                                                                                     |
| @negative @create @smoke @regression @p1     |                     |                                                                                    |                                                          |                                                                                     |

| #  | Step / Hook Details                                             | Status | Duration |
|----|-----------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                | PASSED | 0.070 s  |
| 2  | When User clicks on "Configurations" section                    | PASSED | 0.070 s  |
| 3  | When User clicks on "Raw Materials" feature                     | PASSED | 0.076 s  |
| 4  | When User clicks on "+ Add" button in Raw Materials list screen | PASSED | 0.189 s  |
| 5  | Then "Add Raw Material" popup should be displayed               | PASSED | 0.816 s  |
| 6  | When User enters valid Raw Material Name                        | PASSED | 3.014 s  |
| 7  | And User does not select UOM                                    | PASSED | 0.001 s  |
| 8  | And User clicks Submit button                                   | PASSED | 0.781 s  |
| 9  | Then "This field is required" error should be displayed for UOM | PASSED | 5.700 s  |
| 10 | When User clicks Close "X" button                               | PASSED | 0.212 s  |


| #  | Step / Hook Details                                              | Status | Duration |
|----|------------------------------------------------------------------|--------|----------|
| 11 | Then "Confirmation Alert" popup should be displayed              | PASSED | 0.637 s  |
| 12 | When User clicks on "Yes, Exit" button on the confirmation popup | PASSED | 0.140 s  |
| 13 | Then popup should be closed without saving data                  | PASSED | 1.069 s  |
| 14 | And User should return to Raw Materials list screen              | PASSED | 0.529 s  |

### Submit Add Raw Material popup without any data

| PASSED                                       | DURATION - 3.703 s |  <table border="1"><caption>Step Duration Data</caption><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.05</td></tr><tr><td>2</td><td>0.10</td></tr><tr><td>3</td><td>0.05</td></tr><tr><td>4</td><td>0.15</td></tr><tr><td>5</td><td>0.80</td></tr><tr><td>6</td><td>0.10</td></tr><tr><td>7</td><td>0.55</td></tr><tr><td>8</td><td>0.05</td></tr><tr><td>9</td><td>1.30</td></tr><tr><td>10</td><td>0.05</td></tr><tr><td>11</td><td>0.05</td></tr></tbody></table> | Step | Duration (s) | 1 | 0.05 | 2 | 0.10 | 3 | 0.05 | 4 | 0.15 | 5 | 0.80 | 6 | 0.10 | 7 | 0.55 | 8 | 0.05 | 9 | 1.30 | 10 | 0.05 | 11 | 0.05 | Steps<br>Total - 11<br>Pass - 11<br>Fail - 0<br>Skip - 0 |  <div>11</div> |
|----------------------------------------------|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|--------------|---|------|---|------|---|------|---|------|---|------|---|------|---|------|---|------|---|------|----|------|----|------|----------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| Step                                         | Duration (s)       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |      |              |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |    |      |    |      |                                                          |                                                                                                   |
| 1                                            | 0.05               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |      |              |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |    |      |    |      |                                                          |                                                                                                   |
| 2                                            | 0.10               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |      |              |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |    |      |    |      |                                                          |                                                                                                   |
| 3                                            | 0.05               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |      |              |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |    |      |    |      |                                                          |                                                                                                   |
| 4                                            | 0.15               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |      |              |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |    |      |    |      |                                                          |                                                                                                   |
| 5                                            | 0.80               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |      |              |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |    |      |    |      |                                                          |                                                                                                   |
| 6                                            | 0.10               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |      |              |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |    |      |    |      |                                                          |                                                                                                   |
| 7                                            | 0.55               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |      |              |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |    |      |    |      |                                                          |                                                                                                   |
| 8                                            | 0.05               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |      |              |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |    |      |    |      |                                                          |                                                                                                   |
| 9                                            | 1.30               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |      |              |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |    |      |    |      |                                                          |                                                                                                   |
| 10                                           | 0.05               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |      |              |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |    |      |    |      |                                                          |                                                                                                   |
| 11                                           | 0.05               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |      |              |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |    |      |    |      |                                                          |                                                                                                   |
| / 7:43:28.365 am // 7:43:32.068 am /         |                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |      |              |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |    |      |    |      |                                                          |                                                                                                   |
| Create Raw Material via Configuration Module |                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |      |              |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |    |      |    |      |                                                          |                                                                                                   |
| @negative @create @smoke @regression @p1     |                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |      |              |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |   |      |    |      |    |      |                                                          |                                                                                                   |


| #  | Step / Hook Details                                                           | Status | Duration |
|----|-------------------------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                              | PASSED | 0.061 s  |
| 2  | When User clicks on "Configurations" section                                  | PASSED | 0.108 s  |
| 3  | When User clicks on "Raw Materials" feature                                   | PASSED | 0.067 s  |
| 4  | When User clicks on "+ Add" button in Raw Materials list screen               | PASSED | 0.184 s  |
| 5  | Then "Add Raw Material" popup should be displayed                             | PASSED | 0.805 s  |
| 6  | When User clicks Submit button                                                | PASSED | 0.139 s  |
| 7  | Then "This field is required" error should be displayed for Raw Material Name | PASSED | 0.556 s  |
| 8  | And validation messages should be displayed below respective fields           | PASSED | 0.071 s  |
| 9  | When User clicks Close "X" button                                             | PASSED | 1.309 s  |
| 10 | Then popup should be closed without saving data                               | PASSED | 0.072 s  |
| 11 | And User should return to Raw Materials list screen                           | PASSED | 0.077 s  |

### Create Raw Material with only spaces in Raw Material Name





| #  | Step / Hook Details                                                           | Status | Duration |
|----|-------------------------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                              | PASSED | 0.062 s  |
| 2  | When User clicks on "Configurations" section                                  | PASSED | 0.083 s  |
| 3  | When User clicks on "Raw Materials" feature                                   | PASSED | 0.091 s  |
| 4  | When User clicks on "+ Add" button in Raw Materials list screen               | PASSED | 0.179 s  |
| 5  | Then "Add Raw Material" popup should be displayed                             | PASSED | 0.815 s  |
| 6  | When User enters only spaces in Raw Material Name field                       | PASSED | 3.196 s  |
| 7  | And User selects UOM from dropdown                                            | PASSED | 1.839 s  |
| 8  | And User clicks Submit button                                                 | PASSED | 0.914 s  |
| 9  | Then "This field is required" error should be displayed for Raw Material Name | PASSED | 0.535 s  |
| 10 | When User clicks Close "X" button                                             | PASSED | 0.824 s  |
| 11 | Then "Confirmation Alert" popup should be displayed                           | PASSED | 0.046 s  |
| 12 | When User clicks on "Yes, Exit" button on the confirmation popup              | PASSED | 0.161 s  |
| 13 | Then popup should be closed without saving data                               | PASSED | 0.840 s  |
| 14 | And User should return to Raw Materials list screen                           | PASSED | 0.080 s  |

### Create Raw Material with duplicate Name



| #  | Step / Hook Details                                             | Status | Duration |
|----|-----------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                | PASSED | 0.105 s  |
| 2  | When User clicks on "Configurations" section                    | PASSED | 0.051 s  |
| 3  | When User clicks on "Raw Materials" feature                     | PASSED | 0.069 s  |
| 4  | And User has already created a Raw Material                     | PASSED | 0.000 s  |
| 5  | When User clicks on "+ Add" button in Raw Materials list screen | PASSED | 0.149 s  |
| 6  | Then "Add Raw Material" popup should be displayed               | PASSED | 0.837 s  |
| 7  | When User enters existing Raw Material Name                     | PASSED | 3.086 s  |
| 8  | And User selects UOM from dropdown                              | PASSED | 1.768 s  |
| 9  | And User clicks Submit button                                   | PASSED | 0.893 s  |
| 10 | Then Raw Material should be created successfully                | PASSED | 1.940 s  |
| 11 | And User should return to Raw Materials list screen             | PASSED | 0.086 s  |

### Create Raw Material with special characters in Name

|                                              |                    |                                                                                    |                                                          |                                                                                     |
|----------------------------------------------|--------------------|------------------------------------------------------------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------------------|
| PASSED                                       | DURATION - 9.365 s |  | Steps<br>Total - 10<br>Pass - 10<br>Fail - 0<br>Skip - 0 |  |
| / 7:43:51.274 am // 7:44:00.639 am /         |                    |                                                                                    |                                                          |                                                                                     |
| Create Raw Material via Configuration Module |                    |                                                                                    |                                                          |                                                                                     |
| @create @smoke @regression @p1 @p2           |                    |                                                                                    |                                                          |                                                                                     |

| #  | Step / Hook Details                                                 | Status | Duration |
|----|---------------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                    | PASSED | 0.078 s  |
| 2  | When User clicks on "Configurations" section                        | PASSED | 0.085 s  |
| 3  | When User clicks on "Raw Materials" feature                         | PASSED | 0.080 s  |
| 4  | When User clicks on "+ Add" button in Raw Materials list screen     | PASSED | 0.174 s  |
| 5  | Then "Add Raw Material" popup should be displayed                   | PASSED | 0.906 s  |
| 6  | When User enters only special characters in Raw Material Name field | PASSED | 2.998 s  |
| 7  | And User selects UOM from dropdown                                  | PASSED | 1.775 s  |
| 8  | And User clicks Submit button                                       | PASSED | 0.916 s  |
| 9  | Then Raw Material should be created successfully                    | PASSED | 1.956 s  |
| 10 | And User should return to Raw Materials list screen                 | PASSED | 0.103 s  |

## Verify UOM dropdown options

|                                              |                           |  |                                                                 |  |
|----------------------------------------------|---------------------------|--|-----------------------------------------------------------------|--|
| <b>PASSED</b>                                | <b>DURATION - 6.964 s</b> |  | <b>Steps</b><br>Total - 13<br>Pass - 13<br>Fail - 0<br>Skip - 0 |  |
| / 7:44:00.643 am // 7:44:07.607 am /         |                           |  |                                                                 |  |
| Create Raw Material via Configuration Module |                           |  |                                                                 |  |
| @create @smoke @regression @p1 @p2           |                           |  |                                                                 |  |


| #  | Step / Hook Details                                              | Status | Duration |
|----|------------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                 | PASSED | 1.329 s  |
| 2  | When User clicks on "Configurations" section                     | PASSED | 0.076 s  |
| 3  | When User clicks on "Raw Materials" feature                      | PASSED | 0.065 s  |
| 4  | When User clicks on "+ Add" button in Raw Materials list screen  | PASSED | 0.147 s  |
| 5  | Then "Add Raw Material" popup should be displayed                | PASSED | 0.835 s  |
| 6  | When User clicks on UOM dropdown                                 | PASSED | 1.187 s  |
| 7  | Then UOM options list should be displayed                        | PASSED | 0.828 s  |
| 8  | And User should be able to select one UOM value                  | PASSED | 0.000 s  |
| 9  | When User clicks Close "X" button                                | PASSED | 0.806 s  |
| 10 | Then "Confirmation Alert" popup should be displayed              | PASSED | 0.047 s  |
| 11 | When User clicks on "Yes, Exit" button on the confirmation popup | PASSED | 0.137 s  |
| 12 | Then popup should be closed without saving data                  | PASSED | 1.153 s  |
| 13 | And User should return to Raw Materials list screen              | PASSED | 0.072 s  |

## Close Add Raw Material popup with data shows Confirmation Alert

|                                              |                           |  |                                                                 |  |
|----------------------------------------------|---------------------------|--|-----------------------------------------------------------------|--|
| <b>PASSED</b>                                | <b>DURATION - 9.219 s</b> |  | <b>Steps</b><br>Total - 12<br>Pass - 12<br>Fail - 0<br>Skip - 0 |  |
| / 7:44:07.621 am // 7:44:16.840 am /         |                           |  |                                                                 |  |
| Create Raw Material via Configuration Module |                           |  |                                                                 |  |
| @create @smoke @regression @p1 @p2 @sanity   |                           |  |                                                                 |  |



| #  | Step / Hook Details                                              | Status | Duration |
|----|------------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                 | PASSED | 0.064 s  |
| 2  | When User clicks on "Configurations" section                     | PASSED | 0.057 s  |
| 3  | When User clicks on "Raw Materials" feature                      | PASSED | 0.082 s  |
| 4  | When User clicks on "+ Add" button in Raw Materials list screen  | PASSED | 0.143 s  |
| 5  | Then "Add Raw Material" popup should be displayed                | PASSED | 0.826 s  |
| 6  | When User enters valid Raw Material Name                         | PASSED | 3.004 s  |
| 7  | And User selects UOM from dropdown                               | PASSED | 1.776 s  |
| 8  | When User clicks Close "X" button                                | PASSED | 1.604 s  |
| 9  | Then "Confirmation Alert" popup should be displayed              | PASSED | 0.051 s  |
| 10 | When User clicks on "Yes, Exit" button on the confirmation popup | PASSED | 0.130 s  |
| 11 | Then popup should be closed without saving data                  | PASSED | 1.169 s  |
| 12 | And User should return to Raw Materials list screen              | PASSED | 0.070 s  |

### Close Add Raw Material popup without any data should not show Confirmation Alert

|                                              |                    |                                                                                    |                                                        |                                                                                     |
|----------------------------------------------|--------------------|------------------------------------------------------------------------------------|--------------------------------------------------------|-------------------------------------------------------------------------------------|
| PASSED                                       | DURATION - 3.260 s |  | Steps<br>Total - 8<br>Pass - 8<br>Fail - 0<br>Skip - 0 |  |
| / 7:44:16.844 am // 7:44:20.104 am /         |                    |                                                                                    |                                                        |                                                                                     |
| Create Raw Material via Configuration Module |                    |                                                                                    |                                                        |                                                                                     |
| @create @smoke @regression @p1 @p3 @sanity   |                    |                                                                                    |                                                        |                                                                                     |



| # | Step / Hook Details                                             | Status | Duration |
|---|-----------------------------------------------------------------|--------|----------|
| 1 | When User clicks on profile icon                                | PASSED | 0.081 s  |
| 2 | When User clicks on "Configurations" section                    | PASSED | 0.095 s  |
| 3 | When User clicks on "Raw Materials" feature                     | PASSED | 0.096 s  |
| 4 | When User clicks on "+ Add" button in Raw Materials list screen | PASSED | 0.183 s  |
| 5 | Then "Add Raw Material" popup should be displayed               | PASSED | 0.856 s  |
| 6 | When User clicks Close "X" button                               | PASSED | 1.430 s  |
| 7 | Then popup should be closed without saving data                 | PASSED | 0.086 s  |
| 8 | And User should return to Raw Materials list screen             | PASSED | 0.108 s  |

### Rapid multiple Submit clicks should prevent duplicate Raw Material creation

|                                              |                                |                                                                                               |                                                                                                     |                                                                                                |
|----------------------------------------------|--------------------------------|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| <div>PASSED</div>                            | <div>DURATION - 13.874 s</div> | <div></div> | <div>Steps</div> <div>Total - 10</div> <div>Pass - 10</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| / 7:44:20.119 am // 7:44:33.993 am /         |                                |                                                                                               |                                                                                                     |                                                                                                |
| Create Raw Material via Configuration Module |                                |                                                                                               |                                                                                                     |                                                                                                |
| @create @smoke @regression @p1 @p2 @sanity   |                                |                                                                                               |                                                                                                     |                                                                                                |

| #  | Step / Hook Details                                             | Status | Duration |
|----|-----------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                | PASSED | 0.092 s  |
| 2  | When User clicks on "Configurations" section                    | PASSED | 0.074 s  |
| 3  | When User clicks on "Raw Materials" feature                     | PASSED | 0.085 s  |
| 4  | When User clicks on "+ Add" button in Raw Materials list screen | PASSED | 0.157 s  |
| 5  | Then "Add Raw Material" popup should be displayed               | PASSED | 0.810 s  |
| 6  | When User enters valid Raw Material Name                        | PASSED | 2.981 s  |
| 7  | And User selects UOM from dropdown                              | PASSED | 1.779 s  |
| 8  | When User clicks Submit button multiple times quickly           | PASSED | 7.438 s  |
| 9  | Then system should prevent duplicate Raw Material creation      | PASSED | 0.086 s  |
| 10 | And User should return to Raw Materials list screen             | PASSED | 0.098 s  |


### Reopen popup after close

|                                                         |                               |                                                                                                |                                                                                                     |                                                                                                  |
|---------------------------------------------------------|-------------------------------|------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| <div>PASSED</div>                                       | <div>DURATION - 6.439 s</div> | <div></div> | <div>Steps</div> <div>Total - 13</div> <div>Pass - 13</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 7:44:33.999 am // 7:44:40.438 am /</div>         |                               |                                                                                                |                                                                                                     |                                                                                                  |
| <div>Create Raw Material via Configuration Module</div> |                               |                                                                                                |                                                                                                     |                                                                                                  |
| <div>@create @smoke @regression @p1 @p2</div>           |                               |                                                                                                |                                                                                                     |                                                                                                  |

| # | Step / Hook Details                          | Status | Duration |
|---|----------------------------------------------|--------|----------|
| 1 | When User clicks on profile icon             | PASSED | 0.055 s  |
| 2 | When User clicks on "Configurations" section | PASSED | 0.057 s  |
| 3 | When User clicks on "Raw Materials" feature  | PASSED | 0.051 s  |

| #  | Step / Hook Details                                             | Status | Duration |
|----|-----------------------------------------------------------------|--------|----------|
| 4  | When User clicks on "+ Add" button in Raw Materials list screen | PASSED | 0.149 s  |
| 5  | Then "Add Raw Material" popup should be displayed               | PASSED | 0.823 s  |
| 6  | When User clicks Close "X" button                               | PASSED | 1.049 s  |
| 7  | Then popup should be closed without saving data                 | PASSED | 0.753 s  |
| 8  | When User reopens Add Raw Material popup                        | PASSED | 0.632 s  |
| 9  | Then "Add Raw Material" popup should be displayed               | PASSED | 0.820 s  |
| 10 | And all fields should be reset                                  | PASSED | 0.166 s  |
| 11 | When User clicks Close "X" button                               | PASSED | 1.417 s  |
| 12 | Then popup should be closed without saving data                 | PASSED | 0.066 s  |
| 13 | And User should return to Raw Materials list screen             | PASSED | 0.112 s  |


### Verify Add Raw Material popup UI elements are aligned properly

|                                              |                    |                                                                                    |                                                          |                                                                                     |
|----------------------------------------------|--------------------|------------------------------------------------------------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------------------|
| PASSED                                       | DURATION - 4.110 s |  | Steps<br>Total - 14<br>Pass - 14<br>Fail - 0<br>Skip - 0 |  |
| / 7:44:40.443 am // 7:44:44.553 am /         |                    |                                                                                    |                                                          |                                                                                     |
| Create Raw Material via Configuration Module |                    |                                                                                    |                                                          |                                                                                     |
| @create @smoke @regression @p1 @p2           |                    |                                                                                    |                                                          |                                                                                     |

| #  | Step / Hook Details                                             | Status | Duration |
|----|-----------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                | PASSED | 0.059 s  |
| 2  | When User clicks on "Configurations" section                    | PASSED | 0.101 s  |
| 3  | When User clicks on "Raw Materials" feature                     | PASSED | 0.063 s  |
| 4  | When User clicks on "+ Add" button in Raw Materials list screen | PASSED | 0.154 s  |
| 5  | Then "Add Raw Material" popup should be displayed               | PASSED | 0.817 s  |
| 6  | And all Add Raw Material fields should be aligned properly      | PASSED | 0.123 s  |
| 7  | And Raw Material Name field should be visible                   | PASSED | 0.103 s  |
| 8  | And UOM dropdown should be visible                              | PASSED | 0.105 s  |
| 9  | And Description field should be visible                         | PASSED | 0.095 s  |
| 10 | And Submit button should be visible                             | PASSED | 0.055 s  |
| 11 | And Close "X" button should be visible                          | PASSED | 0.683 s  |
| 12 | When User clicks Close "X" button                               | PASSED | 1.361 s  |



| #  | Step / Hook Details                                 | Status | Duration |
|----|-----------------------------------------------------|--------|----------|
| 13 | Then popup should be closed without saving data     | PASSED | 0.071 s  |
| 14 | And User should return to Raw Materials list screen | PASSED | 0.101 s  |

### Verify Raw Materials list screen UI elements

|                                                         |                                                                                               |                                                                                                   |                                                                                                |
|---------------------------------------------------------|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| <div>PASSED</div> <div>DURATION - 0.672 s</div>         | <div></div> | <div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 7:44:44.557 am // 7:44:45.229 am /</div>         |                                                                                               |                                                                                                   |                                                                                                |
| <div>Create Raw Material via Configuration Module</div> |                                                                                               |                                                                                                   |                                                                                                |
| <div>@create @smoke @regression @p1 @p2</div>           |                                                                                               |                                                                                                   |                                                                                                |



| # | Step / Hook Details                                        | Status | Duration |
|---|------------------------------------------------------------|--------|----------|
| 1 | When User clicks on profile icon                           | PASSED | 0.048 s  |
| 2 | When User clicks on "Configurations" section               | PASSED | 0.054 s  |
| 3 | When User clicks on "Raw Materials" feature                | PASSED | 0.087 s  |
| 4 | Then verify user navigates to "Raw Materials" list screen  | PASSED | 0.181 s  |
| 5 | And Add "+" button should be visible                       | PASSED | 0.056 s  |
| 6 | And each Raw Material record should show Raw Material ID   | PASSED | 0.000 s  |
| 7 | And each Raw Material record should show Raw Material Name | PASSED | 0.001 s  |
| 8 | And each Raw Material record should show Status            | PASSED | 0.000 s  |

### Verify input field behavior

|                                                         |                               |                                                                                                 |                                                                                                     |                                                                                                  |
|---------------------------------------------------------|-------------------------------|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| <div>PASSED</div>                                       | <div>DURATION - 3.244 s</div> | <div></div> | <div>Steps</div> <div>Total - 11</div> <div>Pass - 11</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 7:44:45.237 am // 7:44:48.481 am /</div>         |                               |                                                                                                 |                                                                                                     |                                                                                                  |
| <div>Create Raw Material via Configuration Module</div> |                               |                                                                                                 |                                                                                                     |                                                                                                  |
| <div>@create @smoke @regression @p1 @p2</div>           |                               |                                                                                                 |                                                                                                     |                                                                                                  |


| #  | Step / Hook Details                                             | Status | Duration |
|----|-----------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                | PASSED | 0.066 s  |
| 2  | When User clicks on "Configurations" section                    | PASSED | 0.065 s  |
| 3  | When User clicks on "Raw Materials" feature                     | PASSED | 0.072 s  |
| 4  | When User clicks on "+ Add" button in Raw Materials list screen | PASSED | 0.151 s  |
| 5  | Then "Add Raw Material" popup should be displayed               | PASSED | 0.819 s  |
| 6  | Then Raw Material Name field should accept valid input          | PASSED | 0.118 s  |
| 7  | And UOM dropdown should show selectable options                 | PASSED | 0.130 s  |
| 8  | And Description field should allow optional text                | PASSED | 0.055 s  |
| 9  | When User clicks Close "X" button                               | PASSED | 1.340 s  |
| 10 | Then popup should be closed without saving data                 | PASSED | 0.087 s  |
| 11 | And User should return to Raw Materials list screen             | PASSED | 0.076 s  |

### Verify validation message UI

|                                              |  |                    |  |                                                                                    |                                                          |                                                                                     |
|----------------------------------------------|--|--------------------|--|------------------------------------------------------------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------------------|
| PASSED                                       |  | DURATION - 3.753 s |  |  | Steps<br>Total - 10<br>Pass - 10<br>Fail - 0<br>Skip - 0 |  |
| / 7:44:48.492 am // 7:44:52.245 am /         |  |                    |  |                                                                                    |                                                          |                                                                                     |
| Create Raw Material via Configuration Module |  |                    |  |                                                                                    |                                                          |                                                                                     |
| @create @smoke @regression @p1 @p2           |  |                    |  |                                                                                    |                                                          |                                                                                     |

| #  | Step / Hook Details                                                  | Status | Duration |
|----|----------------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                     | PASSED | 0.078 s  |
| 2  | When User clicks on "Configurations" section                         | PASSED | 0.071 s  |
| 3  | When User clicks on "Raw Materials" feature                          | PASSED | 0.079 s  |
| 4  | When User clicks on "+ Add" button in Raw Materials list screen      | PASSED | 0.166 s  |
| 5  | Then "Add Raw Material" popup should be displayed                    | PASSED | 0.832 s  |
| 6  | When User clicks Submit button                                       | PASSED | 0.654 s  |
| 7  | Then validation messages should be displayed below respective fields | PASSED | 0.071 s  |
| 8  | When User clicks Close "X" button                                    | PASSED | 1.414 s  |
| 9  | Then popup should be closed without saving data                      | PASSED | 0.063 s  |
| 10 | And User should return to Raw Materials list screen                  | PASSED | 0.078 s  |

### Validate Description field


|                                                         |                               |                                                                                               |                                                                                                     |                                                                                                |
|---------------------------------------------------------|-------------------------------|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| <div>PASSED</div>                                       | <div>DURATION - 7.333 s</div> | <div></div> | <div>Steps</div> <div>Total - 12</div> <div>Pass - 12</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 7:44:52.251 am // 7:44:59.584 am /</div>         |                               |                                                                                               |                                                                                                     |                                                                                                |
| <div>Create Raw Material via Configuration Module</div> |                               |                                                                                               |                                                                                                     |                                                                                                |
| <div>@create @smoke @regression @p1 @p2</div>           |                               |                                                                                               |                                                                                                     |                                                                                                |

| #  | Step / Hook Details                                                | Status | Duration |
|----|--------------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                   | PASSED | 0.057 s  |
| 2  | When User clicks on "Configurations" section                       | PASSED | 0.064 s  |
| 3  | When User clicks on "Raw Materials" feature                        | PASSED | 0.078 s  |
| 4  | When User clicks on "+ Add" button in Raw Materials list screen    | PASSED | 0.148 s  |
| 5  | Then "Add Raw Material" popup should be displayed                  | PASSED | 0.818 s  |
| 6  | When User enters long text in Description field                    | PASSED | 3.017 s  |
| 7  | Then system should accept optional Description input without error | PASSED | 0.692 s  |
| 8  | When User clicks Close "X" button                                  | PASSED | 0.200 s  |
| 9  | Then "Confirmation Alert" popup should be displayed                | PASSED | 0.618 s  |
| 10 | When User clicks on "Yes, Exit" button on the confirmation popup   | PASSED | 0.152 s  |
| 11 | Then popup should be closed without saving data                    | PASSED | 1.090 s  |
| 12 | And User should return to Raw Materials list screen                | PASSED | 0.078 s  |

### Update Raw Material including Status Change via Swipe Action

|                                                 |                                    |                                                                                                         |                                     |                                                                                                       |                                      |
|-------------------------------------------------|------------------------------------|---------------------------------------------------------------------------------------------------------|-------------------------------------|-------------------------------------------------------------------------------------------------------|--------------------------------------|
| <div>PASSED</div>                               | <div>DURATION - 5 m 37.036 s</div> | <div>Scenarios</div> <div>Total - 22</div> <div>Pass - 22</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div><div></div><div>22</div></div> | <div>Steps</div> <div>Total - 400</div> <div>Pass - 400</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div><div></div><div>400</div></div> |
| <div>/ 7:44:59.607 am // 7:50:36.643 am /</div> |                                    |                                                                                                         |                                     |                                                                                                       |                                      |
|                                                 |                                    |                                                                                                         |                                     |                                                                                                       |                                      |


### Search and open Edit Raw Material popup and verify all fields



| #  | Step / Hook Details                                            | Status | Duration |
|----|----------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                               | PASSED | 0.060 s  |
| 2  | When User clicks on "Configurations" section                   | PASSED | 0.075 s  |
| 3  | When User clicks on "Raw Materials" feature                    | PASSED | 0.101 s  |
| 4  | When User clicks on profile icon                               | PASSED | 0.063 s  |
| 5  | Then verify that the "Account Preferences" screen is displayed | PASSED | 0.076 s  |
| 6  | When User clicks on "Configurations" section                   | PASSED | 0.071 s  |
| 7  | Then verify the "Product" section is displayed                 | PASSED | 0.078 s  |
| 8  | When User clicks on "Raw Materials" feature                    | PASSED | 0.051 s  |
| 9  | Then verify user navigates to "Raw Materials" list screen      | PASSED | 0.137 s  |
| 10 | And User has already created a Raw Material                    | PASSED | 0.000 s  |
| 11 | When User clicks on search icon                                | PASSED | 0.315 s  |
| 12 | And User taps on search input field                            | PASSED | 1.006 s  |
| 13 | And User clears existing text in search field                  | PASSED | 1.222 s  |
| 14 | And User enters newly created Raw Material Name                | PASSED | 1.826 s  |
| 15 | And User waits for search results to load                      | PASSED | 0.622 s  |
| 16 | Then system should display matching Raw Material results       | PASSED | 0.164 s  |
| 17 | And User verifies Raw Material appears in list                 | PASSED | 0.118 s  |
| 18 | When User swipes Raw Material record from right to left        | PASSED | 0.904 s  |
| 19 | Then Edit option should be visible                             | PASSED | 0.372 s  |
| 20 | When User clicks on Edit button                                | PASSED | 0.169 s  |
| 21 | Then "Edit Raw Material" popup should be displayed             | PASSED | 1.312 s  |
| 22 | And Raw Material ID should be visible and non-editable         | PASSED | 0.071 s  |
| 23 | And Name field should be pre-filled and non-editable           | PASSED | 0.288 s  |
| 24 | And UOM field should be pre-filled and non-editable            | PASSED | 0.122 s  |
| 25 | And Description field should be pre-filled and editable        | PASSED | 0.110 s  |

| #  | Step / Hook Details                                                   | Status | Duration |
|----|-----------------------------------------------------------------------|--------|----------|
| 26 | And Status should be visible and clickable in Edit Raw Material popup | PASSED | 0.111 s  |
| 27 | And Save button should be visible                                     | PASSED | 0.056 s  |
| 28 | And Close "X" button should be visible                                | PASSED | 0.667 s  |
| 29 | When User clicks Close "X" button                                     | PASSED | 0.180 s  |
| 30 | When User clicks search close X button                                | PASSED | 2.539 s  |
| 31 | Then search field should be closed                                    | PASSED | 0.169 s  |
| 32 | And module list should be in normal state                             | PASSED | 0.558 s  |
| 33 | And User should return to Raw Materials list screen                   | PASSED | 0.086 s  |



### Update only Description

|                                                              |                     |                                                                                    |                                                          |                                                                                     |
|--------------------------------------------------------------|---------------------|------------------------------------------------------------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------------------|
| PASSED                                                       | DURATION - 22.900 s |  | Steps<br>Total - 23<br>Pass - 23<br>Fail - 0<br>Skip - 0 |  |
| / 7:45:13.548 am // 7:45:36.448 am /                         |                     |                                                                                    |                                                          |                                                                                     |
| Update Raw Material including Status Change via Swipe Action |                     |                                                                                    |                                                          |                                                                                     |
| @smoke @regression @update @p1                               |                     |                                                                                    |                                                          |                                                                                     |

| #  | Step / Hook Details                                      | Status | Duration |
|----|----------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                         | PASSED | 0.066 s  |
| 2  | When User clicks on "Configurations" section             | PASSED | 0.067 s  |
| 3  | When User clicks on "Raw Materials" feature              | PASSED | 0.055 s  |
| 4  | And User has already created a Raw Material              | PASSED | 0.000 s  |
| 5  | When User clicks on search icon                          | PASSED | 0.258 s  |
| 6  | And User taps on search input field                      | PASSED | 1.967 s  |
| 7  | And User clears existing text in search field            | PASSED | 0.156 s  |
| 8  | And User enters newly created Raw Material Name          | PASSED | 1.816 s  |
| 9  | And User waits for search results to load                | PASSED | 0.608 s  |
| 10 | Then system should display matching Raw Material results | PASSED | 0.141 s  |
| 11 | And User verifies Raw Material appears in list           | PASSED | 0.172 s  |
| 12 | When User swipes Raw Material record from right to left  | PASSED | 0.846 s  |
| 13 | Then Edit option should be visible                       | PASSED | 0.358 s  |
| 14 | When User clicks on Edit button                          | PASSED | 0.163 s  |

| #  | Step / Hook Details                                                            | Status | Duration |
|----|--------------------------------------------------------------------------------|--------|----------|
| 15 | Then "Edit Raw Material" popup should be displayed                             | PASSED | 0.820 s  |
| 16 | When User updates Description                                                  | PASSED | 4.705 s  |
| 17 | And User clicks Save button                                                    | PASSED | 0.752 s  |
| 18 | Then Raw Material should be updated successfully                               | PASSED | 0.067 s  |
| 19 | And updated Raw Material data should be reflected in Raw Materials list screen | PASSED | 7.505 s  |
| 20 | When User clicks search close X button                                         | PASSED | 1.814 s  |
| 21 | Then search field should be closed                                             | PASSED | 0.124 s  |
| 22 | And module list should be in normal state                                      | PASSED | 0.128 s  |
| 23 | And User should return to Raw Materials list screen                            | PASSED | 0.067 s  |



### Clear Description and save

|                                                              |                     |                                                                                    |                                                          |                                                                                     |
|--------------------------------------------------------------|---------------------|------------------------------------------------------------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------------------|
| PASSED                                                       | DURATION - 17.526 s |  | Steps<br>Total - 16<br>Pass - 16<br>Fail - 0<br>Skip - 0 |  |
| / 7:45:36.454 am // 7:45:53.980 am /                         |                     |                                                                                    |                                                          |                                                                                     |
| Update Raw Material including Status Change via Swipe Action |                     |                                                                                    |                                                          |                                                                                     |
| @smoke @regression @update @p1 @p2                           |                     |                                                                                    |                                                          |                                                                                     |

| #  | Step / Hook Details                                    | Status | Duration |
|----|--------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                       | PASSED | 0.048 s  |
| 2  | When User clicks on "Configurations" section           | PASSED | 0.069 s  |
| 3  | When User clicks on "Raw Materials" feature            | PASSED | 0.090 s  |
| 4  | And User has already created a Raw Material            | PASSED | 0.000 s  |
| 5  | When User searches for newly created Raw Material Name | PASSED | 2.241 s  |
| 6  | And User swipes Raw Material record from right to left | PASSED | 2.925 s  |
| 7  | Then Edit option should be visible                     | PASSED | 0.358 s  |
| 8  | When User clicks on Edit button                        | PASSED | 0.182 s  |
| 9  | Then "Edit Raw Material" popup should be displayed     | PASSED | 0.896 s  |
| 10 | When User clears Description field                     | PASSED | 1.734 s  |
| 11 | And User clicks Save button                            | PASSED | 2.420 s  |
| 12 | Then Raw Material should be updated successfully       | PASSED | 0.052 s  |
| 13 | When User clicks search close X button                 | PASSED | 4.315 s  |


| #  | Step / Hook Details                                 | Status | Duration |
|----|-----------------------------------------------------|--------|----------|
| 14 | Then search field should be closed                  | PASSED | 1.755 s  |
| 15 | And module list should be in normal state           | PASSED | 0.143 s  |
| 16 | And User should return to Raw Materials list screen | PASSED | 0.062 s  |

### Update Description with trimmed spaces

|                                                              |                     |                                                                                    |                                                          |                                                                                     |
|--------------------------------------------------------------|---------------------|------------------------------------------------------------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------------------|
| PASSED                                                       | DURATION - 15.492 s |  | Steps<br>Total - 16<br>Pass - 16<br>Fail - 0<br>Skip - 0 |  |
| / 7:45:53.984 am // 7:46:09.476 am /                         |                     |                                                                                    |                                                          |                                                                                     |
| Update Raw Material including Status Change via Swipe Action |                     |                                                                                    |                                                          |                                                                                     |
| @smoke @regression @update @p1 @p2                           |                     |                                                                                    |                                                          |                                                                                     |


| #  | Step / Hook Details                                           | Status | Duration |
|----|---------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                              | PASSED | 0.077 s  |
| 2  | When User clicks on "Configurations" section                  | PASSED | 0.105 s  |
| 3  | When User clicks on "Raw Materials" feature                   | PASSED | 0.084 s  |
| 4  | And User has already created a Raw Material                   | PASSED | 0.000 s  |
| 5  | When User searches for newly created Raw Material Name        | PASSED | 2.261 s  |
| 6  | And User swipes Raw Material record from right to left        | PASSED | 2.501 s  |
| 7  | Then Edit option should be visible                            | PASSED | 0.359 s  |
| 8  | When User clicks on Edit button                               | PASSED | 0.195 s  |
| 9  | Then "Edit Raw Material" popup should be displayed            | PASSED | 1.701 s  |
| 10 | When User enters Description with leading and trailing spaces | PASSED | 3.032 s  |
| 11 | And User clicks Save button                                   | PASSED | 0.754 s  |
| 12 | Then Raw Material should be updated successfully              | PASSED | 0.084 s  |
| 13 | When User clicks search close X button                        | PASSED | 3.767 s  |
| 14 | Then search field should be closed                            | PASSED | 0.112 s  |
| 15 | And module list should be in normal state                     | PASSED | 0.124 s  |
| 16 | And User should return to Raw Materials list screen           | PASSED | 0.079 s  |

### Save Edit Raw Material without making any changes




| #  | Step / Hook Details                                    | Status | Duration |
|----|--------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                       | PASSED | 0.067 s  |
| 2  | When User clicks on "Configurations" section           | PASSED | 0.064 s  |
| 3  | When User clicks on "Raw Materials" feature            | PASSED | 0.052 s  |
| 4  | And User has already created a Raw Material            | PASSED | 0.000 s  |
| 5  | When User searches for newly created Raw Material Name | PASSED | 2.272 s  |
| 6  | And User swipes Raw Material record from right to left | PASSED | 2.520 s  |
| 7  | Then Edit option should be visible                     | PASSED | 0.359 s  |
| 8  | When User clicks on Edit button                        | PASSED | 0.179 s  |
| 9  | Then "Edit Raw Material" popup should be displayed     | PASSED | 0.887 s  |
| 10 | When User clicks Save button without modification      | PASSED | 0.654 s  |
| 11 | Then Raw Material should be updated successfully       | PASSED | 0.581 s  |
| 12 | When User clicks search close X button                 | PASSED | 3.173 s  |
| 13 | Then search field should be closed                     | PASSED | 0.128 s  |
| 14 | And module list should be in normal state              | PASSED | 0.147 s  |
| 15 | And User should return to Raw Materials list screen    | PASSED | 0.068 s  |

### Change Raw Material status from Active to Inactive





| #  | Step / Hook Details                                               | Status | Duration |
|----|-------------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                  | PASSED | 0.064 s  |
| 2  | When User clicks on "Configurations" section                      | PASSED | 0.052 s  |
| 3  | When User clicks on "Raw Materials" feature                       | PASSED | 0.086 s  |
| 4  | And User has already created a Raw Material                       | PASSED | 0.000 s  |
| 5  | When User searches for newly created Raw Material Name            | PASSED | 2.202 s  |
| 6  | And User swipes Raw Material record from right to left            | PASSED | 2.309 s  |
| 7  | Then Edit option should be visible                                | PASSED | 0.358 s  |
| 8  | When User clicks on Edit button                                   | PASSED | 0.175 s  |
| 9  | Then "Edit Raw Material" popup should be displayed                | PASSED | 1.316 s  |
| 10 | And current Raw Material status is Active                         | PASSED | 0.000 s  |
| 11 | When User clicks on Status button                                 | PASSED | 0.270 s  |
| 12 | Then Status confirmation popup should be displayed                | PASSED | 0.550 s  |
| 13 | And "Yes, Change" button should be visible                        | PASSED | 0.044 s  |
| 14 | When User clicks on "Yes, Change" button                          | PASSED | 0.236 s  |
| 15 | Then status should be changed to Inactive                         | PASSED | 0.954 s  |
| 16 | And updated status should be displayed in Edit Raw Material popup | PASSED | 0.098 s  |
| 17 | When User clicks Save button                                      | PASSED | 0.232 s  |
| 18 | Then Raw Material should be updated successfully                  | PASSED | 0.569 s  |
| 19 | When User clicks search close X button                            | PASSED | 3.868 s  |
| 20 | Then search field should be closed                                | PASSED | 1.811 s  |
| 21 | And module list should be in normal state                         | PASSED | 0.141 s  |
| 22 | And User should return to Raw Materials list screen               | PASSED | 0.081 s  |

### Change Raw Material status from Inactive to Active

|                                                              |                     |                                                                                      |                                                                                                     |                                                                                       |
|--------------------------------------------------------------|---------------------|--------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| PASSED                                                       | DURATION - 13.315 s |  | <div>Steps</div> <div>Total - 21</div> <div>Pass - 21</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 7:46:36.630 am // 7:46:49.945 am /                         |                     |                                                                                      |                                                                                                     |                                                                                       |
| Update Raw Material including Status Change via Swipe Action |                     |                                                                                      |                                                                                                     |                                                                                       |
| @smoke @regression @update @p1 @p2                           |                     |                                                                                      |                                                                                                     |                                                                                       |



| #  | Step / Hook Details                                               | Status | Duration |
|----|-------------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                  | PASSED | 0.074 s  |
| 2  | When User clicks on "Configurations" section                      | PASSED | 0.057 s  |
| 3  | When User clicks on "Raw Materials" feature                       | PASSED | 0.045 s  |
| 4  | And User has already created a Raw Material                       | PASSED | 0.000 s  |
| 5  | When User searches for newly created Raw Material Name            | PASSED | 2.216 s  |
| 6  | And User swipes Raw Material record from right to left            | PASSED | 2.343 s  |
| 7  | Then Edit option should be visible                                | PASSED | 0.399 s  |
| 8  | When User clicks on Edit button                                   | PASSED | 0.167 s  |
| 9  | Then "Edit Raw Material" popup should be displayed                | PASSED | 1.340 s  |
| 10 | And current Raw Material status is Inactive                       | PASSED | 0.000 s  |
| 11 | When User clicks on Status button                                 | PASSED | 0.226 s  |
| 12 | Then Status confirmation popup should be displayed                | PASSED | 0.551 s  |
| 13 | When User clicks on "Yes, Change" button                          | PASSED | 0.235 s  |
| 14 | Then status should be changed to Active                           | PASSED | 0.960 s  |
| 15 | And updated status should be displayed in Edit Raw Material popup | PASSED | 0.110 s  |
| 16 | When User clicks Save button                                      | PASSED | 0.228 s  |
| 17 | Then Raw Material should be updated successfully                  | PASSED | 0.561 s  |
| 18 | When User clicks search close X button                            | PASSED | 3.266 s  |
| 19 | Then search field should be closed                                | PASSED | 0.139 s  |
| 20 | And module list should be in normal state                         | PASSED | 0.095 s  |
| 21 | And User should return to Raw Materials list screen               | PASSED | 0.072 s  |

### Cancel status change

|                                                              |                     |                                                                                      |                                                                                                     |                                                                                       |
|--------------------------------------------------------------|---------------------|--------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| PASSED                                                       | DURATION - 12.381 s |  | <div>Steps</div> <div>Total - 18</div> <div>Pass - 18</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 7:46:49.951 am // 7:47:02.332 am /                         |                     |                                                                                      |                                                                                                     |                                                                                       |
| Update Raw Material including Status Change via Swipe Action |                     |                                                                                      |                                                                                                     |                                                                                       |
| @smoke @regression @update @p1 @p2                           |                     |                                                                                      |                                                                                                     |                                                                                       |

| #  | Step / Hook Details                                           | Status | Duration |
|----|---------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                              | PASSED | 0.072 s  |
| 2  | When User clicks on "Configurations" section                  | PASSED | 0.061 s  |
| 3  | When User clicks on "Raw Materials" feature                   | PASSED | 0.070 s  |
| 4  | And User has already created a Raw Material                   | PASSED | 0.000 s  |
| 5  | When User searches for newly created Raw Material Name        | PASSED | 2.190 s  |
| 6  | And User swipes Raw Material record from right to left        | PASSED | 2.426 s  |
| 7  | Then Edit option should be visible                            | PASSED | 0.359 s  |
| 8  | When User clicks on Edit button                               | PASSED | 0.183 s  |
| 9  | Then "Edit Raw Material" popup should be displayed            | PASSED | 1.272 s  |
| 10 | When User clicks on Status button                             | PASSED | 0.257 s  |
| 11 | Then Status confirmation popup should be displayed            | PASSED | 0.586 s  |
| 12 | When User closes Status confirmation popup without confirming | PASSED | 0.398 s  |
| 13 | Then status should remain unchanged                           | PASSED | 0.878 s  |
| 14 | When User clicks Close "X" button                             | PASSED | 1.393 s  |
| 15 | When User clicks search close X button                        | PASSED | 1.696 s  |
| 16 | Then search field should be closed                            | PASSED | 0.121 s  |
| 17 | And module list should be in normal state                     | PASSED | 0.139 s  |
| 18 | And User should return to Raw Materials list screen           | PASSED | 0.062 s  |



### Update Description and change Status together

|                                                                                                                                                                                           |  |                                                                                     |                                                          |                                                                                      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|----------------------------------------------------------|--------------------------------------------------------------------------------------|
| <b>PASSED</b> <i>DURATION - 18.717 s</i><br>/ 7:47:02.336 am // 7:47:21.053 am /<br>Update Raw Material including Status Change via<br>Swipe Action<br>@smoke @regression @update @p1 @p2 |  |  | Steps<br>Total - 18<br>Pass - 18<br>Fail - 0<br>Skip - 0 |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|----------------------------------------------------------|--------------------------------------------------------------------------------------|

| # | Step / Hook Details                          | Status | Duration |
|---|----------------------------------------------|--------|----------|
| 1 | When User clicks on profile icon             | PASSED | 0.046 s  |
| 2 | When User clicks on "Configurations" section | PASSED | 0.054 s  |
| 3 | When User clicks on "Raw Materials" feature  | PASSED | 0.042 s  |
| 4 | And User has already created a Raw Material  | PASSED | 0.000 s  |

| #  | Step / Hook Details                                    | Status | Duration |
|----|--------------------------------------------------------|--------|----------|
| 5  | When User searches for newly created Raw Material Name | PASSED | 2.220 s  |
| 6  | And User swipes Raw Material record from right to left | PASSED | 2.309 s  |
| 7  | Then Edit option should be visible                     | PASSED | 0.352 s  |
| 8  | When User clicks on Edit button                        | PASSED | 0.151 s  |
| 9  | Then "Edit Raw Material" popup should be displayed     | PASSED | 1.241 s  |
| 10 | When User updates Description                          | PASSED | 3.681 s  |
| 11 | And User clicks on Status button                       | PASSED | 0.866 s  |
| 12 | And User clicks on "Yes, Change" button                | PASSED | 0.651 s  |
| 13 | And User clicks Save button                            | PASSED | 2.606 s  |
| 14 | Then Raw Material should be updated successfully       | PASSED | 0.583 s  |
| 15 | When User clicks search close X button                 | PASSED | 3.334 s  |
| 16 | Then search field should be closed                     | PASSED | 0.132 s  |
| 17 | And module list should be in normal state              | PASSED | 0.130 s  |
| 18 | And User should return to Raw Materials list screen    | PASSED | 0.070 s  |



### Attempt to edit Name field in Edit Raw Material popup

|                                                              |  |                     |  |                                                                                     |                                                                                                     |                                                                                      |
|--------------------------------------------------------------|--|---------------------|--|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| PASSED                                                       |  | DURATION - 10.434 s |  |  | <div>Steps</div> <div>Total - 16</div> <div>Pass - 16</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 7:47:21.060 am // 7:47:31.494 am /                         |  |                     |  |                                                                                     |                                                                                                     |                                                                                      |
| Update Raw Material including Status Change via Swipe Action |  |                     |  |                                                                                     |                                                                                                     |                                                                                      |
| @negative @smoke @regression @update @p1 @p2                 |  |                     |  |                                                                                     |                                                                                                     |                                                                                      |

| # | Step / Hook Details                                    | Status | Duration |
|---|--------------------------------------------------------|--------|----------|
| 1 | When User clicks on profile icon                       | PASSED | 0.066 s  |
| 2 | When User clicks on "Configurations" section           | PASSED | 0.052 s  |
| 3 | When User clicks on "Raw Materials" feature            | PASSED | 0.050 s  |
| 4 | And User has already created a Raw Material            | PASSED | 0.000 s  |
| 5 | When User searches for newly created Raw Material Name | PASSED | 2.178 s  |
| 6 | And User swipes Raw Material record from right to left | PASSED | 2.519 s  |
| 7 | Then Edit option should be visible                     | PASSED | 0.360 s  |
| 8 | When User clicks on Edit button                        | PASSED | 1.510 s  |

| #  | Step / Hook Details                                 | Status | Duration |
|----|-----------------------------------------------------|--------|----------|
| 9  | Then "Edit Raw Material" popup should be displayed  | PASSED | 0.044 s  |
| 10 | When User tries to modify Name field                | PASSED | 0.000 s  |
| 11 | Then Name field should not be editable              | PASSED | 0.116 s  |
| 12 | When User clicks Close "X" button                   | PASSED | 1.293 s  |
| 13 | When User clicks search close X button              | PASSED | 1.650 s  |
| 14 | Then search field should be closed                  | PASSED | 0.155 s  |
| 15 | And module list should be in normal state           | PASSED | 0.138 s  |
| 16 | And User should return to Raw Materials list screen | PASSED | 0.064 s  |



### Attempt to edit UOM field in Edit Raw Material popup

|                                                              |                     |                                                                                    |                                                          |                                                                                     |
|--------------------------------------------------------------|---------------------|------------------------------------------------------------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------------------|
| PASSED                                                       | DURATION - 10.514 s |  | Steps<br>Total - 16<br>Pass - 16<br>Fail - 0<br>Skip - 0 |  |
| / 7:47:31.498 am // 7:47:42.012 am /                         |                     |                                                                                    |                                                          |                                                                                     |
| Update Raw Material including Status Change via Swipe Action |                     |                                                                                    |                                                          |                                                                                     |
| @negative @smoke @regression @update @p1 @p2                 |                     |                                                                                    |                                                          |                                                                                     |

| #  | Step / Hook Details                                    | Status | Duration |
|----|--------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                       | PASSED | 0.044 s  |
| 2  | When User clicks on "Configurations" section           | PASSED | 0.045 s  |
| 3  | When User clicks on "Raw Materials" feature            | PASSED | 0.048 s  |
| 4  | And User has already created a Raw Material            | PASSED | 0.000 s  |
| 5  | When User searches for newly created Raw Material Name | PASSED | 2.206 s  |
| 6  | And User swipes Raw Material record from right to left | PASSED | 2.624 s  |
| 7  | Then Edit option should be visible                     | PASSED | 0.356 s  |
| 8  | When User clicks on Edit button                        | PASSED | 0.170 s  |
| 9  | Then "Edit Raw Material" popup should be displayed     | PASSED | 1.362 s  |
| 10 | When User tries to modify UOM field                    | PASSED | 0.001 s  |
| 11 | Then UOM field should not be editable                  | PASSED | 0.000 s  |
| 12 | When User clicks Close "X" button                      | PASSED | 1.303 s  |
| 13 | When User clicks search close X button                 | PASSED | 1.768 s  |
| 14 | Then search field should be closed                     | PASSED | 0.132 s  |


| #  | Step / Hook Details                                 | Status | Duration |
|----|-----------------------------------------------------|--------|----------|
| 15 | And module list should be in normal state           | PASSED | 0.119 s  |
| 16 | And User should return to Raw Materials list screen | PASSED | 0.051 s  |

### Attempt to edit Raw Material ID

|                                                                 |                     |                                                                                    |                                                          |                                                                                     |
|-----------------------------------------------------------------|---------------------|------------------------------------------------------------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------------------|
| PASSED                                                          | DURATION - 10.275 s |  | Steps<br>Total - 15<br>Pass - 15<br>Fail - 0<br>Skip - 0 |  |
| / 7:47:42.022 am // 7:47:52.297 am /                            |                     |                                                                                    |                                                          |                                                                                     |
| Update Raw Material including Status Change via<br>Swipe Action |                     |                                                                                    |                                                          |                                                                                     |
| @negative @smoke @regression @update @p1 @p2                    |                     |                                                                                    |                                                          |                                                                                     |


| #  | Step / Hook Details                                    | Status | Duration |
|----|--------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                       | PASSED | 0.077 s  |
| 2  | When User clicks on "Configurations" section           | PASSED | 0.081 s  |
| 3  | When User clicks on "Raw Materials" feature            | PASSED | 0.067 s  |
| 4  | And User has already created a Raw Material            | PASSED | 0.000 s  |
| 5  | When User searches for newly created Raw Material Name | PASSED | 2.139 s  |
| 6  | And User swipes Raw Material record from right to left | PASSED | 2.372 s  |
| 7  | Then Edit option should be visible                     | PASSED | 0.365 s  |
| 8  | When User clicks on Edit button                        | PASSED | 0.176 s  |
| 9  | Then "Edit Raw Material" popup should be displayed     | PASSED | 1.380 s  |
| 10 | Then Raw Material ID should not be editable            | PASSED | 0.000 s  |
| 11 | When User clicks Close "X" button                      | PASSED | 1.355 s  |
| 12 | When User clicks search close X button                 | PASSED | 1.665 s  |
| 13 | Then search field should be closed                     | PASSED | 0.181 s  |
| 14 | And module list should be in normal state              | PASSED | 0.129 s  |
| 15 | And User should return to Raw Materials list screen    | PASSED | 0.047 s  |

### Close Edit Raw Material popup with unsaved changes shows Confirmation Alert




| #  | Step / Hook Details                                              | Status | Duration |
|----|------------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                 | PASSED | 0.037 s  |
| 2  | When User clicks on "Configurations" section                     | PASSED | 0.058 s  |
| 3  | When User clicks on "Raw Materials" feature                      | PASSED | 0.055 s  |
| 4  | And User has already created a Raw Material                      | PASSED | 0.000 s  |
| 5  | When User searches for newly created Raw Material Name           | PASSED | 2.171 s  |
| 6  | And User swipes Raw Material record from right to left           | PASSED | 2.955 s  |
| 7  | Then Edit option should be visible                               | PASSED | 0.361 s  |
| 8  | When User clicks on Edit button                                  | PASSED | 0.211 s  |
| 9  | Then "Edit Raw Material" popup should be displayed               | PASSED | 0.849 s  |
| 10 | When User updates Description                                    | PASSED | 4.555 s  |
| 11 | And User clicks Close "X" button                                 | PASSED | 0.870 s  |
| 12 | Then "Confirmation Alert" popup should be displayed              | PASSED | 0.623 s  |
| 13 | When User clicks on "Yes, Exit" button on the confirmation popup | PASSED | 0.128 s  |
| 14 | Then changes should not be saved in Raw Material                 | PASSED | 1.407 s  |
| 15 | When User clicks search close X button                           | PASSED | 1.660 s  |
| 16 | Then search field should be closed                               | PASSED | 0.124 s  |
| 17 | And module list should be in normal state                        | PASSED | 0.114 s  |
| 18 | And User should return to Raw Materials list screen              | PASSED | 0.053 s  |

**Rapid Save clicks should prevent duplicate Raw Material update**




| #  | Step / Hook Details                                      | Status | Duration |
|----|----------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                         | PASSED | 0.053 s  |
| 2  | When User clicks on "Configurations" section             | PASSED | 0.064 s  |
| 3  | When User clicks on "Raw Materials" feature              | PASSED | 0.073 s  |
| 4  | And User has already created a Raw Material              | PASSED | 0.000 s  |
| 5  | When User searches for newly created Raw Material Name   | PASSED | 2.181 s  |
| 6  | And User swipes Raw Material record from right to left   | PASSED | 2.414 s  |
| 7  | Then Edit option should be visible                       | PASSED | 0.365 s  |
| 8  | When User clicks on Edit button                          | PASSED | 0.157 s  |
| 9  | Then "Edit Raw Material" popup should be displayed       | PASSED | 1.266 s  |
| 10 | When User updates Description                            | PASSED | 3.695 s  |
| 11 | And User clicks Save button multiple times quickly       | PASSED | 7.869 s  |
| 12 | Then system should prevent duplicate Raw Material update | PASSED | 0.366 s  |
| 13 | When User clicks search close X button                   | PASSED | 1.334 s  |
| 14 | Then search field should be closed                       | PASSED | 0.110 s  |
| 15 | And module list should be in normal state                | PASSED | 0.274 s  |
| 16 | And User should return to Raw Materials list screen      | PASSED | 0.529 s  |

**Rapid swipe right-to-left on Raw Material record**



| #  | Step / Hook Details                                                          | Status | Duration |
|----|------------------------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                             | PASSED | 0.062 s  |
| 2  | When User clicks on "Configurations" section                                 | PASSED | 0.070 s  |
| 3  | When User clicks on "Raw Materials" feature                                  | PASSED | 0.082 s  |
| 4  | And User has already created a Raw Material                                  | PASSED | 0.001 s  |
| 5  | When User searches for newly created Raw Material Name                       | PASSED | 2.209 s  |
| 6  | And User performs swipe action multiple times quickly on Raw Material record | PASSED | 4.343 s  |
| 7  | Then only one Edit option should be displayed                                | PASSED | 0.066 s  |
| 8  | When User clicks search close X button                                       | PASSED | 1.234 s  |
| 9  | Then search field should be closed                                           | PASSED | 0.139 s  |
| 10 | And module list should be in normal state                                    | PASSED | 0.573 s  |
| 11 | And User should return to Raw Materials list screen                          | PASSED | 0.054 s  |


### Rapid status toggle clicks



| # | Step / Hook Details                          | Status | Duration |
|---|----------------------------------------------|--------|----------|
| 1 | When User clicks on profile icon             | PASSED | 0.039 s  |
| 2 | When User clicks on "Configurations" section | PASSED | 0.037 s  |

| #  | Step / Hook Details                                           | Status | Duration |
|----|---------------------------------------------------------------|--------|----------|
| 3  | When User clicks on "Raw Materials" feature                   | PASSED | 0.052 s  |
| 4  | And User has already created a Raw Material                   | PASSED | 0.000 s  |
| 5  | When User searches for newly created Raw Material Name        | PASSED | 2.199 s  |
| 6  | And User swipes Raw Material record from right to left        | PASSED | 2.582 s  |
| 7  | Then Edit option should be visible                            | PASSED | 0.364 s  |
| 8  | When User clicks on Edit button                               | PASSED | 0.171 s  |
| 9  | Then "Edit Raw Material" popup should be displayed            | PASSED | 0.879 s  |
| 10 | When User clicks Status button multiple times quickly         | PASSED | 1.326 s  |
| 11 | Then only one Status confirmation popup should be displayed   | PASSED | 0.000 s  |
| 12 | When User closes Status confirmation popup without confirming | PASSED | 0.232 s  |
| 13 | When User clicks Close "X" button                             | PASSED | 2.138 s  |
| 14 | When User clicks search close X button                        | PASSED | 1.859 s  |
| 15 | Then search field should be closed                            | PASSED | 0.109 s  |
| 16 | And module list should be in normal state                     | PASSED | 0.136 s  |
| 17 | And User should return to Raw Materials list screen           | PASSED | 0.060 s  |


### Rapid confirmation clicks on status change

|                                                              |                     |                                                                                     |                                                          |                                                                                      |
|--------------------------------------------------------------|---------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------|--------------------------------------------------------------------------------------|
| PASSED                                                       | DURATION - 39.342 s |  | Steps<br>Total - 17<br>Pass - 17<br>Fail - 0<br>Skip - 0 |  |
| / 7:48:51.291 am // 7:49:30.633 am /                         |                     |                                                                                     |                                                          |                                                                                      |
| Update Raw Material including Status Change via Swipe Action |                     |                                                                                     |                                                          |                                                                                      |
| @smoke @regression @update @p1 @p3                           |                     |                                                                                     |                                                          |                                                                                      |

| # | Step / Hook Details                                    | Status | Duration |
|---|--------------------------------------------------------|--------|----------|
| 1 | When User clicks on profile icon                       | PASSED | 0.065 s  |
| 2 | When User clicks on "Configurations" section           | PASSED | 0.071 s  |
| 3 | When User clicks on "Raw Materials" feature            | PASSED | 0.062 s  |
| 4 | And User has already created a Raw Material            | PASSED | 0.000 s  |
| 5 | When User searches for newly created Raw Material Name | PASSED | 2.107 s  |
| 6 | And User swipes Raw Material record from right to left | PASSED | 2.293 s  |
| 7 | Then Edit option should be visible                     | PASSED | 0.363 s  |

| #  | Step / Hook Details                                         | Status | Duration |
|----|-------------------------------------------------------------|--------|----------|
| 8  | When User clicks on Edit button                             | PASSED | 0.175 s  |
| 9  | Then "Edit Raw Material" popup should be displayed          | PASSED | 1.226 s  |
| 10 | When User clicks on Status button                           | PASSED | 0.210 s  |
| 11 | And User clicks "Yes, Change" button multiple times quickly | PASSED | 21.017 s |
| 12 | Then system should prevent duplicate status updates         | PASSED | 5.407 s  |
| 13 | When User clicks Save button                                | PASSED | 0.271 s  |
| 14 | When User clicks search close X button                      | PASSED | 4.211 s  |
| 15 | Then search field should be closed                          | PASSED | 1.481 s  |
| 16 | And module list should be in normal state                   | PASSED | 0.100 s  |
| 17 | And User should return to Raw Materials list screen         | PASSED | 0.053 s  |


### Verify Edit Raw Material popup UI elements and alignment

|                                                              |                     |                                                                                    |                                                          |                                                                                     |
|--------------------------------------------------------------|---------------------|------------------------------------------------------------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------------------|
| PASSED                                                       | DURATION - 17.575 s |  | Steps<br>Total - 22<br>Pass - 22<br>Fail - 0<br>Skip - 0 |  |
| / 7:49:30.638 am // 7:49:48.213 am /                         |                     |                                                                                    |                                                          |                                                                                     |
| Update Raw Material including Status Change via Swipe Action |                     |                                                                                    |                                                          |                                                                                     |
| @smoke @regression @update @p1 @p2                           |                     |                                                                                    |                                                          |                                                                                     |

| #  | Step / Hook Details                                         | Status | Duration |
|----|-------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                            | PASSED | 0.049 s  |
| 2  | When User clicks on "Configurations" section                | PASSED | 0.070 s  |
| 3  | When User clicks on "Raw Materials" feature                 | PASSED | 0.059 s  |
| 4  | And User has already created a Raw Material                 | PASSED | 0.000 s  |
| 5  | When User searches for newly created Raw Material Name      | PASSED | 2.189 s  |
| 6  | And User swipes Raw Material record from right to left      | PASSED | 3.356 s  |
| 7  | Then Edit option should be visible                          | PASSED | 0.358 s  |
| 8  | When User clicks on Edit button                             | PASSED | 0.169 s  |
| 9  | Then "Edit Raw Material" popup should be displayed          | PASSED | 0.824 s  |
| 10 | And all Edit Raw Material fields should be aligned properly | PASSED | 0.583 s  |
| 11 | And Raw Material ID should be visible                       | PASSED | 0.073 s  |
| 12 | And Name field should be visible and non-editable           | PASSED | 5.169 s  |

| #  | Step / Hook Details                                                   | Status | Duration |
|----|-----------------------------------------------------------------------|--------|----------|
| 13 | And UOM field should be visible and non-editable                      | PASSED | 0.119 s  |
| 14 | And Description field should be visible and editable                  | PASSED | 0.104 s  |
| 15 | And Status should be visible and clickable in Edit Raw Material popup | PASSED | 0.085 s  |
| 16 | And Save button should be visible                                     | PASSED | 0.058 s  |
| 17 | And Close "X" button should be visible                                | PASSED | 0.540 s  |
| 18 | When User clicks Close "X" button                                     | PASSED | 1.416 s  |
| 19 | When User clicks search close X button                                | PASSED | 1.779 s  |
| 20 | Then search field should be closed                                    | PASSED | 0.152 s  |
| 21 | And module list should be in normal state                             | PASSED | 0.130 s  |
| 22 | And User should return to Raw Materials list screen                   | PASSED | 0.068 s  |



### Verify non-editable fields in Edit Raw Material popup

|                                                              |                     |                                                                                    |                                                          |                                                                                     |
|--------------------------------------------------------------|---------------------|------------------------------------------------------------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------------------|
| PASSED                                                       | DURATION - 10.673 s |  | Steps<br>Total - 17<br>Pass - 17<br>Fail - 0<br>Skip - 0 |  |
| / 7:49:48.217 am // 7:49:58.890 am /                         |                     |                                                                                    |                                                          |                                                                                     |
| Update Raw Material including Status Change via Swipe Action |                     |                                                                                    |                                                          |                                                                                     |
| @smoke @regression @update @p1 @p2                           |                     |                                                                                    |                                                          |                                                                                     |

| #  | Step / Hook Details                                    | Status | Duration |
|----|--------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                       | PASSED | 0.037 s  |
| 2  | When User clicks on "Configurations" section           | PASSED | 0.042 s  |
| 3  | When User clicks on "Raw Materials" feature            | PASSED | 0.067 s  |
| 4  | And User has already created a Raw Material            | PASSED | 0.001 s  |
| 5  | When User searches for newly created Raw Material Name | PASSED | 2.249 s  |
| 6  | And User swipes Raw Material record from right to left | PASSED | 2.504 s  |
| 7  | Then Edit option should be visible                     | PASSED | 0.362 s  |
| 8  | When User clicks on Edit button                        | PASSED | 0.178 s  |
| 9  | Then "Edit Raw Material" popup should be displayed     | PASSED | 1.321 s  |
| 10 | Then Name field should be disabled                     | PASSED | 0.120 s  |
| 11 | And UOM field should be disabled                       | PASSED | 0.000 s  |
| 12 | And Raw Material ID should not be editable             | PASSED | 0.000 s  |

| #  | Step / Hook Details                                 | Status | Duration |
|----|-----------------------------------------------------|--------|----------|
| 13 | When User clicks Close "X" button                   | PASSED | 1.607 s  |
| 14 | When User clicks search close X button              | PASSED | 1.644 s  |
| 15 | Then search field should be closed                  | PASSED | 0.142 s  |
| 16 | And module list should be in normal state           | PASSED | 0.130 s  |
| 17 | And User should return to Raw Materials list screen | PASSED | 0.052 s  |

### Verify pre-filled data accuracy in Edit Raw Material popup

|                                                                                    |  |                                                                                                     |  |
|------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------|--|
| PASSED                                                                             |  | DURATION - 10.314 s                                                                                 |  |
| / 7:49:58.893 am // 7:50:09.207 am /                                               |  |                                                                                                     |  |
| Update Raw Material including Status Change via Swipe Action                       |  |                                                                                                     |  |
| @smoke @regression @update @p1 @p2                                                 |  |                                                                                                     |  |
|  |  | <div>Steps</div> <div>Total - 15</div> <div>Pass - 15</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
|                                                                                    |  |                  |  |

| #  | Step / Hook Details                                                         | Status | Duration |
|----|-----------------------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                            | PASSED | 0.051 s  |
| 2  | When User clicks on "Configurations" section                                | PASSED | 0.038 s  |
| 3  | When User clicks on "Raw Materials" feature                                 | PASSED | 0.056 s  |
| 4  | And User has already created a Raw Material                                 | PASSED | 0.000 s  |
| 5  | When User searches for newly created Raw Material Name                      | PASSED | 2.302 s  |
| 6  | And User swipes Raw Material record from right to left                      | PASSED | 2.467 s  |
| 7  | Then Edit option should be visible                                          | PASSED | 0.361 s  |
| 8  | When User clicks on Edit button                                             | PASSED | 0.163 s  |
| 9  | Then "Edit Raw Material" popup should be displayed                          | PASSED | 0.887 s  |
| 10 | Then all fields should display previously saved Raw Material data correctly | PASSED | 0.000 s  |
| 11 | When User clicks Close "X" button                                           | PASSED | 1.798 s  |
| 12 | When User clicks search close X button                                      | PASSED | 1.640 s  |
| 13 | Then search field should be closed                                          | PASSED | 0.140 s  |
| 14 | And module list should be in normal state                                   | PASSED | 0.095 s  |
| 15 | And User should return to Raw Materials list screen                         | PASSED | 0.048 s  |

### Verify Status confirmation popup UI

|                                                              |                            |  |                                                                 |  |
|--------------------------------------------------------------|----------------------------|--|-----------------------------------------------------------------|--|
| <b>PASSED</b>                                                | <b>DURATION - 12.467 s</b> |  | <b>Steps</b><br>Total - 20<br>Pass - 20<br>Fail - 0<br>Skip - 0 |  |
| / 7:50:09.212 am // 7:50:21.679 am /                         |                            |  |                                                                 |  |
| Update Raw Material including Status Change via Swipe Action |                            |  |                                                                 |  |
| @smoke @regression @update @p1 @p2                           |                            |  |                                                                 |  |


| #  | Step / Hook Details                                                 | Status | Duration |
|----|---------------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                    | PASSED | 0.056 s  |
| 2  | When User clicks on "Configurations" section                        | PASSED | 0.056 s  |
| 3  | When User clicks on "Raw Materials" feature                         | PASSED | 0.051 s  |
| 4  | And User has already created a Raw Material                         | PASSED | 0.000 s  |
| 5  | When User searches for newly created Raw Material Name              | PASSED | 2.166 s  |
| 6  | And User swipes Raw Material record from right to left              | PASSED | 2.949 s  |
| 7  | Then Edit option should be visible                                  | PASSED | 0.357 s  |
| 8  | When User clicks on Edit button                                     | PASSED | 0.167 s  |
| 9  | Then "Edit Raw Material" popup should be displayed                  | PASSED | 0.866 s  |
| 10 | When User clicks on Status button                                   | PASSED | 0.648 s  |
| 11 | Then Status confirmation popup should be displayed                  | PASSED | 0.560 s  |
| 12 | And confirmation popup should display correct status change message | PASSED | 0.001 s  |
| 13 | And "Yes, Change" button should be visible                          | PASSED | 0.057 s  |
| 14 | And Close option should be available in Status confirmation popup   | PASSED | 0.000 s  |
| 15 | When User closes Status confirmation popup without confirming       | PASSED | 1.036 s  |
| 16 | When User clicks Close "X" button                                   | PASSED | 1.321 s  |
| 17 | When User clicks search close X button                              | PASSED | 1.585 s  |
| 18 | Then search field should be closed                                  | PASSED | 0.132 s  |
| 19 | And module list should be in normal state                           | PASSED | 0.128 s  |
| 20 | And User should return to Raw Materials list screen                 | PASSED | 0.080 s  |

**Validate Description field during update**



|                                                              |                            |  |                                                                 |  |
|--------------------------------------------------------------|----------------------------|--|-----------------------------------------------------------------|--|
| <b>PASSED</b>                                                | <b>DURATION - 14.959 s</b> |  | <b>Steps</b><br>Total - 18<br>Pass - 18<br>Fail - 0<br>Skip - 0 |  |
| / 7:50:21.684 am // 7:50:36.643 am /                         |                            |  |                                                                 |  |
| Update Raw Material including Status Change via Swipe Action |                            |  |                                                                 |  |
| @smoke @regression @update @p1 @p2                           |                            |  |                                                                 |  |

| #  | Step / Hook Details                                              | Status | Duration |
|----|------------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                 | PASSED | 0.059 s  |
| 2  | When User clicks on "Configurations" section                     | PASSED | 0.062 s  |
| 3  | When User clicks on "Raw Materials" feature                      | PASSED | 0.051 s  |
| 4  | And User has already created a Raw Material                      | PASSED | 0.000 s  |
| 5  | When User searches for newly created Raw Material Name           | PASSED | 2.180 s  |
| 6  | And User swipes Raw Material record from right to left           | PASSED | 2.419 s  |
| 7  | Then Edit option should be visible                               | PASSED | 0.356 s  |
| 8  | When User clicks on Edit button                                  | PASSED | 0.197 s  |
| 9  | Then "Edit Raw Material" popup should be displayed               | PASSED | 1.188 s  |
| 10 | When User enters long description text                           | PASSED | 3.659 s  |
| 11 | Then system should allow optional Description input              | PASSED | 0.665 s  |
| 12 | When User clicks Close "X" button                                | PASSED | 0.177 s  |
| 13 | Then "Confirmation Alert" popup should be displayed              | PASSED | 0.641 s  |
| 14 | When User clicks on "Yes, Exit" button on the confirmation popup | PASSED | 0.160 s  |
| 15 | When User clicks search close X button                           | PASSED | 2.641 s  |
| 16 | Then search field should be closed                               | PASSED | 0.104 s  |
| 17 | And module list should be in normal state                        | PASSED | 0.100 s  |
| 18 | And User should return to Raw Materials list screen              | PASSED | 0.063 s  |

**View Raw Material Details from Raw Materials List**

|                                      |                                |                                                              |                                                                                     |                                                            |                                                                                     |
|--------------------------------------|--------------------------------|--------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>PASSED</b>                        | <b>DURATION - 2 m 39.546 s</b> | Scenarios<br>Total - 12<br>Pass - 12<br>Fail - 0<br>Skip - 0 |  | Steps<br>Total - 183<br>Pass - 183<br>Fail - 0<br>Skip - 0 |  |
| / 7:50:36.656 am // 7:53:16.202 am / |                                |                                                              |                                                                                     |                                                            |                                                                                     |
|                                      |                                |                                                              |                                                                                     |                                                            |                                                                                     |



### Search and open View Raw Material popup and verify all fields

|                                                              |                                |                                                                                               |                                                                                                     |                                                                                                |
|--------------------------------------------------------------|--------------------------------|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| <div>PASSED</div>                                            | <div>DURATION - 19.611 s</div> | <div></div> | <div>Steps</div> <div>Total - 31</div> <div>Pass - 31</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 7:50:36.656 am // 7:50:56.267 am /</div>              |                                |                                                                                               |                                                                                                     |                                                                                                |
| <div>View Raw Material Details from Raw Materials List</div> |                                |                                                                                               |                                                                                                     |                                                                                                |
| <div>@smoke @regression @p1 @view</div>                      |                                |                                                                                               |                                                                                                     |                                                                                                |

| #  | Step / Hook Details                                            | Status | Duration |
|----|----------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                               | PASSED | 0.077 s  |
| 2  | When User clicks on "Configurations" section                   | PASSED | 0.055 s  |
| 3  | When User clicks on "Raw Materials" feature                    | PASSED | 0.053 s  |
| 4  | When User clicks on profile icon                               | PASSED | 0.051 s  |
| 5  | Then verify that the "Account Preferences" screen is displayed | PASSED | 0.051 s  |
| 6  | When User clicks on "Configurations" section                   | PASSED | 0.062 s  |
| 7  | Then verify the "Product" section is displayed                 | PASSED | 0.040 s  |
| 8  | When User clicks on "Raw Materials" feature                    | PASSED | 0.043 s  |
| 9  | Then verify user navigates to "Raw Materials" list screen      | PASSED | 0.124 s  |
| 10 | And User has already created a Raw Material                    | PASSED | 0.000 s  |
| 11 | When User clicks on search icon                                | PASSED | 0.207 s  |
| 12 | And User taps on search input field                            | PASSED | 0.877 s  |
| 13 | And User clears existing text in search field                  | PASSED | 1.101 s  |
| 14 | And User enters newly created Raw Material Name                | PASSED | 1.834 s  |
| 15 | And User waits for search results to load                      | PASSED | 0.646 s  |
| 16 | Then system should display matching Raw Material results       | PASSED | 3.215 s  |
| 17 | And User verifies Raw Material appears in list                 | PASSED | 0.095 s  |

| #  | Step / Hook Details                                          | Status | Duration |
|----|--------------------------------------------------------------|--------|----------|
| 18 | When User clicks on the Raw Material record to view          | PASSED | 0.188 s  |
| 19 | Then "View Raw Material" popup should be displayed           | PASSED | 0.818 s  |
| 20 | And Raw Material ID should be visible                        | PASSED | 0.699 s  |
| 21 | And Status should be visible                                 | PASSED | 0.099 s  |
| 22 | And Name should be visible and non-editable                  | PASSED | 5.080 s  |
| 23 | And UOM should be visible and non-editable                   | PASSED | 0.095 s  |
| 24 | And Description should be displayed if exists                | PASSED | 0.000 s  |
| 25 | And Close "X" button should be visible                       | PASSED | 0.508 s  |
| 26 | And Save button should NOT be visible                        | PASSED | 0.043 s  |
| 27 | When User clicks Close "X" button on View Raw Material popup | PASSED | 1.383 s  |
| 28 | When User clicks search close X button                       | PASSED | 1.638 s  |
| 29 | Then search field should be closed                           | PASSED | 0.135 s  |
| 30 | And module list should be in normal state                    | PASSED | 0.102 s  |
| 31 | And User should return to Raw Materials list screen          | PASSED | 0.041 s  |



### Verify Raw Material view data accuracy

|                                                   |  |                    |  |                                                                                     |                                                          |                                                                                      |
|---------------------------------------------------|--|--------------------|--|-------------------------------------------------------------------------------------|----------------------------------------------------------|--------------------------------------------------------------------------------------|
| PASSED                                            |  | DURATION - 9.099 s |  |  | Steps<br>Total - 13<br>Pass - 13<br>Fail - 0<br>Skip - 0 |  |
| / 7:50:56.280 am // 7:51:05.379 am /              |  |                    |  |                                                                                     |                                                          |                                                                                      |
| View Raw Material Details from Raw Materials List |  |                    |  |                                                                                     |                                                          |                                                                                      |
| @smoke @regression @p1 @view                      |  |                    |  |                                                                                     |                                                          |                                                                                      |

| # | Step / Hook Details                                                      | Status | Duration |
|---|--------------------------------------------------------------------------|--------|----------|
| 1 | When User clicks on profile icon                                         | PASSED | 0.084 s  |
| 2 | When User clicks on "Configurations" section                             | PASSED | 0.072 s  |
| 3 | When User clicks on "Raw Materials" feature                              | PASSED | 0.070 s  |
| 4 | And User has already created a Raw Material                              | PASSED | 0.000 s  |
| 5 | When User searches for newly created Raw Material Name                   | PASSED | 2.156 s  |
| 6 | And User clicks on the Raw Material record to view                       | PASSED | 1.765 s  |
| 7 | Then "View Raw Material" popup should be displayed                       | PASSED | 1.284 s  |
| 8 | And all displayed Raw Material values should match previously saved data | PASSED | 0.060 s  |



| #  | Step / Hook Details                                          | Status | Duration |
|----|--------------------------------------------------------------|--------|----------|
| 9  | When User clicks Close "X" button on View Raw Material popup | PASSED | 1.327 s  |
| 10 | When User clicks search close X button                       | PASSED | 1.721 s  |
| 11 | Then search field should be closed                           | PASSED | 0.117 s  |
| 12 | And module list should be in normal state                    | PASSED | 0.150 s  |
| 13 | And User should return to Raw Materials list screen          | PASSED | 0.065 s  |

### Verify Raw Material ID format in View popup

|                                                   |  |                     |  |                                                                                    |                                                                                                     |                                                                                     |
|---------------------------------------------------|--|---------------------|--|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| PASSED                                            |  | DURATION - 10.055 s |  |  | <div>Steps</div> <div>Total - 14</div> <div>Pass - 14</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 7:51:05.389 am // 7:51:15.444 am /              |  |                     |  |                                                                                    |                                                                                                     |                                                                                     |
| View Raw Material Details from Raw Materials List |  |                     |  |                                                                                    |                                                                                                     |                                                                                     |
| @smoke @regression @p1 @view @p2                  |  |                     |  |                                                                                    |                                                                                                     |                                                                                     |



| #  | Step / Hook Details                                          | Status | Duration |
|----|--------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                             | PASSED | 0.079 s  |
| 2  | When User clicks on "Configurations" section                 | PASSED | 0.073 s  |
| 3  | When User clicks on "Raw Materials" feature                  | PASSED | 0.049 s  |
| 4  | And User has already created a Raw Material                  | PASSED | 0.000 s  |
| 5  | When User searches for newly created Raw Material Name       | PASSED | 2.220 s  |
| 6  | And User clicks on the Raw Material record to view           | PASSED | 2.030 s  |
| 7  | Then "View Raw Material" popup should be displayed           | PASSED | 1.395 s  |
| 8  | And Raw Material ID should be visible                        | PASSED | 0.051 s  |
| 9  | And Raw Material ID should start with hash RMA prefix        | PASSED | 0.098 s  |
| 10 | When User clicks Close "X" button on View Raw Material popup | PASSED | 0.211 s  |
| 11 | When User clicks search close X button                       | PASSED | 2.376 s  |
| 12 | Then search field should be closed                           | PASSED | 0.097 s  |
| 13 | And module list should be in normal state                    | PASSED | 1.070 s  |
| 14 | And User should return to Raw Materials list screen          | PASSED | 0.081 s  |

### Close View Raw Material popup navigates back without Confirmation Alert

|                                                                              |                               |                                                                                               |                                                                                                     |                                                                                                |
|------------------------------------------------------------------------------|-------------------------------|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| <div>PASSED</div>                                                            | <div>DURATION - 8.895 s</div> | <div></div> | <div>Steps</div> <div>Total - 13</div> <div>Pass - 13</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 7:51:15.448 am // 7:51:24.343 am /</div>                              |                               |                                                                                               |                                                                                                     |                                                                                                |
| <div><a href="#">View Raw Material Details from Raw Materials List</a></div> |                               |                                                                                               |                                                                                                     |                                                                                                |
| <div>@smoke @regression @p1 @view @p2</div>                                  |                               |                                                                                               |                                                                                                     |                                                                                                |



| #  | Step / Hook Details                                          | Status | Duration |
|----|--------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                             | PASSED | 0.042 s  |
| 2  | When User clicks on "Configurations" section                 | PASSED | 0.036 s  |
| 3  | When User clicks on "Raw Materials" feature                  | PASSED | 0.051 s  |
| 4  | And User has already created a Raw Material                  | PASSED | 0.000 s  |
| 5  | When User searches for newly created Raw Material Name       | PASSED | 2.194 s  |
| 6  | And User clicks on the Raw Material record to view           | PASSED | 1.679 s  |
| 7  | Then "View Raw Material" popup should be displayed           | PASSED | 1.269 s  |
| 8  | When User clicks Close "X" button on View Raw Material popup | PASSED | 1.380 s  |
| 9  | Then "View Raw Material" popup should be closed              | PASSED | 0.056 s  |
| 10 | When User clicks search close X button                       | PASSED | 1.671 s  |
| 11 | Then search field should be closed                           | PASSED | 0.121 s  |
| 12 | And module list should be in normal state                    | PASSED | 0.115 s  |
| 13 | And User should return to Raw Materials list screen          | PASSED | 0.058 s  |

**Verify all fields are not editable in View Raw Material popup**

|                                                                   |                               |                                                                                      |                                                                                                     |                                                                                       |
|-------------------------------------------------------------------|-------------------------------|--------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <div>PASSED</div>                                                 | <div>DURATION - 9.209 s</div> |  | <div>Steps</div> <div>Total - 18</div> <div>Pass - 18</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 7:51:24.347 am // 7:51:33.556 am /                              |                               |                                                                                      |                                                                                                     |                                                                                       |
| <a href="#">View Raw Material Details from Raw Materials List</a> |                               |                                                                                      |                                                                                                     |                                                                                       |
| @negative @smoke @regression @p1 @view @p2                        |                               |                                                                                      |                                                                                                     |                                                                                       |

| #  | Step / Hook Details                                          | Status | Duration |
|----|--------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                             | PASSED | 0.049 s  |
| 2  | When User clicks on "Configurations" section                 | PASSED | 0.050 s  |
| 3  | When User clicks on "Raw Materials" feature                  | PASSED | 0.051 s  |
| 4  | And User has already created a Raw Material                  | PASSED | 0.000 s  |
| 5  | When User searches for newly created Raw Material Name       | PASSED | 2.143 s  |
| 6  | And User clicks on the Raw Material record to view           | PASSED | 1.836 s  |
| 7  | Then "View Raw Material" popup should be displayed           | PASSED | 1.295 s  |
| 8  | When User tries to edit Name field                           | PASSED | 0.000 s  |
| 9  | Then Name field should not be editable                       | PASSED | 0.090 s  |
| 10 | When User tries to edit UOM field                            | PASSED | 0.000 s  |
| 11 | Then UOM field should not be editable                        | PASSED | 0.001 s  |
| 12 | When User tries to edit Description field                    | PASSED | 0.000 s  |
| 13 | Then Description field should not be editable                | PASSED | 0.083 s  |
| 14 | When User clicks Close "X" button on View Raw Material popup | PASSED | 1.345 s  |
| 15 | When User clicks search close X button                       | PASSED | 1.801 s  |
| 16 | Then search field should be closed                           | PASSED | 0.095 s  |
| 17 | And module list should be in normal state                    | PASSED | 0.099 s  |
| 18 | And User should return to Raw Materials list screen          | PASSED | 0.052 s  |



### Verify no Save button in View Raw Material popup

|                                                                                                                                                                                           |  |                                                                                     |  |                                                          |                                                                                      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|--|----------------------------------------------------------|--------------------------------------------------------------------------------------|
| <b>PASSED</b> <i>DURATION - 9.030 s</i><br>/ 7:51:33.562 am // 7:51:42.592 am /<br><i>View Raw Material Details from Raw Materials List</i><br>@negative @smoke @regression @p1 @view @p2 |  |  |  | Steps<br>Total - 13<br>Pass - 13<br>Fail - 0<br>Skip - 0 |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|--|----------------------------------------------------------|--------------------------------------------------------------------------------------|

| # | Step / Hook Details                          | Status | Duration |
|---|----------------------------------------------|--------|----------|
| 1 | When User clicks on profile icon             | PASSED | 0.035 s  |
| 2 | When User clicks on "Configurations" section | PASSED | 0.039 s  |
| 3 | When User clicks on "Raw Materials" feature  | PASSED | 0.055 s  |
| 4 | And User has already created a Raw Material  | PASSED | 0.000 s  |


| #  | Step / Hook Details                                          | Status | Duration |
|----|--------------------------------------------------------------|--------|----------|
| 5  | When User searches for newly created Raw Material Name       | PASSED | 2.158 s  |
| 6  | And User clicks on the Raw Material record to view           | PASSED | 1.754 s  |
| 7  | Then "View Raw Material" popup should be displayed           | PASSED | 0.836 s  |
| 8  | Then Save button should NOT be visible                       | PASSED | 0.058 s  |
| 9  | When User clicks Close "X" button on View Raw Material popup | PASSED | 1.804 s  |
| 10 | When User clicks search close X button                       | PASSED | 1.751 s  |
| 11 | Then search field should be closed                           | PASSED | 0.133 s  |
| 12 | And module list should be in normal state                    | PASSED | 0.133 s  |
| 13 | And User should return to Raw Materials list screen          | PASSED | 0.053 s  |

### Background screen should remain inaccessible until View Raw Material popup is closed

|                                                   |  |                    |  |                                                                                    |                                                          |                                                                                     |
|---------------------------------------------------|--|--------------------|--|------------------------------------------------------------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------------------|
| PASSED                                            |  | DURATION - 9.069 s |  |  | Steps<br>Total - 13<br>Pass - 13<br>Fail - 0<br>Skip - 0 |  |
| / 7:51:42.595 am // 7:51:51.664 am /              |  |                    |  |                                                                                    |                                                          |                                                                                     |
| View Raw Material Details from Raw Materials List |  |                    |  |                                                                                    |                                                          |                                                                                     |
| @negative @smoke @regression @p1 @view @p2        |  |                    |  |                                                                                    |                                                          |                                                                                     |


| #  | Step / Hook Details                                                                  | Status | Duration |
|----|--------------------------------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                                     | PASSED | 0.051 s  |
| 2  | When User clicks on "Configurations" section                                         | PASSED | 0.040 s  |
| 3  | When User clicks on "Raw Materials" feature                                          | PASSED | 0.046 s  |
| 4  | And User has already created a Raw Material                                          | PASSED | 0.001 s  |
| 5  | When User searches for newly created Raw Material Name                               | PASSED | 2.170 s  |
| 6  | And User clicks on the Raw Material record to view                                   | PASSED | 1.932 s  |
| 7  | Then "View Raw Material" popup should be displayed                                   | PASSED | 0.874 s  |
| 8  | Then background screen should remain inaccessible until Raw Material popup is closed | PASSED | 0.525 s  |
| 9  | When User clicks Close "X" button on View Raw Material popup                         | PASSED | 1.357 s  |
| 10 | When User clicks search close X button                                               | PASSED | 1.592 s  |
| 11 | Then search field should be closed                                                   | PASSED | 0.122 s  |
| 12 | And module list should be in normal state                                            | PASSED | 0.086 s  |
| 13 | And User should return to Raw Materials list screen                                  | PASSED | 0.051 s  |

### Rapid click on Raw Material record should open only one View popup

|                                                            |  |                                                                                    |                                                                                                     |                                                                                     |
|------------------------------------------------------------|--|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <div><div>PASSED</div><div>DURATION - 38.436 s</div></div> |  |  | <div>Steps</div> <div>Total - 12</div> <div>Pass - 12</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 7:51:51.672 am // 7:52:30.108 am /                       |  |                                                                                    |                                                                                                     |                                                                                     |
| View Raw Material Details from Raw Materials List          |  |                                                                                    |                                                                                                     |                                                                                     |
| @smoke @regression @p1 @view @p2 @sanity                   |  |                                                                                    |                                                                                                     |                                                                                     |



| #  | Step / Hook Details                                           | Status | Duration |
|----|---------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                              | PASSED | 0.037 s  |
| 2  | When User clicks on "Configurations" section                  | PASSED | 0.052 s  |
| 3  | When User clicks on "Raw Materials" feature                   | PASSED | 0.056 s  |
| 4  | And User has already created a Raw Material                   | PASSED | 0.000 s  |
| 5  | When User searches for newly created Raw Material Name        | PASSED | 2.201 s  |
| 6  | And User clicks multiple times quickly on Raw Material record | PASSED | 31.986 s |
| 7  | Then only one View Raw Material popup should be displayed     | PASSED | 0.075 s  |
| 8  | When User clicks Close "X" button on View Raw Material popup  | PASSED | 1.340 s  |
| 9  | When User clicks search close X button                        | PASSED | 2.133 s  |
| 10 | Then search field should be closed                            | PASSED | 0.133 s  |
| 11 | And module list should be in normal state                     | PASSED | 0.115 s  |
| 12 | And User should return to Raw Materials list screen           | PASSED | 0.049 s  |

### Reopen View Raw Material popup multiple times

|                                                   |  |                                                                                                 |                                                                                                     |                                                                                                  |
|---------------------------------------------------|--|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| <div>PASSED</div> <div>DURATION - 11.660 s</div>  |  | <div></div> | <div>Steps</div> <div>Total - 11</div> <div>Pass - 11</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| / 7:52:30.112 am // 7:52:41.772 am /              |  |                                                                                                 |                                                                                                     |                                                                                                  |
| View Raw Material Details from Raw Materials List |  |                                                                                                 |                                                                                                     |                                                                                                  |
| @smoke @regression @p1 @view @p3 @sanity          |  |                                                                                                 |                                                                                                     |                                                                                                  |

| #  | Step / Hook Details                                              | Status | Duration |
|----|------------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                 | PASSED | 0.055 s  |
| 2  | When User clicks on "Configurations" section                     | PASSED | 0.049 s  |
| 3  | When User clicks on "Raw Materials" feature                      | PASSED | 0.069 s  |
| 4  | And User has already created a Raw Material                      | PASSED | 0.000 s  |
| 5  | When User searches for newly created Raw Material Name           | PASSED | 2.155 s  |
| 6  | And User opens and closes View Raw Material popup multiple times | PASSED | 7.128 s  |
| 7  | Then Raw Material details should load correctly each time        | PASSED | 0.051 s  |
| 8  | When User clicks search close X button                           | PASSED | 1.604 s  |
| 9  | Then search field should be closed                               | PASSED | 0.101 s  |
| 10 | And module list should be in normal state                        | PASSED | 0.130 s  |
| 11 | And User should return to Raw Materials list screen              | PASSED | 0.066 s  |



### Verify View Raw Material popup UI elements and alignment

|                                                   |  |                     |  |                                                                                    |                                                                                                     |                                                                                     |
|---------------------------------------------------|--|---------------------|--|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| PASSED                                            |  | DURATION - 15.432 s |  |  | <div>Steps</div> <div>Total - 19</div> <div>Pass - 19</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 7:52:41.776 am // 7:52:57.208 am /              |  |                     |  |                                                                                    |                                                                                                     |                                                                                     |
| View Raw Material Details from Raw Materials List |  |                     |  |                                                                                    |                                                                                                     |                                                                                     |
| @smoke @regression @p1 @view @p2                  |  |                     |  |                                                                                    |                                                                                                     |                                                                                     |

| #  | Step / Hook Details                                                 | Status | Duration |
|----|---------------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                    | PASSED | 0.039 s  |
| 2  | When User clicks on "Configurations" section                        | PASSED | 0.050 s  |
| 3  | When User clicks on "Raw Materials" feature                         | PASSED | 0.074 s  |
| 4  | And User has already created a Raw Material                         | PASSED | 0.000 s  |
| 5  | When User searches for newly created Raw Material Name              | PASSED | 2.212 s  |
| 6  | And User clicks on the Raw Material record to view                  | PASSED | 1.915 s  |
| 7  | Then "View Raw Material" popup should be displayed                  | PASSED | 1.324 s  |
| 8  | And all View Raw Material popup elements should be aligned properly | PASSED | 0.063 s  |
| 9  | And Raw Material ID should be visible                               | PASSED | 0.041 s  |
| 10 | And Status should be visible                                        | PASSED | 0.111 s  |
| 11 | And Name should be visible and non-editable                         | PASSED | 5.537 s  |


| #  | Step / Hook Details                                          | Status | Duration |
|----|--------------------------------------------------------------|--------|----------|
| 12 | And UOM should be visible and non-editable                   | PASSED | 0.044 s  |
| 13 | And Close "X" button should be visible                       | PASSED | 0.466 s  |
| 14 | And Save button should NOT be visible                        | PASSED | 0.044 s  |
| 15 | When User clicks Close "X" button on View Raw Material popup | PASSED | 1.421 s  |
| 16 | When User clicks search close X button                       | PASSED | 1.600 s  |
| 17 | Then search field should be closed                           | PASSED | 0.111 s  |
| 18 | And module list should be in normal state                    | PASSED | 0.098 s  |
| 19 | And User should return to Raw Materials list screen          | PASSED | 0.058 s  |

### Verify all fields are read-only in View Raw Material popup

|                                                   |                    |                                                                                    |                                                          |                                                                                     |
|---------------------------------------------------|--------------------|------------------------------------------------------------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------------------|
| PASSED                                            | DURATION - 9.169 s |  | Steps<br>Total - 13<br>Pass - 13<br>Fail - 0<br>Skip - 0 |  |
| / 7:52:57.217 am // 7:53:06.386 am /              |                    |                                                                                    |                                                          |                                                                                     |
| View Raw Material Details from Raw Materials List |                    |                                                                                    |                                                          |                                                                                     |
| @smoke @regression @p1 @view @p2                  |                    |                                                                                    |                                                          |                                                                                     |

| #  | Step / Hook Details                                               | Status | Duration |
|----|-------------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                                  | PASSED | 0.041 s  |
| 2  | When User clicks on "Configurations" section                      | PASSED | 0.055 s  |
| 3  | When User clicks on "Raw Materials" feature                       | PASSED | 0.067 s  |
| 4  | And User has already created a Raw Material                       | PASSED | 0.000 s  |
| 5  | When User searches for newly created Raw Material Name            | PASSED | 2.172 s  |
| 6  | And User clicks on the Raw Material record to view                | PASSED | 1.854 s  |
| 7  | Then "View Raw Material" popup should be displayed                | PASSED | 1.349 s  |
| 8  | Then all fields should appear disabled in View Raw Material popup | PASSED | 0.179 s  |
| 9  | When User clicks Close "X" button on View Raw Material popup      | PASSED | 1.340 s  |
| 10 | When User clicks search close X button                            | PASSED | 1.625 s  |
| 11 | Then search field should be closed                                | PASSED | 0.123 s  |
| 12 | And module list should be in normal state                         | PASSED | 0.093 s  |
| 13 | And User should return to Raw Materials list screen               | PASSED | 0.058 s  |

## Verify status display format in View Raw Material popup



| #  | Step / Hook Details                                           | Status | Duration |
|----|---------------------------------------------------------------|--------|----------|
| 1  | When User clicks on profile icon                              | PASSED | 0.049 s  |
| 2  | When User clicks on "Configurations" section                  | PASSED | 0.039 s  |
| 3  | When User clicks on "Raw Materials" feature                   | PASSED | 0.056 s  |
| 4  | And User has already created a Raw Material                   | PASSED | 0.000 s  |
| 5  | When User searches for newly created Raw Material Name        | PASSED | 2.169 s  |
| 6  | And User clicks on the Raw Material record to view            | PASSED | 1.871 s  |
| 7  | Then "View Raw Material" popup should be displayed            | PASSED | 1.294 s  |
| 8  | Then status should be clearly displayed as Active or Inactive | PASSED | 0.104 s  |
| 9  | When User clicks Close "X" button on View Raw Material popup  | PASSED | 1.449 s  |
| 10 | When User clicks search close X button                        | PASSED | 1.314 s  |
| 11 | Then search field should be closed                            | PASSED | 0.092 s  |
| 12 | And module list should be in normal state                     | PASSED | 1.097 s  |
| 13 | And User should return to Raw Materials list screen           | PASSED | 0.052 s  |