





# **Programming Assignment V**

Due on Friday, April 19, 2019 @ 11pm

100 points

#### **Santa Claus**

Santa Claus sleeps in his shop up at the North pole, and can only be wakened up by either all nine reindeers being back from their year long vacation on the beaches of some tropical island in the South Pacific, or by some elves who are having some difficulties making the toys.

One elf's problem is never serious enough to wake up Santa (otherwise, he may never get any sleep). So, the elves visit Santa in a group of three. When three elves are having their problems solved, any other elves wishing to visit Santa must wait for those elves to return. If Santa wakes up to find three elves waiting at his shop's door, along with the last reindeer having comeback from the tropics, Santa has decided that the elves can wait until after Christmas, because it is more important to get his sleigh ready as soon as possible. It is assumed that the reindeers don't want to leave the tropics, and therefore they stay there until the last possible moment. They might not even come back, but since Santa is footing the bill for their year in paradise they will come back to the north anyway. This could also explain the quickness in their delivering of presents, since the reindeers cannot wait to get back to where it is warm. The penalty for the last reindeer to arrive is that it must get Santa while the others wait in a warming hut before being harnessed to the sleigh.

Here are some specifics. For each elf, he waits for two more elves in order to wake up Santa. A group of three elves submit their problems to Santa and wait until their problems are answered. Then, go back to work until a new problem comes up. While Santa is solving a problem, no other elf groups can interrupt him. More precisely, all elf groups must wait until the current group finishes working with Santa, and Santa can only work with one elf group at a time.

For each reindeer, it tans on the beaches for some time and returns to paradise. If all reindeers (say 9) have returned, the last (i.e., the 9th) one wakes up Santa and all nine wait to be attached to the sleigh. Then, they fly off to deliver the toys and head back to the Pacific island.

Santa takes some rests until (1) all reindeers have come back or (2) there are three elves posting questions. If it is the former, Santa calls up all reindeer except the one who waked Santa up, setup sleigh for each reindeer. Then, the team flies off to deliver toys for a while and returns. Finally, Santa releases all reindeers. If it is the latter, Santa lets all three elves in and solves the (three) problems that the elves bring in. After solving the problem, Santa goes in bed again!

Well, Santa may want to take a long vacation as everybody does. So, Santa has made a decision that after delivering toys for some number of times (say 10), he will lay off all elves and reindeers and call for a quit. That is why you have not received toys from Santa for many years!

# **Program Structure**

Design a monitor of the Hoare type to solve this problem. The following discusses the structure of each thread. There are a number of monitor procedures (i.e., AskQuestion(), ReindeerBack(), WaitOthers(), WaitSleigh(), FlyOff() and Sleep()) each of which will be discussed below. Feel free to add other public and private monitor procedues.

Each elf is a thread with the following pattern:

```
while (1) {
  Delay();
                     // make toys
   AskQuestion(...);
                        // encounter a problem
                     // problem solved, take a rest
   Delay();
```

AskQuestion() is a monitor procedure. When an elf has a question, he calls AskQuestion(), which blocks the calling elf until a gang of three is possible. When the control returns, the question is answered.

The following shows a reindeer thread:

```
while (1) {
   Delay();
                       // tan on the beaches
   ReindeerBack(...);
                           // report back to Santa
                          // wait for others
   WaitOthers(...);
                    // Don't forget: the last wakes up Santa
   WaitSleigh(...)
                         // wait for attaching sleigh
   FlyOff(...);
                       // fly off to deliver toys
                    // Santa will let go all reindeers
   Delay();
                       // prepare for vacation
```

comes back, it calls ReindeerBack() to register this event. Then, it calls WaitOthers() to wait for the other reindeers. Keep in mind that the last reindeer must wake up Santa. After a reindeer returns from the call to WaitOthers(), all reindeers will act as a group. Next, all reindeers call WaitSleigh(), waiting to be attached to a sleigh. Again, all reindeers act as a single group. Once this step completes, all reindeers fly off as a single group to deliver toys.

#### The Santa thread looks like the following:

```
while (not retire) {
                       // take a nap
   Sleep(...);
                    // wakened up by elves or the last reindeer
   what is the reason? // note that toy delivering is more important
   if (all reindeers are back) { // delivery has a higher priority
      // gather all reindeers
      // put on sleigh
      // and fly off
                       // Santa delivers tovs
      Delav():
       // release all reindeer for vacation
   if (elves have a question) { // there many be a # of groups waiting
       // let elves in
       Delay();
                       // solve their problem
       // solve the problem and release elves
}
```

Santa sleeps first with monitor procedure Sleep(), which means he is blocked until three elves ask questions, or the last reindeer wakes him up. Santa always takes care the reindeers first. If Santa is wakened by the last reindeer, he releases all waiting reindeers. Santa waits all reindeers are there. Then, he attaches the sleigh (this is the reason that all reindeers must act as a single group). After the sleigh is attached, Santa and reindeers fly off. On the other hand, if Santa is wakened up by elves, he takes some time to solve the problem, and releases all three elves.

Your implementation must correctly handle the following important situations:

- Only exactly three elves can form a group and ask questions.
- Before the problem is solved, no other elves can leave. While three elves are waiting for the answers, no other elves can cut in.
- Santa answers questions only if he is not sleeping, of course!
- When Santa is wakened up by a reindeer, this one must be the last reindeer who just came back. Only the last reindeer can wake up Santa.
- Santa always takes care reindeers first.
- While Santa is attaching sleigh and delivering toys, all reindeers must be there.

Write a C++ program using ThreadMentor to simulate these activities. Note that you can only use one and only one monitor as specified. Your program will not be counted as a correct one if any other synchronization primitives are used. The only exception is the use of a single mutex lock for printing to stdout.

# **Input and Output**

The input of your program consists of the following:

 The number of elves e, the number of reindeers r, and the number of toy deliveries t should be taken from the command line arguments as follows:

```
./prog5 e r t
```

Thus, Jprog5 7 9 8 means Santa's shop has 7 elves and 9 reindeers. After delivering toys 8 times, Santa retires. If e is 0, the default value is 7; if r is 0, the default value is 9; and if t is 0, the default value is 5. For example, Jprog5 0 6 0 means that Santa's shop has 7 elves and 6 reindeers. After delivering toys 5 times, Santa retires. All command line arguments are non-negative. There are always enough number of elves and reindeers for the system to operate properly.

Your program should generate an output similar to the following:

```
Santa thread starts
   Reindeer 3 starts
      Elf 6 starts.
   Reindeer 1 returns
      Elf 2 has a problem
      Elf 5 has a problem
      Elf 1 has a problem
   Reindeer 3 returns
      Elves 1, 2, 5 wake up the Santa
Santa is helping elves
      Elf 7 has a problem
   Reindeer 2 returns
Santa answers the question posted by elves 1, 2, 5
      Elves 1, 2, 5 return to work
  The last reindeer 5 wakes up Santa
Santa is preparing sleighs
      Elf 4 has a problem
```

The team flies off (1)! If the number indicates how many toy deliveries Elf 2 has a problem

After (XX) deliveries, Santa retires and is on vacation!

Due to the dynamic behavior of multithreaded programs, you will not be able to generate an output that is exactly identical to the above.

- All messages from the Santa thread start on column 1; all messages generated by reindeer threads start on column 5; and all messages printed by elf threads start on column 10. Without observing this rule, you may risk lower grade.
- The output below illustrates that elves 2, 5 and 1 have problems and form a group. They wake up Santa. Then, Santa
  answers their questions and release them. After this, the elves go back to work and the Santa goes back to sleep.

Elf 2 has a problem
Elf 5 has a problem
Elf 1 has a problem
......
Elves 1, 2, 5 wake up the Santa
......
Santa answers the guestion posted by elves 1, 2, 5

Flyes 1 2 5 return to work

• The following illustrates the interaction between reindeers and the Santa. Reindeers return one by one. The last one, reindeer 5 here, wakes up Santa. Then, Santa prepares the sleigh. After this, the team flies off. The number in parenthesis is the number of toy deliveries.

Reindeer 1 returns
.......
Reindeer 3 returns
.......
Reindeer 2 returns
.......
The last reindeer 5 wakes up Santa
.......
Santa is preparing sleighs
......
The team flies off (1)!

After a specific number of toy deliveries, Santa prints out a message and stops his toy-making operation. Note that this
has to be the last message printed by your program.

After (XX) deliveries, Santa retires and is on vacation!

#### **Submission Guidelines**

## **General Rules**

- 1. All programs must be written in C++.
- 2. Use the submit command to submit your work. You can submit as many times as you want, but only the last on-time one will be graded.
- 3. Unix filename is case sensitive, THREAD.cpp, Thread.CPP, thread.CPP, etc are not the same.
- 4. We will use the following approach to compile and test your programs:

make noVisual <-- make your program ./prog5 e r t <-- test your program

This procedure may be repeated a number of times with different input files to see if your program works correctly.

- 5. Your implementation should fulfill the program specification as stated. Any deviation from the specification will cause you to receive **zero** point.
- A README file is always required.
- 7. No late submission will be graded.
- 8. Programs submitted to wrong class and/or wrong section will not be graded.

## **Compiling and Running Your Programs**

This is about the way of compiling and running your program. If we cannot compile your program due to syntax errors, wrong file names, etc, we cannot test your program, and, as a result, you receive 0 point. If your program compiles successfully but fails to run, we cannot test your program, and, again, you receive 0 point. Therefore, before submitting your work, make sure your program can compile and run properly.

- Not-compile programs receive 0 point. By not-compile, I mean any reason that could cause an unsuccessful compilation, including missing files, incorrect filenames, syntax errors in your programs, and so on. Double check your files before you submit, since I will not change your program. Note again: Unix filenames are case sensitive.
- 2. Compile-but-not-run programs receive 0 point. Compile-but-not-run usually means you have attempted to solve the problem to some degree but you failed to make it working properly.
- 3. A meaningless or vague program receives 0 point even though it compiles successfully. This usually means your program does not solve the problem but serves as a placeholder or template just making it to compile and run.

# **Program Style and Documentation**

This section is about program style and documentation.

1. For each file, the first piece should be a program header to identify yourself like this:

Here, User ID is the one you use to login. It is not your social security number nor your M number.

For each function in your program, include a simple description like this:

```
// FUNCTION xxyyzz : (function name)
// the purpose of this function
// PARAMETER USAGE :
// a list of all parameters and their meaning
// FUNCTION CALLED :
// a list of functions that are called by this one
```

- 2. Your programs must contain enough concise and to-the-point comments. Do not write a novel!
- 3. Your program should have good indentation.
- 4. Do not use global variables except for semaphores and other absolutely needed entities such as counters!

# **Program Specification**

Your program must follow exactly the requirements of this programming assignment. Otherwise, you receive 0 point even though your program runs and produces correct output. The following is a list of potential problems.

- 1. Your program does not use the indicated algorithms/methods to solve this problem.
- 2. Your program does not follow the structure given in the specification. For example, your program is not divided into functions and files, etc when the specification says you should.
- 3. Any other significant violation of the given program specification.
- 4. Incorrect output format. This will cost you some points depending on how serious the violations are. The grader will make a decision. Hence, carefully check your program output against the required one.
- 5. Your program does not achieve the goal of maximum parallelism.

#### **Program Correctness**

If your program compiles and runs, we will check its correctness. We normally run your program with two sets of input data, one posted on this programming assignment page (the public one) and the other prepared by the grader (the private one). You program must deliver correct results for both data sets. Depending on the seriousness of the problem(s), significant deduction may be applied. For example, if your program delivers all wrong results for the public data set, you receive 0 point for that component.

#### The README File

A file named README is required to answer the following questions:

- The logic of your program
- · Why does your program work?
- Convince me that your program works properly. More precisely, answer the following questions. Make sure you will have a
  convincing argument for each question. Note that argument such as because a monitor and conditional variables are
  used to ....., the indicated situation cannot happen" will not be counted as convincing. You should explain why the
  situation will not happen through the use of a semaphore or semaphores. Providing arguments like that will receive low or
  very low grade.
  - 1. Question: How do you guarantee that only three elves will ask questions?
  - 2. **Question:** Show that why no elf will leave before the questions are answered.
  - 3. Question: Show that while three elves are waiting for an answer, no other elves can cut in and ask questions.
  - 4. Question: How do you guarantee that Santa only answers question while he is not sleeping.
  - 5. Question: Show that when Santa is wakened up by a reindeer, this reindeer is the last one coming back from vacation.
  - 6. Question: How do you make sure that Santa always handles reindeers first.
  - 7. Question: Show that while Santa is attaching the sleigh and delivering toys, all reindeers are there. They won't sneak out for vacation.
  - 8. Question: Show that while Santa is attaching the sleigh and delivering toys, elves will not ask questions.

You should elaborate your answer and provide details. When answering the above questions, make sure each answer starts with a new line and have the question number (e.g., Question X:) clearly shown. Separate two answers with a blank line.

Note that the file name has to be README rather than readme or Readme. Note also that there is **no** filename extension, which means filename such as README.TXT is **NOT** acceptable.

README must be a plain text file. We do not accept files produced by any word processor. Moreover, watch for very long lines. More precisely, limit the length of each line to no more than 80 characters with the Return/Enter key for line separation. Missing this file, submitting non-text file, file with long lines, or providing incorrect and/or vague answers will cost you many points. Suggestion: Use a Unix text editor to prepare your README rather than a word processor.

#### **Final Notes**

- 1. Your submission should include the following files:
  - 1. File thread.h that contains all class definitions of your threads.
  - 2. File thread.cpp contains all class implementations of your threads, including AskQuestion(), ReindeerBack(), WaitOthers(), WaitSleigh(), FlyOff(), Sleep() and other monitor procedures designed and implemented by you as needed.
  - 3. File thread-main.cpp contains the main program.
  - 4. File Makefile is a makefile that compiles the above three files to an executable file prog5. Since we may use any lab machine to grade your programs, your makefile should make sure all paths are correct. Note also that without following this file structure your program is likely to fall into the compile-but-not-run category, and, as a result, you may get a low grade. Before submission, check if you have the proper file structure and correct makefile. Note that your Makefile should not activate the visualization system.
  - File README.

Note also that without following this file structure your program is likely to fall into the compile-but-not-run category, and, as a result, you may get low grade. Therefore, before submission, check if you have the proper file structure and a correct makefile.

- 2. Always start early, because I will not grant any extension if your home machine, network connection, your phone line or the department machines crash in the last minute.
- 3. Since the rules are all clearly stated, no leniency will be given and none of the above conditions is negotiable. So, if you have anything in doubt, please ask for clarification.
- 4. Click <u>here</u> to see how your program will be graded.