

student@student-ThinkCentre-neo-50s-Gen-3: ~

```
student@student-ThinkCentre-neo-50s-Gen-3:~$ who
student      :0                2023-01-18 13:16 (:0)
student@student-ThinkCentre-neo-50s-Gen-3:~$ whoami
student
student@student-ThinkCentre-neo-50s-Gen-3:~$ youname -a
youname: command not found
student@student-ThinkCentre-neo-50s-Gen-3:~$ uname -a
Linux student-ThinkCentre-neo-50s-Gen-3 5.15.0-41-generic #44-20.04.1-Ubuntu SMP Fri Jun 24 13:27:29 UTC 2022 x86_64 x86_64 x86_64 GNU/Linux
student@student-ThinkCentre-neo-50s-Gen-3:~$ uname -s
Linux
student@student-ThinkCentre-neo-50s-Gen-3:~$ uname -r
5.15.0-41-generic
student@student-ThinkCentre-neo-50s-Gen-3:~$ uname -p
x86_64
student@student-ThinkCentre-neo-50s-Gen-3:~$ uname -o
GNU/Linux
student@student-ThinkCentre-neo-50s-Gen-3:~$ tty --version
tty (GNU coreutils) 8.30
Copyright (C) 2018 Free Software Foundation, Inc.
License GPLv3+: GNU GPL version 3 or later <https://gnu.org/licenses/gpl.html>.
This is free software; you are free to change and redistribute it.
There is NO WARRANTY, to the extent permitted by law.

Written by David MacKenzie.
student@student-ThinkCentre-neo-50s-Gen-3:~$ tty --help
Usage: tty [OPTION]...
Print the file name of the terminal connected to standard input.

-s, --silent, --quiet  print nothing, only return an exit status
--help               display this help and exit
--version            output version information and exit

GNU coreutils online help: <https://www.gnu.org/software/coreutils/>
Full documentation at: <https://www.gnu.org/software/coreutils/tty>
or available locally via: info '(coreutils) tty invocation'
student@student-ThinkCentre-neo-50s-Gen-3:~$ date
Wednesday 18 January 2023 01:24:36 PM IST
student@student-ThinkCentre-neo-50s-Gen-3:~$
```

```
command 'pcb' from deb pcb-gtk (1:4.2.2-1)
command 'pcb' from deb pcb-lesstif (1:4.2.2-1)
command 'pwd' from deb coreutils (8.30-3ubuntu2)
```

Try: `sudo apt install <deb name>`

```
student@student-ThinkCentre-neo-50s-Gen-3:~$ pwd
/home/student
student@student-ThinkCentre-neo-50s-Gen-3:~$ mkdir BHANU
student@student-ThinkCentre-neo-50s-Gen-3:~$ mkdir D7B_BHANU
```

Command 'mkdir' not found, did you mean:

```
command 'mkid' from deb id-utils (4.6+git20120811-4ubuntu2)
command 'mdir' from deb mtools (4.0.24-1)
```

Try: `sudo apt install <deb name>`

```
student@student-ThinkCentre-neo-50s-Gen-3:~$ mkdir D7B_BHANU
student@student-ThinkCentre-neo-50s-Gen-3:~$ rmdir BHANU
student@student-ThinkCentre-neo-50s-Gen-3:~$ cd D7B_BHANU
student@student-ThinkCentre-neo-50s-Gen-3:~/D7B_BHANU$ touch file1.txt
student@student-ThinkCentre-neo-50s-Gen-3:~/D7B_BHANU$ cat>file1.txt
hello this month is january and even sem
student@student-ThinkCentre-neo-50s-Gen-3:~/D7B_BHANU$ cat>>file.txt yolo yolo
cat: yolo: No such file or directory
cat: yolo: No such file or directory
student@student-ThinkCentre-neo-50s-Gen-3:~/D7B_BHANU$ cat>>file1.txt yolo dolo
cat: yolo: No such file or directory
cat: dolo: No such file or directory
student@student-ThinkCentre-neo-50s-Gen-3:~/D7B_BHANU$ cat file1.txt file2.txt
hello this month is january and even sem
cat: file2.txt: No such file or directory
student@student-ThinkCentre-neo-50s-Gen-3:~/D7B_BHANU$ touch file2.txt
student@student-ThinkCentre-neo-50s-Gen-3:~/D7B_BHANU$ cat file1.txt file2.txt
hello this month is january and even sem
student@student-ThinkCentre-neo-50s-Gen-3:~/D7B_BHANU$ cp file1.txt file2.txt
student@student-ThinkCentre-neo-50s-Gen-3:~/D7B_BHANU$ cp file1.txt file2.txt
student@student-ThinkCentre-neo-50s-Gen-3:~/D7B_BHANU$ rm file2.txt
student@student-ThinkCentre-neo-50s-Gen-3:~/D7B_BHANU$
```

```
student@student-ThinkCentre-neo-50s-Gen-3:~$ cal 5 2023\
```

```
>
      May 2023
Su Mo Tu We Th Fr Sa
  1  2  3  4  5  6
  7  8  9 10 11 12 13
 14 15 16 17 18 19 20
 21 22 23 24 25 26 27
 28 29 30 31
```

```
student@student-ThinkCentre-neo-50s-Gen-3:~$ echo "12+5" |bc
```

```
12+5 |bc
```

```
student@student-ThinkCentre-neo-50s-Gen-3:~$ echo "12+5" |bc
```

```
17
```

```
student@student-ThinkCentre-neo-50s-Gen-3:~$ echo "9*5" |bc
```

```
45
```

```
student@student-ThinkCentre-neo-50s-Gen-3:~$ pwb
```

```
Command 'pwb' not found, did you mean:
```

```
command 'pcb' from deb pcb-gtk (1:4.2.2-1)
```

```
command 'pcb' from deb pcb-lesstif (1:4.2.2-1)
```

```
command 'pwd' from deb coreutils (8.30-3ubuntu2)
```

```
Try: sudo apt install <deb name>
```

```
student@student-ThinkCentre-neo-50s-Gen-3:~$ pwd
```

```
/home/student
```

```
student@student-ThinkCentre-neo-50s-Gen-3:~$ mkdir BHANU
```

```
student@student-ThinkCentre-neo-50s-Gen-3:~$ mkdir D7B_BHANU
```

```
Command 'mkdir' not found, did you mean:
```

```
command 'mkidr' from deb coreutils (8.30-3ubuntu2)
```

```
command 'mkid' from deb id-utils (4.6+git20120811-4ubuntu2)
```

```
command 'mdir' from deb mtools (4.0.24-1)
```

```
Try: sudo apt install <deb name>
```

student@student-ThinkCentre-neo-50s-Gen-3: ~

```
student@student-ThinkCentre-neo-50s-Gen-3:~$ who
student      :0                2023-01-18 13:16 (:0)
student@student-ThinkCentre-neo-50s-Gen-3:~$ whoami
student
student@student-ThinkCentre-neo-50s-Gen-3:~$ youname -a
youname: command not found
student@student-ThinkCentre-neo-50s-Gen-3:~$ uname -a
Linux student-ThinkCentre-neo-50s-Gen-3 5.15.0-41-generic #44-20.04.1-Ubuntu SMP Fri Jun 24 13:27:29 UTC 2022 x86_64 x86_64 x86_64 GNU/Linux
student@student-ThinkCentre-neo-50s-Gen-3:~$ uname -s
Linux
student@student-ThinkCentre-neo-50s-Gen-3:~$ uname -r
5.15.0-41-generic
student@student-ThinkCentre-neo-50s-Gen-3:~$ uname -p
x86_64
student@student-ThinkCentre-neo-50s-Gen-3:~$ uname -o
GNU/Linux
student@student-ThinkCentre-neo-50s-Gen-3:~$ tty --version
tty (GNU coreutils) 8.30
Copyright (C) 2018 Free Software Foundation, Inc.
License GPLv3+: GNU GPL version 3 or later <https://gnu.org/licenses/gpl.html>.
This is free software; you are free to change and redistribute it.
There is NO WARRANTY, to the extent permitted by law.

Written by David Mackenzie.
student@student-ThinkCentre-neo-50s-Gen-3:~$ tty --help
Usage: tty [OPTION]...
Print the file name of the terminal connected to standard input.

-s, --silent, --quiet  print nothing, only return an exit status
--help                display this help and exit
--version              output version information and exit

GNU coreutils online help: <https://www.gnu.org/software/coreutils/>
Full documentation at: <https://www.gnu.org/software/coreutils/tty>
or available locally via: info '(coreutils) tty invocation'
student@student-ThinkCentre-neo-50s-Gen-3:~$ date
Wednesday 18 January 2023 01:24:36 PM IST
student@student-ThinkCentre-neo-50s-Gen-3:~$
```