# Seevora Voice Agent: Feature Specification for Developers

Oct 13, 2026 · @Chanakya

This document describes every feature of the Seevora voice agent product, the rules each one must follow and the order to build them, so developers can see exactly what to deliver.

## 1. How to use this document

- **Feature IDs** (for example AB-03) are for tickets and tests. Each module has a table of features and a short list of acceptance checks.
- **Priority:** P1 ships at launch (months 0 to 3), P2 in months 3 to 6, P3 in months 6 to 12 or later.
- **Wording:** must means required, should means expected unless there is a good reason, may means optional.
- **Companion documents:** the Developer Guide covers architecture, data model and APIs for the AI assistant, connectivity and agent chat. The Business Model document covers pricing and plans.
- **Status:** this is the planned scope. Where a value is marked as a proposal, the team should confirm it before building.

## 2. Product overview and terms

Seevora lets a business create AI voice agents that answer and make phone calls, connect them to its own systems, and set them up and train them by chatting with an AI assistant in its own language. One platform covers every job, from AI receptionist to AI salesperson.

| Term | Meaning |
| --- | --- |
| Tenant | One customer business account, with its own users, data and limits |
| Agent | A configured voice persona with a script, rules, knowledge, tools and voice |

| Term | Meaning |
|---|---|
| Agent version | A saved copy of an agent. Calls and chats record the version they used |
| Workflow | The step-by-step flow inside an agent (start step, agent steps, tool steps, transitions, end-call outcomes), built on Dograh's workflow graph |
| Call | One phone conversation, inbound or outbound |
| Campaign | A set of outbound calls to a contact list, run by one agent |
| Tool | An action the agent can take during a call, such as checking a calendar |
| Connector and integration | A ready link to an outside product, and one customer's connection to it |
| Credit | The unit that measures AI assistant actions |
| Wallet | A prepaid balance for extra minutes, credits, numbers and users |
| Outcome | The result recorded at the end of a call, such as booked or callback |
| Assistant | The AI helper in the dashboard that builds agents and carries out commands |

## 3. Users and roles

| Capability | Owner | Admin | Builder | Viewer |
|---|---|---|---|---|
| Billing, plan and wallet | Yes | No | No | No |
| Invite users and manage roles | Yes | Yes | No | No |
| API keys and integrations | Yes | Yes | No | No |
| Create and edit agents | Yes | Yes | Yes | No |

| Capability | Owner | Admin | Builder | Viewer |
|---|---|---|---|---|
| Publish agents | Yes | Yes | Yes, if allowed by an admin | No |
| Launch and stop campaigns | Yes | Yes | No | No |
| Use the AI assistant | Yes | Yes | Yes | Read-only questions |
| Listen to recordings | Yes | Yes | Yes | No (transcripts only) |
| View dashboards and call logs | Yes | Yes | Yes | Yes |
| Export data | Yes | Yes | No | No |
| Delete data and close the account | Yes | No | No | No |

Custom roles are offered on the Business plan and above (P2).

## 4. Plans and limits the product must enforce

| Limit | Starter | Growth | Business | Enterprise |
|---|---|---|---|---|
| Voice minutes per month | 650 | 1,300 | 3,200 | As used |
| AI assistant credits per month | 60 | 120 | 360 | Fair use |
| Voice agents | 3 | 10 | 30 | Unlimited |
| Phone numbers | 1 | 1 | 2 | Custom |
| Simultaneous calls | 2 | 5 | 15 | Custom |
| Users | 3 | 10 | 25 | 50+ |
| Knowledge base storage | 50 MB | 250 MB | 1 GB | Custom |
| Recording and transcript storage | 30 days | 90 days | 180 days | Custom |

| Limit | Starter | Growth | Business | Enterprise |
|---|---|---|---|---|
| Campaign contacts per month | 1,000 | 10,000 | 50,000 | Custom |
| Live custom tools | 2 | 5 | 15 | Custom |
| Outbound minutes | Up to 60% of included minutes | Same | Same | No cap |
| Call length | 10 minutes | 10 minutes | 10 minutes | Set in contract |

Every limit must be checked on the server, not only in the interface. When a limit is reached, the product must say which limit and offer the next step (upgrade or wallet top-up). Unused minutes and credits expire at the end of each billing month.

## 5. Agent builder

| ID | Feature | What it does and rules | Priority |
|---|---|---|---|
| AB-01 | Create from template | Choose a job template (receptionist, appointment booker, lead qualifier, salesperson, reminder caller, support agent, feedback caller, screening caller) and an industry. Creates a draft with a ready script, rules and outcomes. Counts against the agent limit | P1 |
| AB-02 | Persona and script | Name, role, tone, opening line and main instructions, with variables such as the contact's name. Saves as a draft | P1 |
| AB-03 | Steps and branches | A visual flow of steps. Inside a step the conversation is free. A step may require fields (name, date, service) before moving on, and branches by condition or outcome | P1 |
| AB-04 | Voice and speed | Pick a voice for each language, set speaking speed, and play a preview | P1 |

| ID | Feature | What it does and rules | Priority |
|---|---|---|---|
| AB-05 | Language settings | Main language, allowed switches, automatic detection, and mixed-language speech such as Hindi and English. Show which languages are voice-ready | P1 |
| AB-06 | Pronunciation list | Maps written words (names, brands, medicines) to spoken forms before text-to-speech | P2 |
| AB-07 | Business rules | Opening hours, holidays, locations, departments, price lists and what to do out of hours (take a message, offer a callback or transfer) | P1 |
| AB-08 | Guardrails | Topics and phrases the agent must never use, statements it must always make, and words that trigger a handover. The AI disclosure cannot be removed | P1 |
| AB-09 | Variables and context | Contact fields, campaign fields, caller lookup results and the current time are available inside the script | P1 |
| AB-10 | Knowledge attach | Attach knowledge sources to an agent, with per-agent overrides | P1 |
| AB-11 | Tool attach | Attach tools, set each tool's time limit and the line to say if it fails | P1 |
| AB-12 | Handover rules | When to transfer (caller asks, two failed answers, trigger words), to whom, during which hours, and whether warm or cold | P1 |
| AB-13 | Voicemail behaviour | Detect an answering machine, then leave a set message or hang up | P1 |
| AB-14 | Versions and rollback | Draft and published states, a version note, one-click rollback, and every call records its version | P1 |
| AB-15 | Test web call | Call the draft agent from the browser and see the live transcript | P1 |

| ID | Feature | What it does and rules | Priority |
|---|---|---|---|
| AB-16 | Test chat | Text conversation with the draft or published agent (see module G) | P1 |
| AB-17 | Saved test cases | Save a conversation as a test and run all tests against a draft before publishing | P2 |
| AB-18 | Dynamic scripts | Change greeting or script by time of day, campaign, caller type or language | P2 |
| AB-19 | Multi-location overrides | One agent for many branches with shared knowledge and local details | P2 |
| AB-20 | Duplicate, export, import | Copy an agent or move it between accounts | P2 |
| AB-21 | A/B testing | Run two versions of a script or voice and compare outcomes | P3 |

**Acceptance checks.** A new agent can be created from a template and answer a test call in under 5 minutes. Publishing blocks if the script is empty, the disclosure is missing or a required tool is disconnected. Rolling back restores the earlier behaviour exactly. Every call record shows its agent version.

## 6. Call handling

| ID | Feature | What it does and rules | Priority |
|---|---|---|---|
| CR-01 | Inbound answer | Answers the call, checks plan limits and concurrency, and finds the right agent for the number. If blocked, plays a short message and offers a callback | P1 |
| CR-02 | Outbound dial | Places a call from a campaign or the API after the compliance check passes | P1 |
| CR-03 | AI disclosure | The first words state that the caller is speaking to an AI assistant. The wording can be changed but not removed | P1 |

| ID | Feature | What it does and rules | Priority |
|---|---|---|---|
| CR-04 | Turn-taking and interruption | Detects when the caller has finished, lets the caller interrupt, stops speaking at once and handles the interruption | P1 |
| CR-05 | Silence handling | Asks are you still there after 7 seconds of silence and ends the call after 15 seconds. Both times are settings (proposal) | P1 |
| CR-06 | Maximum call length | Ends calls at 10 minutes with a short wrap-up at 9 minutes. Enterprise can set another limit | P1 |
| CR-07 | Waiting phrases | While a tool runs, the agent says a short phrase and then continues | P1 |
| CR-08 | Transfer to a person | Warm transfer with a spoken or sent summary, or cold transfer. If nobody answers, the agent takes a message | P1 |
| CR-09 | Keypad input | Reads touch-tone digits for menus and numbers | P2 |
| CR-10 | Recording | Records both sides and stores them for the plan's retention period. Recording can be switched off per agent, and the consent wording is configurable | P1 |
| CR-11 | Transcript and summary | Live transcript with timestamps; summary, outcome and next step saved within about 60 seconds of the call ending (target) | P1 |
| CR-12 | Language switching | Follows a caller who changes language during the call | P2 |
| CR-13 | Vendor failure fallback | Switches to a backup speech, model or voice provider. If all fail, apologises and offers a callback. Every failure is logged | P1 |
| CR-14 | Concurrency control | Enforces the plan's simultaneous-call limit. Extra inbound callers hear a busy message and a callback offer | P1 |

| ID | Feature | What it does and rules | Priority |
|---|---|---|---|
| CR-15 | Outcome tagging | Each call ends with an outcome from the agent's list. Default list: booked, interested, not interested, callback, wrong number, no answer, transferred, failed | P1 |
| CR-16 | Cost capture | Stores the cost of every call by part: telephony, speech-to-text, language model, voice and hosting | P1 |
| CR-17 | Pre-recorded phrases | Uses recorded audio for fixed lines such as the greeting and disclosure to cut cost and delay. Dograh describes this as available from version 1.20, so check our fork | P2 |
| CR-18 | Live monitoring | A manager listens in, or whispers to the agent, during a call | P3 |

**Acceptance checks.** The agent speaks the disclosure on every call. A caller can interrupt and the agent stops within a fraction of a second. Calls over 10 minutes never occur. A failed vendor does not drop a call without a spoken message. Every ended call has a recording (if enabled), transcript, summary, outcome and cost.

## 7. Phone numbers and telephony

| ID | Feature | What it does and rules | Priority |
|---|---|---|---|
| TN-01 | Get a number | Buy or assign a number from VoBiz and attach it to an agent. Respects the plan's number limit | P1 |
| TN-02 | Number type | Mark each number as service or promotional, so the right series is used for the right calls | P1 |
| TN-03 | Inbound routing | Route by time, language or department to different agents | P2 |
| TN-04 | Outbound caller number | Choose which number shows when calling out | P1 |

| ID | Feature | What it does and rules | Priority |
|---|---|---|---|
| TN-05 | Provider events | Receive call-status events from VoBiz. Handle repeats safely and out-of-order delivery | P1 |
| TN-06 | Missed and failed calls | List calls that were missed, blocked or failed, with a one-click callback | P2 |
| TN-07 | Release a number | Release or reassign a number, with a warning about active campaigns | P1 |
| TN-08 | Bring your own numbers or SIP trunk | Use a customer's own carrier | P3 |

**Acceptance checks.** A number cannot be attached to two agents at once. A promotional call cannot go out on a service number or the other way round. Call-status events from the provider update the call record without duplicates.

## 8. Campaigns and dialer

| ID | Feature | What it does and rules | Priority |
|---|---|---|---|
| CP-01 | Contact lists | Upload CSV or Excel or add by API. Needs a phone number, maps other columns to variables, removes duplicates, converts to +91 format and reports invalid rows. Respects the monthly contact limit | P1 |
| CP-02 | Consent and DND flags | Each contact has a consent status and a do-not-disturb status. Uploads must say whether the list has consent | P1 |
| CP-03 | Campaign setup | Pick agent, list, calling window, pace, retry rules, caller number and daily cap | P1 |
| CP-04 | Pacing and concurrency | Calls start at the set pace, never above the plan's simultaneous-call limit, with a gentle ramp-up | P1 |

| ID | Feature | What it does and rules | Priority |
|---|---|---|---|
| CP-05 | Retry rules | Maximum attempts and wait times, with different rules for busy, no answer and voicemail | P1 |
| CP-06 | Callbacks | When a caller asks for a call back, the agent saves a time and the dialer calls then | P2 |
| CP-07 | Compliance gate before every dial | Checks DND, consent, calling hours (9 AM to 9 PM India time), number type, daily cap and the AI disclosure. A failed check skips the call and logs the reason | P1 |
| CP-08 | Auto-pause | Pauses a campaign and alerts the owner if the answer rate collapses, complaints appear or vendors error repeatedly | P1 |
| CP-09 | Controls | Start, pause, resume and stop. Stop lets active calls finish and cancels queued calls | P1 |
| CP-10 | Progress and results | Live counts of queued, calling, answered, outcomes and cost, plus a downloadable result file | P1 |
| CP-11 | Write results back | Outcomes update the contact list and, where connected, the CRM | P1 |
| CP-12 | Do-not-call list | A tenant list of people who asked not to be called, checked on every campaign. The agent can add a number when asked | P1 |
| CP-13 | CRM list sync | Build lists from CRM filters and keep them updated | P2 |
| CP-14 | Event-triggered calls | Start a call from a form, webhook or API event within a set time | P2 |
| CP-15 | Cap on outbound minutes | Blocks outbound calls once outbound minutes reach 60% of the plan's included minutes, unless the wallet pays for more | P1 |

**Acceptance checks.** No call is placed outside the calling hours or to a number that fails the gate. A campaign never exceeds the simultaneous-call limit. Stopping a campaign stops new dials within seconds. Every skipped contact has a recorded reason.

## 9. AI assistant

The assistant is a chat panel in the dashboard that sets up and runs the product for the customer. Architecture, tool list and the confirmation protocol are in the Developer Guide.

| ID | Feature | What it does and rules | Priority |
|---|---|---|---|
| AS-01 | Chat panel | Available on every screen. Streams replies as they are written. Keeps a thread for each user | P1 |
| AS-02 | Any language | Replies in the language the user writes, including mixed Hindi and English | P1 |
| AS-03 | Build an agent | From one sentence, picks a template, fills in details, asks for anything missing and offers a test chat or call | P1 |
| AS-04 | Edit an agent | Changes script, voice, rules or knowledge on request and shows a before and after | P1 |
| AS-05 | Add knowledge | Adds text, links or files and tests the agent's answers | P1 |
| AS-06 | Connect a tool | Guides the sign-in, tests the connection and attaches it to an agent | P1 |
| AS-07 | Campaign commands | Creates and launches campaigns, for example call 30 people from this list who are not yet qualified. Shows how many contacts, who is excluded and why, and the estimated minutes | P1 |
| AS-08 | Reports and questions | Answers questions about calls, bookings and cost from the customer's own data | P1 |
| AS-09 | Confirmation | Bulk or irreversible actions show an exact preview and need a clear yes. Unconfirmed actions expire after 10 minutes | P1 |

| ID | Feature | What it does and rules | Priority |
|---|---|---|---|
| AS-10 | Credits | Each action that changes something uses one credit. Chatting, questions and test chats are free of credits. At zero credits the assistant stays read-only until the customer tops up | P1 |
| AS-11 | Action history | A log of each instruction, the action taken and the result, visible to admins | P1 |
| AS-12 | Explain mode | Explains why an agent said something, naming the script line, knowledge source or tool | P2 |
| AS-13 | Voice commands | Speak to the assistant instead of typing | P2 |
| AS-14 | Learn from calls | Proposes fixes after a user points at a bad call (see CH-03) | P2 |

**Acceptance checks.** The assistant never starts a campaign without a confirmed preview and a passed compliance check. It refuses an action the user's role does not allow. Text from outside systems never makes it take an action. Every action is in the history with its credit cost.

## 10. Integrations and API

| ID | Feature | What it does and rules | Priority |
|---|---|---|---|
| IN-01 | Connector catalogue | A screen listing available connectors by category, with a connect button. Limited by the plan's tool count | P1 |
| IN-02 | Secure sign-in | OAuth where supported; API key, token or basic sign-in otherwise. Secrets are stored encrypted and never shown again | P1 |
| IN-03 | Live tools in a call | The agent calls connected systems or the customer's own API during the call, with a time limit and a fallback line for each tool | P1 |
| IN-04 | Customer's own API tool | The customer defines a URL, method, credential and body. Has a test button and server-request protections | P1 |

| ID | Feature | What it does and rules | Priority |
|---|---|---|---|
| IN-05 | Caller context | Looks up the caller by phone number and gives the agent their record before it speaks | P1 |
| IN-06 | After-call actions | Saves summary and outcome to the CRM, opens a ticket, sends an email or starts a workflow | P1 |
| IN-07 | Webhooks out | Signed events with retries, a delivery log and replay | P1 |
| IN-08 | Webhooks in | Signed inbound hooks that start calls, add contacts or update records | P1 |
| IN-09 | Public API and keys | Versioned REST API with scoped keys, rate limits and idempotency | P1 |
| IN-10 | Google tools | Calendar for booking and Sheets for lists and results | P1 |
| IN-11 | CRM connectors | Two or three CRMs chosen by demand, then ticketing, store and payment-link tools | P2 |
| IN-12 | Two-way sync | Field mapping, direction, conflict rules and scheduled sync | P2 |
| IN-13 | Health screen | Shows each connection's status, recent failures and expiring sign-ins, with alerts | P2 |
| IN-14 | Sandbox | Test keys, mock systems, a staging copy of each agent and replay of real calls on a new version | P2 |
| IN-15 | No-code links | Connect through Zapier, Make or n8n | P2 |
| IN-16 | Web and app voice | A website widget and mobile SDK for talking to the agent | P3 |
| IN-17 | Data export | Scheduled exports and a live event stream to the customer's storage or warehouse | P3 |
| IN-18 | Enterprise connectivity | Single sign-on, private network option, dedicated environment | P3 |

**Acceptance checks.** A tool call in a live call returns or falls back within its time limit. An expired sign-in stops the tool, tells the owner and never exposes the secret. Webhooks are delivered at least once, signed and replayable. A customer cannot make the platform call internal addresses.

## 11. Chat with the calling agent

| ID | Feature | What it does and rules | Priority |
|---|---|---|---|
| CH-01 | Test chat | Text conversation with a draft or published agent. Write actions are simulated by default | P1 |
| CH-02 | Same behaviour as voice | The same prompt, knowledge and tools as a call, so chat results predict call results | P1 |
| CH-03 | Teach chat | Mark an answer wrong and describe the fix. The assistant proposes a change shown before and after. Approval creates a new draft, runs saved tests and offers to publish | P2 |
| CH-04 | Ask about a call | Ask questions about one call or many, answered from the transcript, summary and tool log, with the time of each quote | P2 |
| CH-05 | Live mode | An admin may let chat run real write actions, with a clear warning | P2 |
| CH-06 | Chat limits | Free of credits, capped per day for each customer (start at 300 messages) | P1 |
| CH-07 | Website widget | Customers chat with the agent on a page, using only allow-listed tools | P3 |

**Acceptance checks.** In 95 of 100 test scenarios, chat and voice reach the same decision. A simulated write never changes real data. Marking an answer wrong always leads to a proposed fix or a clear explanation of why none was possible.

## 12. Knowledge base

| ID | Feature | What it does and rules | Priority |
|---|---|---|---|
| KB-01 | Add sources | Upload PDF, Word and text files, paste text, add a web page link or write question and answer pairs | P1 |
| KB-02 | Processing status | Shows each source as processing, ready or failed, with the reason | P1 |
| KB-03 | Answers with sources | Retrieval returns the best passages, and the agent's answer records which source it used | P1 |
| KB-04 | Question tester | Ask a question and see the answer and the source before the agent goes live | P1 |
| KB-05 | Storage limit | Enforced by plan. Shows used and remaining space | P1 |
| KB-06 | Refresh | Re-read a web page on demand or on a schedule | P2 |
| KB-07 | Replace and delete | Replace a file, delete a source, and have changes apply to the next version | P1 |
| KB-08 | Per-agent control | Choose which sources each agent may use | P1 |

**Acceptance checks.** A failed file gives a readable reason. Deleting a source removes it from answers in the next published version. No customer can retrieve another customer's knowledge.

## 13. Analytics and quality

| ID | Feature | What it does and rules | Priority |
|---|---|---|---|
| AN-01 | Call log | Date, number, direction, agent and version, length, outcome, cost, recording, transcript and summary, with search and filters | P1 |

| ID | Feature | What it does and rules | Priority |
|---|---|---|---|
| AN-02 | Call player | Plays the recording with the transcript scrolling in step | P1 |
| AN-03 | Dashboard | Calls answered, outcomes, bookings, talk time, cost per call and cost per booking over a chosen period | P1 |
| AN-04 | Basic and full analytics | Starter gets the basic set; Growth and above get the full set | P1 |
| AN-05 | Export | CSV export of calls and results. Business and above | P2 |
| AN-06 | Quality scoring | Scores calls for missed questions, long pauses and handover requests, and lists calls to review | P2 |
| AN-07 | Alerts | Notifies on a drop in answer rate, a rise in failures or a low wallet | P2 |
| AN-08 | Scheduled reports | A weekly summary by email | P2 |
| AN-09 | Custom reports and scorecards | Reports built on the customer's own measures. Business and above | P3 |

**Acceptance checks.** The dashboard numbers equal the sum of the call log for the same period. Recording and transcript access follow the role rules. Records older than the plan's retention period are removed.

## 14. Workspace and administration

| ID | Feature | What it does and rules | Priority |
|---|---|---|---|
| WS-01 | Sign-up and login | Create an account with a verified email and phone number, accept terms and data processing terms | P1 |
| WS-02 | Business profile | Business name, industry, time zone and contact details, used to fill templates | P1 |

| ID | Feature | What it does and rules | Priority |
|---|---|---|---|
| WS-03 | Users and roles | Invite, change role and remove users, within the plan's user limit | P1 |
| WS-04 | API keys | Create, view the prefix, rotate and revoke keys with scopes | P1 |
| WS-05 | Audit log | Records who did what and when, for settings, agents, campaigns, assistant actions, keys and exports | P1 |
| WS-06 | Notifications | In-app and email notices for limits, failures and expiring sign-ins | P1 |
| WS-07 | Data controls | Retention settings within plan limits, export of own data, and deletion on request | P1 |
| WS-08 | Custom roles | Define roles from a list of permissions | P2 |
| WS-09 | Single sign-on | For Enterprise | P3 |
| WS-10 | White-label | Customer brand, domain and email, for agencies and Enterprise | P3 |

## 15. Billing, wallet and plan enforcement

| ID | Feature | What it does and rules | Priority |
|---|---|---|---|
| BL-01 | Plans and cycles | Starter, Growth and Business, billed monthly, quarterly (about 5% off) or annually (10% off). Upgrades apply at once with prorated charges; downgrades apply at the next renewal | P1 |
| BL-02 | Usage meter | Shows minutes, credits, agents, numbers, users, contacts and storage against the plan | P1 |
| BL-03 | Hard limits | When included minutes run out, the wallet pays for extras. With an empty wallet, calls and campaigns pause and the owner is told. Nothing runs on credit | P1 |
| BL-04 | Wallet | Prepaid, minimum top-up of ₹500, with optional auto top-up. Pays for extras at the listed rates | P1 |

| ID | Feature | What it does and rules | Priority |
|---|---|---|---|
| BL-05 | Extras | Extra minutes at ₹5.50 inbound and ₹6.50 outbound, assistant credits at ₹12, extra numbers at ₹399 a month and extra users at ₹249 a month | P1 |
| BL-06 | Alerts | Notices at 80% and 100% of minutes and credits | P1 |
| BL-07 | Expiry | Unused minutes and credits expire at the end of each billing month and do not roll over | P1 |
| BL-08 | Invoices | GST invoices for plans and top-ups, available to download | P1 |
| BL-09 | Free trial | 14 days with 30 voice minutes and 10 assistant credits, for qualified businesses with a verified phone number and business details | P1 |
| BL-10 | Payment failure | Retry, notify, and pause the account after a grace period (3 days is a proposal) | P1 |
| BL-11 | Enterprise billing | One-time project fee and per-minute usage at ₹4, with a monthly minimum if agreed | P2 |

**Acceptance checks.** Usage is counted once per call even if events repeat. A limit cannot be bypassed by calling the API directly. Wallet balance never goes below zero. Invoices match the usage and the GST rate.

## 16. Compliance and trust

| ID | Feature | What it does and rules | Priority |
|---|---|---|---|
| CO-01 | AI disclosure | Stated at the start of every call and every chat session | P1 |
| CO-02 | Calling hours | No outbound calls outside 9 AM to 9 PM India time | P1 |
| CO-03 | DND and consent | Checked before every promotional call, with each result recorded | P1 |
| CO-04 | Number types | Promotional and service calls use the matching number series | P1 |

| ID | Feature | What it does and rules | Priority |
|---|---|---|---|
| CO-05 | Recording consent | Configurable wording and a recording toggle | P1 |
| CO-06 | Personal data | Mask phone numbers in logs, redact personal data in transcripts on request, and delete data on request | P1 |
| CO-07 | Retention | Recordings and transcripts removed at the end of the plan's period | P1 |
| CO-08 | Terms and processing agreement | Accepted at sign-up and kept on record | P1 |
| CO-09 | Kill switches | Staff can stop all calling for one customer or for the whole platform | P1 |

The rules behind these checks come from TRAI regulations and India's data protection law. They change, so confirm the current text before building and review it every quarter.

## 17. Non-functional requirements

| Area | Requirement |
|---|---|
| Response delay | From the caller finishing to the first sound of the reply, about 0.8 to 1.5 seconds. This is a design target to measure on real calls |
| Capacity | Handle about 260 simultaneous calls across all customers before the platform reaches 2,000 customers, and test at 50, 100, 200 and 260 |
| Availability | Aim for 99.5% for calling, to be confirmed after load tests. Do not promise it to customers before then |
| Data location | Customer data stays in India (Google Cloud Mumbai) |
| Security | Encryption in transit and at rest, a secrets vault, role-based access, tenant isolation tests, and an audit log |

| Area | Requirement |
|---|---|
| Backups | Daily database backups and a tested restore |
| Observability | One trace for each call turn and assistant message, a cost record for each call, dashboards and alerts |
| Dashboard | Works in current desktop and mobile browsers, in English first with Hindi later |
| Scale of limits | Every plan limit and rate limit is configurable without a code change |

## 18. Key user journeys

**1. From sign-up to the first live call.**

1. The owner signs up and verifies phone and email.
2. The assistant asks about the business and proposes an agent from a template.
3. The owner approves, adds knowledge and runs a test chat and a test call.
4. A number is assigned and the agent is published.
5. The first real call is answered, recorded and summarised.

**2. An outreach campaign by chat.**

1. The owner tells the assistant to call 30 people from the lead list who are not yet qualified.
2. The assistant selects the contacts and shows the preview, exclusions and estimated minutes.
3. The owner confirms and the compliance gate passes.
4. The dialer runs within the calling window, and results are written back to the list and CRM.

**3. Correcting a wrong answer.**

1. The owner opens a call and marks an answer wrong in teach chat.
2. The assistant proposes a fix and runs the saved tests.
3. The owner approves and publishes the new version.

**4. Connecting a CRM.**

1. The owner asks the assistant to connect the CRM and signs in through the link.

2. The connection test passes and the tool is attached to the agent.
3. On the next call, the agent greets the caller by name from the CRM and saves the outcome afterwards.

**5. The wallet runs out.**

1. Included minutes reach 80% and the owner is told.
2. At 100% the wallet pays for extras. With an empty wallet, calls pause and the owner is told.
3. A top-up resumes calling.

## 19. Out of scope and open decisions

**Out of scope for now:** Seevora's own WhatsApp messaging and CRM, payments collection by the agent, banking and loan collection use cases, and voice cloning.

**Decisions needed before building.**

1. **Billing granularity:** are minutes counted per second or per started minute? Matching the telephony provider's billing is safer.
2. **Outbound cap:** hard stop at 60% of included minutes, or wallet-paid beyond it?
3. **Silence and call-length settings:** confirm 7 and 15 seconds, and the 10-minute limit.
4. **Recording default:** on or off for new agents?
5. **Trial checks:** how do we verify a business before giving a trial?
6. **Payment failure grace period:** confirm 3 days.
7. **Language list:** which languages are voice-ready at launch, after testing?
8. **Enterprise terms:** monthly minimum, dedicated environment and change-request rates.