Cellular Automata

An introduction to Conway's Game of Life

Aniruddha Deb

IIT Delhi

April 15, 2021

Determinism and Non-Determinism

Determinism and Non-Determinism

A **Deterministic Algorithm** is an algorithm that repeatedly gives the same set of outputs for a given set of outputs. An example is a simple function $f(x) = x^2$

$$5 \longrightarrow \boxed{f(x) = x^2} \longrightarrow 25$$

Determinism and Non-Determinism

A **Deterministic Algorithm** is an algorithm that repeatedly gives the same set of outputs for a given set of outputs. An example is a simple function $f(x) = x^2$

$$5 \longrightarrow \boxed{f(x) = x^2} \longrightarrow 25$$

A **Nondeterministic Algorithm** is an algorithm that does not give repeatable outputs for a given input. An example is a cup in which n dice are rolled. $(g : \mathbb{N} \to \mathbb{N}^n)$

$$1 \longrightarrow \boxed{\quad g \quad} \longrightarrow \{1, 2, 3, 4, 5, 6\}$$

State Machines

State Machines

A **Finite State Machine** or **Finite State Automata** is a machine that can exist in exactly one of a finite number of states at a given point in time, and can *transition* between these states as a result of inputs. A simple example is a switch.



State Machines

A **Finite State Machine** or **Finite State Automata** is a machine that can exist in exactly one of a finite number of states at a given point in time, and can *transition* between these states as a result of inputs. A simple example is a switch.



Can we make an infinite state machine by combining infinite finite state machines?

State Machines

A **Finite State Machine** or **Finite State Automata** is a machine that can exist in exactly one of a finite number of states at a given point in time, and can *transition* between these states as a result of inputs. A simple example is a switch.



Can we make an infinite state machine by combining infinite finite state machines? Theoretically yes, but practically no. We'll cover this in more detail when we go to Cellular Automata.

Deterministic and Nondeterministic Finite State Machines

Deterministic and Nondeterministic Finite State Machines

Combining both these concepts, a **Deterministic Finite State Automata (DFA)** is one whose next state is uniquely determined by the current state. As an example, a loading bar at n% can only progress to a state at (n+1)%



Deterministic and Nondeterministic Finite State Machines

Combining both these concepts, a **Deterministic Finite State Automata (DFA)** is one whose next state is uniquely determined by the current state. As an example, a loading bar at n% can only progress to a state at (n+1)%



In contrast, a **Nondeterministic Finite State Automata (NFA)** is one whose next state is not uniquely determined by it's current state. An example would be the output of a dice roll: it's a NFA, because the number of states are finite, and the next state is independent of the current state



Cellular Automata

A **Cellular Automata** is a collection of cells (FSM with on/off state), each of which changes it's state based on the states of it's neighbouring cells.

Cellular Automata

A **Cellular Automata** is a collection of cells (FSM with on/off state), each of which changes it's state based on the states of it's neighbouring cells.

Elementary cellular automata simply involve a 1D grid (a continuous array of cells). I'll not be covering those now. Instead, let's focus on 2D grids.

Cellular Automata

A **Cellular Automata** is a collection of cells (FSM with on/off state), each of which changes it's state based on the states of it's neighbouring cells.

Elementary cellular automata simply involve a 1D grid (a continuous array of cells). I'll not be covering those now. Instead, let's focus on 2D grids.

Each cell has two types of neighbourhoods: **Moore** and **Von Neumann**. Rules (either Deterministic or Nondeterministic) based on these neighbourhoods determine the next state of the cell.





Figure: Moore(L) and Von Neumann(R) neighbourhoods

Bounds for Cellular Automata

We'll cover Life in a while, but a question:

Bounds for Cellular Automata

We'll cover Life in a while, but a question:

Are Cellular Automata Finite state or Infinite state?

Bounds for Cellular Automata

We'll cover Life in a while, but a question:

Are Cellular Automata Finite state or Infinite state?

Theoretically, nothing prevents cellular automata from being infinite-state automata. However, they would have a countably infinite number of states, which makes things (theoretically) simpler. For all practical purposes, however, cellular automata are finite and are bounded by the memory space of the computer simulating them.

Bounds for Cellular Automata

We'll cover Life in a while, but a question:

Are Cellular Automata Finite state or Infinite state?

Theoretically, nothing prevents cellular automata from being infinite-state automata. However, they would have a countably infinite number of states, which makes things (theoretically) simpler. For all practical purposes, however, cellular automata are finite and are bounded by the memory space of the computer simulating them.

If we do have to bound an automata, we generally impose a different set of conditions on the boundary: something like reflection or stasis or vanishing conditions.

Conway's Game of Life (finally!)

Conway's Game of Life is a Cellular Automata that follows the following rules on the Moore neighbourhood N of a cell C:

Conway's Game of Life (finally!)

Conway's Game of Life is a Cellular Automata that follows the following rules on the Moore neighbourhood N of a cell C:

- If C is dead, and exactly 2 or 3 cells in N are alive, then C becomes alive in the next iteration i.e. C **is born**

Conway's Game of Life (finally!)

Conway's Game of Life is a Cellular Automata that follows the following rules on the Moore neighbourhood N of a cell C:

- If C is dead, and exactly 2 or 3 cells in N are alive, then C becomes alive in the next iteration i.e. C **is born**
- If C is alive, and exactly 3 cells in N are alive, then C remains alive in the next iteration i.e. C **survives**

Conway's Game of Life (finally!)

Conway's Game of Life is a Cellular Automata that follows the following rules on the Moore neighbourhood N of a cell C:

- If C is dead, and exactly 2 or 3 cells in N are alive, then C becomes alive in the next iteration i.e. C **is born**
- If C is alive, and exactly 3 cells in N are alive, then C remains alive in the next iteration i.e. C **survives**

These rules can be summarized as **B23/S3**. Variations of this rule set give several other automata. What's interesting about Life is that it's stable: it doesn't explode or decay very fast.

Conway's Game of Life (finally!)

Conway's Game of Life is a Cellular Automata that follows the following rules on the Moore neighbourhood N of a cell C:

- If C is dead, and exactly 2 or 3 cells in N are alive, then C becomes alive in the next iteration i.e. C **is born**
- If C is alive, and exactly 3 cells in N are alive, then C remains alive in the next iteration i.e. C **survives**

These rules can be summarized as **B23/S3**. Variations of this rule set give several other automata. What's interesting about Life is that it's stable: it doesn't explode or decay very fast.

Few other things: Life is Turing complete (proof left as an exercise), and Life is Undecidable: you cannot predict the initial state from the final state, or directly compute n states into the future (as a consequence of the Halting problem).


Boring
Math Theory
Bounds for Cellular Automata
We'll cover CGoL in a while, but a question:
Are Cellular Automata Finite state or Infinite state?
Theoretically, nothing prevents cellular automata from being infinite-state automata. However, they would have a countably infinite number of states, which makes things (theoretically) simpler. For all practical purposes, however, cellular automata are finite and are bounded by the memory space of the computer simulating them.
If we do have to bound an automata, we generally impose a different set of conditions on the boundary: something like reflection or stasis or vanishing conditions.
Fun
Math Problems
BDSM

Interesting patterns in Life

Interesting patterns in Life

- Still Life

Interesting patterns in Life

- Still Life
- Oscillators

Interesting patterns in Life

- Still Life
- Oscillators
- Gliders

Interesting patterns in Life

- Still Life
- Oscillators
- Gliders
- Spaceships

Interesting patterns in Life

- Still Life
- Oscillators
- Gliders
- Spaceships
- Glider Gun

Further reading/watching

- Numberphile video on Life (With Conway himself): `https://www.youtube.com/watch?v=R9Plq-D1gEk`
- LifeWiki, the reference on all Game of Life Patterns: `https://www.conwaylife.com/wiki/`
- Golly, an open-source program for simulating life: `http://golly.sourceforge.net`
- PyGameOfLife, a Game of Life program implemented in Python: `https://github.com/Aniruddha-Deb/PyGameOfLife`