


# Boost\_Converter

## Details for Boost\_Converter and above



G. Surya Anirudh

03-Apr-2024 13:10:54

### Table of Contents

- [Model - Boost\\_Converter](#)
- [Machine - Boost\\_Converter](#)
- [System - Boost\\_Converter](#)
- [Appendix](#)

### List of Tables

- [Constant Block Properties](#)
- [Current Measurement Block Properties](#)
- [DC Voltage Source Block Properties](#)
- [Diode Block Properties](#)
- [DiscretePulseGenerator Block Properties](#)
- [Display Block Properties](#)
- [IGBT/Diode Block Properties](#)
- [MATLAB Function Block Properties](#)
- [PSB option menu block Block Properties](#)
- [Series RLC Branch Block Properties](#)
- [Voltage Measurement Block Properties](#)
- [Block Type Count](#)

## Model - Boost\_Converter

### Table of Contents

- [Machine - Boost\\_Converter](#)

### Full Model Hierarchy

- [Boost\\_Converter](#)

Simulation Parameter	Value
Solver	VariableStepAuto
RelTol	1e-3
Refine	1
MaxOrder	5
ZeroCross	on

[\[more info\]](#)

## Machine - Boost\_Converter

Machine	Boost_Converter
---------	-----------------

Machine	Boost_Converter
Creation Date	03-Apr-2024 12:58:34

[\[more info\]](#)

System - Boost\_Converter




Table 1. Constant Block Properties

Name	Value	Out Data Type Str	Lock Scale	Sample Time	Frame Period
Constant	50	Inherit: Inherit from 'Constant value'	off	inf	inf
Constant1	500	Inherit: Inherit from 'Constant value'	off	inf	inf
Constant2	200	Inherit: Inherit from 'Constant value'	off	inf	inf
Constant3	200-199.1	Inherit: Inherit from 'Constant value'	off	inf	inf

Table 2. Current Measurement Block Properties

Name
Current Measurement

Table 3. DC Voltage Source Block Properties

Name	Amplitude	Measurements
DC Voltage Source	200	None

Table 4. Diode Block Properties

Name	Ron	Lon	Vf	IC	Rs	Cs	Measurements
Diode	0.001	0	0.8	0	500	250e-9	off

Table 5. DiscretePulseGenerator Block Properties

Name	Pulse Type	Time Source	Amplitude	Period	Pulse Width	Phase Delay	Sample Time
Pulse Generator	Time based	Use simulation time	1	1/25000	50	0	1

Table 6. Display Block Properties

Name	Format	Decimation	Floating
Display	short	1	off
Display1	short	1	off
Display2	short	1	off

Table 7. IGBT/Diode Block Properties

Name	Ron	Rs	Cs	Measurements
IGBT/Diode	1e-3	1e5	inf	on

Table 8. MATLAB Function Block Properties

Name	Script

Name	Script
MATLAB Function	<pre>function Efficiency = stats(k,R,Vdc,Vdrop)  Po=k*((Vdc-Vdrop).^2)/R; Pi=k*((Vdc-Vdrop)*Vdc)/R; Efficiency=(Po/Pi)*100</pre>

Table 9. PSB option menu block Block Properties

Name	Simulation Mode	Iterations	Frequency	Indice	Pbase	Err Max	Units V	Units W	Function Messages	Echo	Messages	Current Source Switches	Disable Snubber Devices	Disable Ron Switches	Disable Vf Switches	Display Equations	Method	Options
powergui	Continuous	50	0		100e6	1e-4	kV	MW	off	off		off	off	off	off	off	off	blocks

Table 10. Series RLC Branch Block Properties

Name	Branch Type	Inductance	Seti L0	Measurements
Series RLC Branch	L	0.16	off	None
Series RLC Branch1	C	1e-3	off	None
Series RLC Branch2	R	1e-3	off	None
Series RLC Branch3	R	1e-3	off	None

Table 11. Voltage Measurement Block Properties

Name
Voltage Measurement

Appendix

Table 12. Block Type Count

BlockType	Count	Block Names
Series RLC Branch (m)	4	<a href="#">Series RLC Branch</a> , <a href="#">Series RLC Branch1</a> , <a href="#">Series RLC Branch2</a> , <a href="#">Series RLC Branch3</a>
Constant	4	<a href="#">Constant</a> , <a href="#">Constant1</a> , <a href="#">Constant2</a> , <a href="#">Constant3</a>
Display	3	<a href="#">Display</a> , <a href="#">Display1</a> , <a href="#">Display2</a>
Voltage Measurement (m)	1	<a href="#">Voltage Measurement</a>
Scope	1	Scope
PSB option menu block (m)	1	<a href="#">powergui</a>
MATLAB Function	1	<a href="#">MATLAB Function</a>
IGBT/Diode (m)	1	<a href="#">IGBT/Diode</a>
DiscretePulseGenerator	1	<a href="#">Pulse Generator</a>
Diode (m)	1	<a href="#">Diode</a>
DC Voltage Source (m)	1	<a href="#">DC Voltage Source</a>
Current Measurement (m)	1	<a href="#">Current Measurement</a>