

AI1103-Assignment 1

Anirudh Srinivasan
CS20BTECH11059

Download all python codes from

<https://github.com/Anirudh-Srinivasan-CS20/AI1103/tree/main/Assignment-1/Codes>

and latex-tikz codes from

<https://github.com/Anirudh-Srinivasan-CS20/AI1103/blob/main/Assignment-1/Assignment-1.tex>

QUESTION

The mean of the numbers obtained on throwing a die having written 1 on three faces, 2 on two faces and 5 on one face is

- A) 1
- B) 2
- C) 5
- D) $\frac{8}{3}$

SOLUTION

Total number of faces in a die = 6

Let $X \in \{1, 2, 5\}$ represent the random variable, where 1 represents faces of die in which 1 is written, 2 represents faces of die in which 2 is written, and 5 represents face of die in which 5 is written.

From the given information,

- 1) Probability that faces of die in which 1 is written is obtained = $\Pr(X=1)$

$$\Pr(X = 1) = \frac{\text{Number of faces with 1}}{\text{Total number of faces}} \quad (0.0.1)$$

$$\Pr(X = 1) = \frac{3}{6} = \frac{1}{2} = 0.5 \quad (0.0.2)$$

- 2) Probability that faces of die in which 2 is written is obtained = $\Pr(X=2)$


$$\Pr(X = 2) = \frac{\text{Number of faces with 2}}{\text{Total number of faces}} \quad (0.0.3)$$

$$\Pr(X = 2) = \frac{2}{6} = \frac{1}{3} = 0.\bar{3} \quad (0.0.4)$$

- 3) Probability that faces of die in which 5 is written is obtained = $\Pr(X=5)$

$$\Pr(X = 5) = \frac{\text{Number of faces with 5}}{\text{Total number of faces}} \quad (0.0.5)$$

$$\Pr(X = 5) = \frac{1}{6} = 0.1\bar{6} \quad (0.0.6)$$



The mean of the numbers obtained on throwing a die = Expected value of random variable X

$$E(X) = \sum_{i=0}^2 \Pr(X = i) \times x_i \quad (0.0.7)$$

where: $\Pr(X = i)$ represents the probability that $X=i$ and x_i represents value obtained in face when $X=i$

$$= \frac{1}{2} \times 1 + \frac{1}{3} \times 2 + \frac{1}{6} \times 5 = 2 \quad (0.0.8)$$

Answer: Option B