**INSTRUCTION DIVISION**

**SECOND SEMESTER 2022-2023 ROOM MAPPING**

**January 31, 2023 11:44 am**

**Note:**

   \* at the beginning of the course number denotes common hour

| ROOM NO | A001 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 40 | | 40 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | A002 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | BIO F217 P1 | BIO F217 P1 | |
| W | | | | | | | | | | |
| Th | | | | | | | | BIO F217 P1 | BIO F217 P1 | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | A009 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | PHA F341 P1 | PHA F341 P1 | PHA F344 P1 | PHA F344 P1 | PHA F214 P1 | PHA F214 P1 | |
| T | | | | | | | | | | |
| W | | PHA F214 P2 | PHA F214 P2 | PHA F341 P2 | PHA F341 P2 | | PHA G617 P1 | PHA G617 P1 | PHA G617 P1 | PHA G617 P1 |
| Th | | | | | | | PHA G611 P1 | PHA G611 P1 | PHA G611 P1 | PHA G611 P1 |
| F | | | | | | PHA F344 P2 | PHA F344 P2 | | | |
| S | | | | | | | | | | |

| ROOM NO | A010 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | A011 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | A012 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 25 | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO A013 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE LAB | | | | | | 25 | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | A015 | | | | | LECTURE CAPACITY | | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | A019 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 25 | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | A021 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | |
| T | | | | | | | | | |
| W | | | | | | | | | |
| Th | | | | | | | | | |
| F | | | | | | | | | |
| S | | | | | | | | | |

| ROOM NO | A022 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | BITS F219 P1 | BITS F219 P1 | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | A023 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | A024 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | A025 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | PHA F342 P2 | PHA F342 P2 | |
| W | | | | PHA F342 P1 | PHA F342 P1 | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | PHA F241 P1 | PHA F241 P1 | | | |
| S | | | | | | | | | | |

| ROOM NO A102 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE LAB | | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | |
| T | | | | | | | | | |
| W | | | | | | | | | |
| Th | | | | | | | | | |
| F | | | | | | | | | |
| S | | | | | | | | | |

| ROOM NO | A110 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 25 | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | A112 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 20 | | 20 | | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | A121 | | | | | LECTURE CAPACITY | | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 25 | | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | A122 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | | 25 | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | BIO F110 P8 | BIO F110 P8 | | | | BIO F110 P7 | BIO F110 P7 | | |
| T | | | | BIO F110 P10 | BIO F110 P10 | BIO F110 P3 | BIO F110 P3 | | | |
| W | | BIO F110 P9 | BIO F110 P9 | | | | BIO F110 P2 | BIO F110 P2 | | |
| Th | | | | BIO F110 P5 | BIO F110 P5 | BIO F110 P11 | BIO F110 P11 | | | |
| F | | BIO F110 P1 | BIO F110 P1 | | | | BIO F110 P4 | BIO F110 P4 | | |
| S | | | | BIO F110 P6 | BIO F110 P6 | | | | | |

| ROOM NO | A123 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | | 25 | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | BIO G523 P1 | BIO G523 P1 | | |
| T | | BIO G542 P1 | BIO G542 P1 | | | | | | | |
| W | | | | | | | BIO G523 P1 | BIO G523 P1 | | |
| Th | | BIO G542 P1 | BIO G542 P1 | | | | BIO G643 P1 | BIO G643 P1 | | |
| F | | | | | | | BIO G643 P1 | BIO G643 P1 | | |
| S | | | | | | | | | | |

| ROOM NO | A124 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 25 | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | A210 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | PHY F244 P1 | PHY F244 P1 | | | |
| T | | | | | | PHY F244 P2 | PHY F244 P2 | | | |
| W | | | | | | PHY F244 P1 | PHY F244 P1 | | | |
| Th | | | | | | PHY F244 P2 | PHY F244 P2 | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | A211 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 25 | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO   A212 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE      LAB | | | | | | 25 | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO   A222 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE   LAB | | | | | | 25 | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M |  | PHY F110 P6 | PHY F110 P6 |  |  |  |  | PHY F110 P2 | PHY F110 P2 |  |
| T |  |  | PHY F110 P9 | PHY F110 P9 |  | PHY F110 P5 | PHY F110 P5 |  |  |  |
| W |  | PHY F110 P7 | PHY F110 P7 |  |  |  |  | PHY F110 P10 | PHY F110 P10 |  |
| Th |  |  | PHY F110 P3 | PHY F110 P3 |  | PHY F110 P11 | PHY F110 P11 |  |  |  |
| F |  | PHY F110 P8 | PHY F110 P8 |  |  |  |  | PHY F110 P4 | PHY F110 P4 |  |
| S |  |  | PHY F110 P1 | PHY F110 P1 |  |  |  |  |  |  |

| ROOM NO | A223 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 25 | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | A224 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 25 | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | A225 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 25 | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | B001 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | B108 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | | 20 | | 20 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | BIO F244 P1 | BIO F244 P1 | BIO F244 P1 | | |
| T | | | | | | PHA F313 P1 | PHA F313 P1 | PHA F313 P1 | | |
| W | | | | | | BIO F244 P1 | BIO F244 P1 | BIO F244 P1 | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | B124 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 25 | | 25 | | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | CHEM F110 P4 | CHEM F110 P4 | | | | | CHEM F110 P9 | CHEM F110 P9 | |
| T | | | | CHEM F110 P10 | CHEM F110 P10 | CHEM F110 P2 | CHEM F110 P2 | CHEM F242 P1 | CHEM F242 P1 | CHEM F242 P1 |
| W | | CHEM F110 P5 | CHEM F110 P5 | | | CHEM F341 P1 | CHEM F341 P1 | CHEM F110 P3 CHEM F341 P1 | CHEM F110 P3 | |
| Th | | | | CHEM F110 P11 | CHEM F110 P11 | CHEM F110 P1 | CHEM F110 P1 | CHEM F242 P1 | CHEM F242 P1 | CHEM F242 P1 |
| F | | CHEM F110 P7 | CHEM F110 P7 | | | CHEM F341 P1 | CHEM F341 P1 | CHEM F110 P6 CHEM F341 P1 | CHEM F110 P6 | |
| S | | | | CHEM F110 P8 | CHEM F110 P8 | | | | | |

| ROOM NO | B126 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | B210 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 60 | | 60 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | B211 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 500 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | B212 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | NEW LECTURE COMPLEX | | | | | | 70 | | 70 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | PHA G532 P1 | PHA G532 P1 | PHA G532 P1 | PHA G532 P1 |
| W | | | | | | PHA F242 P1 | PHA F242 P1 | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | B213 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | LAB | | | | | 40 | | 40 | |
| **D\H** | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| **M** | | | | | | | | | | |
| **T** | | | | | | | | | | |
| **W** | | | | | | | | | | |
| **Th** | | | | | | | | | | |
| **F** | | | | | | | | | | |
| **S** | | | | | | | | | | |

| ROOM NO | B214 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | LAB | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| **M** | | | | | | | | | | |
| **T** | | | | | | | | | | |
| **W** | | | | | | | | | | |
| **Th** | | | | | | PHY F344 P1 | PHY F344 P1 | PHY F344 P1 | | |
| **F** | | | | | | | | | | |
| **S** | | | | | | | | | | |

| ROOM NO | B218 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO  B229 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE      LAB | | | | | | 70 | | 70 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | B230 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 70 | | 70 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | B231 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 70 | | 70 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | B301 | | | | | LECTURE CAPACITY | | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | 56 | | | 29 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | B302 | | | | | LECTURE CAPACITY | | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | DUAL DESK | | | | | | 54 | | 28 | |
| **D\H** | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| **M** | | | | | | | | | | |
| **T** | | | | | | | | | | |
| **W** | | | | | | | | | | |
| **Th** | | | | | | | | | | |
| **F** | | | | | | | | | | |
| **S** | | | | | | | | | | |

| ROOM NO | B303 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | DUAL DESK | | | | | 70 | | 36 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | B304 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | 74 | | 38 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | B307 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | 54 | | 28 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | B308 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | 54 | | 28 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | B309 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | 74 | | 38 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | B309 VIDEO | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | NOT KNOWN | | | | | 20 | | 20 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | B310 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | 96 | | 49 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO D102 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE LAB | | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | D108 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 25 | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | CE F342 P1 | CE F342 P1 | | | | | |
| T | | | | | | | | CE F342 P2 | CE F342 P2 | |
| W | | | | CE F342 P3 | CE F342 P3 | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | D109 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 25 | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | D110 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 25 | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | D111 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 25 | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | D115 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 25 | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | D119 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | D123 | | | | | LECTURE CAPACITY | | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 25 | | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | D124 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 40 | | 40 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | D125 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 25 | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | CE F243 P1 | CE F243 P1 | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | D126 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 25 | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | D127 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 25 | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | D208 A | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 70 | | 70 | |

| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|
| M | | BITS F110 P7 | BITS F110 P7 | ME F318 P2 | ME F318 P2 | | BITS F110 P4 | BITS F110 P4 | | |
| T | | | | BITS F110 P1 | BITS F110 P1 | | | | | |
| W | | BITS F110 P2 | BITS F110 P2 | ME F318 P3 | ME F318 P3 | | BITS F110 P5 | BITS F110 P5 | | |
| Th | CHE F242 T1 | | | BITS F110 P8 | BITS F110 P8 | | | | | |
| F | | BITS F110 P9 | BITS F110 P9 | ME F318 P4 | CE F416 P1<br>ME F318 P4 | CE F416 P1 | BITS F110 P6 | BITS F110 P6 | | |
| S | | | | BITS F110 P3 | BITS F110 P3 | | | | | |

| ROOM NO | D208 B | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | | 40 | | 40 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | ME G515 P1 | ME G515 P1 | | | |
| T | | | | | | | | ME F221 T1<br>ME F221 T2<br>ME F221 T3<br>ME F221 T4 | | |
| W | | | | | | ME G515 P1 | ME G515 P1 | ME G611 P1 | ME G611 P1 | ME G611 P1 |
| Th | | | | | | | | ME F318 P1 | ME F318 P1 | |
| F | | | | | | | | ME G611 P1 | ME G611 P1 | ME G611 P1 |
| S | | | | | | | | | | |

| ROOM NO | D208 C | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 40 | | 40 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | ME F432 P1 | ME F432 P1 | |
| W | | | | | | | | | | |
| Th | | | | | | | | BITS F327 P1 CE F416 P1 | BITS F327 P1 CE F416 P1 | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO   D224 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE       LAB | | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | D226 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | CHE F341 P1 | CHE F341 P1 | CHE F341 P1 | | |
| T | | | | | | | | | | |
| W | | | | | | CHE F341 P1 | CHE F341 P1 | CHE F341 P1 | | |
| Th | | | | | | | | | | |
| F | | | | | | | CHE G641 P1 | CHE G641 P1 | CHE G641 P1 | |
| S | | | | | | | | | | |

| ROOM NO | D227A | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | | 30 | | 30 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | CHE G522 P1 | CHE G522 P1 | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | D228 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | D311 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | | 63 | | 63 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | CS F111 P4 | CS F111 P4 | BITS F232 P3 | BITS F232 P3 | | | CS F111 P7 | CS F111 P7 | |
| T | | | | CS F111 P1 | CS F111 P1 | | | BITS F232 P1 | BITS F232 P1 | |
| W | | CS F111 P5 | CS F111 P5 | | | | | CS F111 P8 | CS F111 P8 | |
| Th | | | | CS F111 P2 | CS F111 P2 | | | BITS F232 P2 | BITS F232 P2 | |
| F | | CS F111 P9 | CS F111 P9 | | | | | CS F111 P6 | CS F111 P6 | |
| S | | | | CS F111 P3 | CS F111 P3 | | | | | |

| ROOM NO | D312 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | LAB | | | | | 49 | | 49 | |
| **D\H** | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|
| **M** | | | | CS F363 P1 | CS F363 P1 | | | CS G520 P1 | CS G520 P1 | |
| **T** | | | | | | | | CS G524 P1 | CS G524 P1 | |
| **W** | | | | CS F363 P2 | CS F363 P2 | | | | | |
| **Th** | | | | | | | | CS F213 P2 | CS F213 P2 | |
| **F** | | | | CS F213 P3 | CS F213 P3 | | | | | |
| **S** | | | | | | | | | | |

| ROOM NO | D313 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | LAB | | | | | | 82 | | 82 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| **M** | | | | | | CS F211 P1 | CS F211 P1 | | | |
| **T** | | CS F211 P3 | CS F211 P3 | | | CS F212 P1 | CS F212 P1 | CS F213 P1 | CS F213 P1 | |
| **W** | | | | CS F213 P4 | CS F213 P4 | CS F211 P2 | CS F211 P2 | | | |
| **Th** | | CS F211 P4 | CS F211 P4 | | | CS F212 P2 | CS F212 P2 | CS F363 P4 | CS F363 P4 | |
| **F** | | | | CS F363 P3 | CS F363 P3 | CS F212 P4 | CS F212 P4 | | | |
| **S** | | CS F212 P3 | CS F212 P3 | | | | BITS F232 P4 | BITS F232 P4 | | |

| ROOM NO | D314 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---------|------|------|------|------|------|------|------|------|------|
| TYPE | LAB | | | | | 28 | | 28 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | D319 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | D329 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 40 | | 40 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | D330 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 40 | | 40 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | D331 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 40 | | 40 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | IS F341 P1 | IS F341 P1 | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | D331A | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---------|-------|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 25 | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | D331B | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | D332 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 25 | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | E001 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | E002 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 25 | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | DE G514 P1 | DE G514 P1 | |
| T | | | | | | MST G522 P1 | MST G522 P1 | | | |
| W | | | | | | | | | | |
| Th | | | | | | MST G522 P1 | MST G522 P1 | | | |
| F | | | | | | | | | | |
| S | | | | | DE G514 P1 | DE G514 P1 | | | | |

| ROOM NO E004 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE LAB | | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | |
| T | | | | | | | | | |
| W | | | | | | | | | |
| Th | | | | | | | | | |
| F | | | | | | | | | |
| S | | | | | | | | | |

| ROOM NO | E111 | | | | | LECTURE CAPACITY | | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 25 | | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | ME F220 P1 | ME F220 P1 | | | |
| T | | | | | | ME F220 P3 | ME F220 P3 | | | |
| W | | | | | | ME F220 P2 | ME F220 P2 | | | |
| Th | | | | | | | | | | |
| F | | | | ME F220 P4 | ME F220 P4 | | | | | |
| S | | | | | | | | | | |

| ROOM NO | E112 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 30 | | 30 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | E115 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | E122 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 30 | | 30 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | E124 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---------|------|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | E210 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 0 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | E214 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 0 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO E220 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE LAB | | | | | | 50 | | 50 | |
| D\H 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | |
| T | | | | | | | DE G513 P1 | DE G513 P1 | |
| W | | | | | | | | | |
| Th | | | | | | | DE G513 P1 | DE G513 P1 | |
| F | | | | | | | | | |
| S | | | | | | | | | |

| ROOM NO | E221 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|
| M | | | | ME F341 P2 | ME F341 P2 | | | | | |
| T | | | | | | | | ME F341 P3 | ME F341 P3 | |
| W | | | | ME F341 P1 | ME F341 P1 | | | | | |
| Th | | | | | | | | | | |
| F | | | | ME F341 P4 | ME F341 P4 | | | | | |
| S | | | | | | | | | | |

| ROOM NO | E222 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 30 | | 30 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | EG LAB | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | F101 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | NEW LECTURE COMPLEX | | | | | | 200 | | 48 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | CS F342 L1 | | | | | | | PHA F417 L1 |
| T | | | | BITS F327 L1 | | | | | | |
| W | | | CS F342 L1 | | | | | | | PHA F417 L1 |
| Th | | | | BITS F327 L1 | | | | | | |
| F | | | CS F342 L1 | | | | | | | PHA F417 L1 |
| S | | | | | | | | | | |

| ROOM NO | F102 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | NEW LECTURE COMPLEX | | | | | | 400 | | 95 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | CHEM F111 L1 | CS F212 L1 | CS F211 L1 | MATH F112 L1 | PHY F111 L1 | | | CS F303 L1 | CS F363 L1 | BITS F111 L1 |
| T | | MATH F112 L4 | | CS F241 L1 ECE F241 L1 EEE F241 L1 INSTR F241 L1 | CS F364 L1 | | | BITS F111 L1 | | |
| W | CHEM F111 L1 | CS F212 L1 | CS F211 L1 | MATH F112 L1 | PHY F111 L1 | | | CS F303 L1 | CS F363 L1 | |
| Th | | MATH F112 L4 | | CS F241 L1 ECE F241 L1 EEE F241 L1 INSTR F241 L1 | CS F364 L1 | | | BITS F111 L1 | | |
| F | CHEM F111 L1 | CS F212 L1 | CS F211 L1 | MATH F112 L1 | PHY F111 L1 | | | CS F303 L1 | | |
| S | BITS F110 L1 | MATH F112 L4 | | CS F241 L1 ECE F241 L1 EEE F241 L1 INSTR F241 L1 | CS F364 L1 | | | | | |

| ROOM NO | F103 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | NEW LECTURE COMPLEX | | | | | 200 | | 42 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | CHEM F111 L2 | ME F218 L1 ME F312 L1 | ME F219 L1 | MATH F112 L2 | EEE F111 L1 | | ME F318 L1 | ME F341 L1 | ME F319 L1 | PHY F111 L2 |
| T | | MATH F112 L5 | | ME F221 L1 | ME F320 L1 | | | PHY F111 L2 | ME F220 L1 | |
| W | CHEM F111 L2 | ME F218 L1 ME F312 L1 | ME F219 L1 | MATH F112 L2 | EEE F111 L1 | | ME F318 L1 | ME F341 L1 | ME F319 L1 | |
| Th | | MATH F112 L5 | | ME F221 L1 | ME F320 L1 | | | PHY F111 L2 | ME F220 L1 | |
| F | CHEM F111 L2 | | ME F219 L1 | MATH F112 L2 | EEE F111 L1 | | | | ME F319 L1 | ME F220 L1 |
| S | BITS F110 L2 | MATH F112 L5 | | ME F221 L1 | ME F320 L1 | | | | | |

| ROOM NO | F104 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | NEW LECTURE COMPLEX | | | | | 200 | | 42 | |

| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|
| M | CS F111 L2 | | ECE F243 L2 EEE F243 L2 INSTR F243 L2 | MATH F112 L3 | BIO F111 L1 | | CS F317 L1 | | ECE F343 L1 | BITS F111 L2 |
| T | | MATH F112 L6 | | EEE F435 L1 | ECE F341 L1 EEE F341 L1 INSTR F341 L1 | | | BITS F111 L2 | ECE F242 L1 EEE F242 L1 INSTR F242 L1 | |
| W | CS F111 L2 | | ECE F243 L2 EEE F243 L2 INSTR F243 L2 | MATH F112 L3 | BIO F111 L1 | | CS F317 L1 | | ECE F343 L1 | |
| Th | | MATH F112 L6 | | EEE F435 L1 | ECE F341 L1 EEE F341 L1 INSTR F341 L1 | | | BITS F111 L2 | ECE F242 L1 EEE F242 L1 INSTR F242 L1 | |
| F | CS F111 L2 | | ECE F243 L2 EEE F243 L2 INSTR F243 L2 | MATH F112 L3 | BIO F111 L1 | | CS F317 L1 | | ECE F343 L1 | ECE F242 L1 EEE F242 L1 INSTR F242 L1 |
| S | | MATH F112 L6 | | EEE F435 L1 | ECE F341 L1 EEE F341 L1 INSTR F341 L1 | | | | | |

| ROOM NO | F105 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | NEW LECTURE COMPLEX | | | | | | 400 | | 93 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | CS F111 L1 | ECE F244 L1 EEE F244 L1 INSTR F244 L1 | ECE F243 L1 EEE F243 L1 INSTR F243 L1 | MATH F113 L4 | BIO F111 L2 | | | EEE F342 L1 INSTR F342 L1 | BITS F225 L1 | EEE F111 L2 |
| T | | MATH F113 L7 | | CS F241 L2 ECE F241 L2 EEE F241 L2 INSTR F241 L2 | ECE F341 L2 EEE F341 L2 INSTR F341 L2 | | | EEE F111 L2 | ECE F242 L2 EEE F242 L2 INSTR F242 L2 | |
| W | CS F111 L1 | ECE F244 L1 EEE F244 L1 INSTR F244 L1 | ECE F243 L1 EEE F243 L1 INSTR F243 L1 | MATH F113 L4 | BIO F111 L2 | | | EEE F342 L1 INSTR F342 L1 | BITS F225 L1 | |
| Th | | MATH F113 L7 | | CS F241 L2 ECE F241 L2 EEE F241 L2 INSTR F241 L2 | ECE F341 L2 EEE F341 L2 INSTR F341 L2 | | | EEE F111 L2 | ECE F242 L2 EEE F242 L2 INSTR F242 L2 | |
| F | CS F111 L1 | ECE F244 L1 EEE F244 L1 INSTR F244 L1 | ECE F243 L1 EEE F243 L1 INSTR F243 L1 | MATH F113 L4 | BIO F111 L2 | | | EEE F342 L1 INSTR F342 L1 | BITS F225 L1 | ECE F242 L2 EEE F242 L2 INSTR F242 L2 |

| S | ME F112 L1 | MATH F113 L7 | | CS F241 L2<br>ECE F241 L2<br>EEE F241 L2<br>INSTR F241 L2 | ECE F341 L2<br>EEE F341 L2<br>INSTR F341 L2 | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|

| ROOM NO | F106 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | NEW LECTURE COMPLEX | | | | | | 200 | | 48 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | CS F213 L1 | CS F415 L1 | MATH F113 L2 | | | BITS F463 L1 | | | MGTS F211 L1 |
| T | | MATH F113 L5 | | CS F407 L1 | | | | | | MGTS F211 T1 |
| W | | CS F213 L1 | CS F415 L1 | MATH F113 L2 | | | BITS F463 L1 | | | MGTS F211 L1 |
| Th | | MATH F113 L5 | | CS F407 L1 | | | | | | MGTS F211 L1 |
| F | | CS F213 L1 | CS F415 L1 | MATH F113 L2 | | | BITS F463 L1 | | | |
| S | | MATH F113 L5 | | CS F407 L1 | | | | | | |

| ROOM NO | F107 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | DUAL DESK | | | | | | 104 | | 53 | |
| **D\H** | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| **M** | | PHY F111 T1 | | MATH F113 L3 | | | | | BITS F112 L3 | |
| **T** | | MATH F113 L6 | ECE F344 L1 | | BITS F112 L6 | | PHY F111 T2 | | | |
| **W** | | PHY F111 T1 | | MATH F113 L3 | | | | | BITS F112 L3 | |
| **Th** | | MATH F113 L6 | ECE F344 L1 | | BITS F112 L6 | | PHY F111 T2 | | | |
| **F** | | | | MATH F113 L3 | | | | | | |
| **S** | | MATH F113 L6 | ECE F344 L1 | | | | | | | |

| ROOM NO | F108 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | DUAL DESK | | | | | | 106 | | 54 | |
| **D\H** | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| **M** | | | BITS F112 L1 | | | | | | BITS F112 L4 | |
| **T** | | BITS F232 L1 | EEE F312 L1 | | BITS F112 L2 | | PHY F111 T3 | | | |
| **W** | | | BITS F112 L1 | | | | | | BITS F112 L4 | |
| **Th** | | BITS F232 L1 | EEE F312 L1 | | BITS F112 L2 | | PHY F111 T3 | | | |
| **F** | | | | | | | | | | |
| **S** | | BITS F232 L1 | EEE F312 L1 | | | | | | | |

| ROOM NO | F109 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | DUAL DESK | | | | | | 70 | | 36 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | CE F321 T1 | CE F241 L1 | CE F242 L1 | BITS E661 L1 | BITS E661 L1 | | | CE F321 L1 | CE F343 L1 | |
| T | CE F244 T1 | | CE F415 L1 | CE F243 L1 | CE F342 L1 | | | CE F241 T1 | CE F244 L1 | |
| W | | CE F241 L1 | CE F242 L1 | | | | | CE F321 L1 | CE F343 L1 | |
| Th | CE F242 T1 | | CE F415 L1 | CE F243 L1 | CE F342 L1 | | | | CE F244 L1 | |
| F | CE F343 T1 | CE F241 L1 | CE F242 L1 | CE F342 T1 | | | | CE F321 L1 | CE F343 L1 | CE F244 L1 |
| S | CE F243 T1 | | CE F415 L1 | CE F243 L1 | CE F342 L1 | | | | | |

| ROOM NO | F201 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | | 52 | | 27 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | ME F341 T1 | CE G615 L1 | CE G514 L1 | | CE G613 L1 | | CE F426 L1 | | | |
| T | BITS F111 T6 | | CHEM F329 L1 | CE F425 L1 | CE G616 L1 | | ME F319 T1 | CE G615 P1 | CE G615 P1 | |
| W | ME F320 T1 | CE G615 L1 | CE G514 L1 | | CE G613 L1 | | CE F426 L1 | | | |
| Th | BITS F111 T6 | | CHEM F329 L1 | CE F425 L1 | CE G616 L1 | | | | BIO F242 T1 | |
| F | ME F318 T1 | CE G615 L1 | CE G514 L1 | | CE G613 L1 | | CE F426 L1 | | | |
| S | | | CHEM F329 L1 | CE F425 L1 | CE G616 L1 | | | | | |

| ROOM NO | F202 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | | 54 | | 28 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | ME F341 T2 | CE F416 L1 | CE F435 L1 | CE G575 L1 | CE G570 L1 | | | | | |
| T | BITS F111 T7 | | | CE G566 L1 | CE G518 L1 | | ME F319 T2 | | | |
| W | ME F320 T2 | CE F416 L1 | CE F435 L1 | CE G575 L1 | CE G570 L1 | | | | | |
| Th | BITS F111 T7 | | | CE G566 L1 | CE G518 L1 | | | | | |
| F | ME F318 T2 | | CE F435 L1 | CE G575 L1 | CE G570 L1 | | | | | |
| S | | | | CE G566 L1 | CE G518 L1 | | | | | |

| ROOM NO F203 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| **TYPE** DUAL DESK | | | | | | 54 | | 28 | |
| D\H 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| **M** ME F341 T3 | CE F423 L1 | MSE G512 L1 | DE G514 L1 | | | | | | |
| **T** BITS F111 T8 | | ME G611 L1 | CE F411 L1 | | | ME F319 T3 | | | |
| **W** ME F320 T3 | CE F423 L1 | MSE G512 L1 | DE G514 L1 | | | | | | |
| **Th** BITS F111 T8 | | ME G611 L1 | CE F411 L1 | | | | | | |
| **F** ME F318 T3 | CE F423 L1 | MSE G512 L1 | DE G514 L1 | | | | | | |
| **S** | | ME G611 L1 | CE F411 L1 | | | | | | |

| ROOM NO | F204 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | DUAL DESK | | | | | | 54 | | 28 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| **M** | ME F341 T4 | CHE F419 L1 | CHE F412 L1 | MSE G531 L1 | | | | MSE G531 P1 | MSE G531 P1 | |
| **T** | CHE F241 T1 | DE G513 L1 | PHY F379 L1 | CHE G522 L1 | BITS G661 L1 | | ME F319 T4 | | | |
| **W** | ME F320 T4 | CHE F419 L1 | CHE F412 L1 | MSE G531 L1 | | | | MSE G512 P1 | MSE G512 P1 | |
| **Th** | | DE G513 L1 | PHY F379 L1 | CHE G522 L1 | BITS G661 L1 | | | MSE G512 P1 | MSE G512 P1 | |
| **F** | ME F318 T4 | CHE F419 L1 | CHE F412 L1 | MSE G531 L1 | | | | MSE G531 P1 | MSE G531 P1 | |
| **S** | | DE G513 L1 | PHY F379 L1 | CHE G522 L1 | BITS G661 L1 | | | | | |

| ROOM NO F205 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE   DUAL DESK | | | | | | 80 | | 40 | |
| D\H 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| **M** CHE F342 T1 | CHE F241 L1 | CHE F242 L1 | CHE G552 L1 | CHE G641 L1 | CHE F244 T1 | | | ECON F211 L4 | |
| **T** ECON F243 T1 | | CHE F498 L1 | CHE F244 L1 | CHE F343 L1 | | | | CHE F243 L1 | |
| **W** CHE F343 T1 | CHE F241 L1 | CHE F242 L1 | CHE G552 L1 | CHE G641 L1 | | | | ECON F211 L4 | |
| **Th** ECON F242 T1 | | CHE F498 L1 | CHE F244 L1 | CHE F343 L1 | | | | CHE F243 L1 | |
| **F** | CHE F241 L1 | CHE F242 L1 | CHE G552 L1 | CHE G641 L1 | | | | ECON F211 L4 | CHE F243 L1 |
| **S** CHE F243 T1 | | CHE F498 L1 | CHE F244 L1 | CHE F343 L1 | | | | | |

| ROOM NO | F207 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | | 112 | | 56 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | ECON F341 T1 | ECON F241 L1 | ECON F244 L1 | ECON F341 L1 | | | | | BITS F112 L5 CHE F342 L1 | |
| T | BITS F111 T9 | ECON F315 L1 FIN F315 L1 | ECON F342 L1 | ECON F242 L1 | | | | ECON F241 T1 | ECON F243 L1 | |
| W | ECON F211 T4 | ECON F241 L1 | ECON F244 L1 | ECON F341 L1 | | | | | BITS F112 L5 CHE F342 L1 | |
| Th | BITS F111 T9 | ECON F315 L1 FIN F315 L1 | ECON F342 L1 | ECON F242 L1 | | | | ECON F244 T1 | ECON F243 L1 | |
| F | | ECON F241 L1 | ECON F244 L1 | ECON F341 L1 | | | | | CHE F342 L1 | ECON F243 T1 |
| S | | ECON F315 L1 FIN F315 L1 | ECON F342 L1 | ECON F242 L1 | | | | | | |

| ROOM NO F208 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE DUAL DESK | | | | | | 120 | | 60 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|
| M | | ECON F412 L1 FIN F313 L1 | ECON F355 L1 | | | | | | ECON F211 L3 | |
| T | BITS F111 T10 | | CS F469 L1 | | ECON F354 L1 FIN F311 L1 | | | | | |
| W | ECON F211 T3 | ECON F412 L1 FIN F313 L1 | ECON F355 L1 | | | | | | ECON F211 L3 | |
| Th | BITS F111 T10 | | CS F469 L1 | | ECON F354 L1 FIN F311 L1 | | | | | |
| F | | ECON F412 L1 FIN F313 L1 | ECON F355 L1 | | | | | | ECON F211 L3 | |
| S | | | CS F469 L1 | | ECON F354 L1 FIN F311 L1 | | FIN F414 L1 | FIN F414 L1 | FIN F414 L1 | |

| ROOM NO | G101 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | | 80 | | 40 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | CHEM F241 L1 | CHEM F243 L1 | | | CHEM F243 T1 | CHEM F336 L1 | CHEM F342 T1 | CHEM F343 L1 | |
| T | CHEM F111 T1 | | CHEM F342 L1 | CHEM F244 L1 | | | | | | |
| W | CHEM F343 T1 | CHEM F241 L1 | CHEM F243 L1 | | | CHEM F244 T1 | CHEM F336 L1 | | CHEM F343 L1 | |
| Th | CHEM F111 T1 | | CHEM F342 L1 | CHEM F244 L1 | | | | | | |
| F | | CHEM F241 L1 | CHEM F243 L1 | | | CHEM F241 T1 | CHEM F336 L1 | | CHEM F343 L1 | |
| S | | | CHEM F342 L1 | CHEM F244 L1 | | | | | | |

| ROOM NO G102 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE DUAL DESK | | | | | | 72 | | 37 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | CHEM F412 L1 | PHA F214 L1 | | | | | PHY F111 T4 | |
| T | CHEM F111 T2 | CHEM F223 L1 | BIO F111 T5 | CHEM F414 L1 | | | | | | |
| W | | | CHEM F412 L1 | PHA F214 L1 | | | | | PHY F111 T4 | |
| Th | CHEM F111 T2 | CHEM F223 L1 | BITS F110 T6 | CHEM F414 L1 | | | | | MATH F113 T21 | |
| F | | | CHEM F412 L1 | PHA F214 T1 | | BIO F244 L1 | | | | |
| S | | CHEM F223 L1 | | CHEM F414 L1 | | | | | | |

| ROOM NO | G103 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | 72 | | 37 | |

| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|
| M | | BIO F243 L1 | BIO F241 L1 | BIO F341 L1 | | | | | BIO F215 L1 | |
| T | CHEM F111 T3 | | BIO F342 L1 | BIO F242 L1 | | BIO F243 L1 | | | MATH F112 T17 | |
| W | BIO F215 T1 | BIO F243 L1 | BIO F241 L1 | BIO F341 L1 | | | | | BIO F215 L1 | |
| Th | CHEM F111 T3 | | BIO F342 L1 | BIO F242 L1 | | BIO F243 T1 | | | MATH F113 T17 | |
| F | | | BIO F241 L1 | BIO F341 L1 | | | | BIO F341 T1 | BIO F215 L1 | |
| S | BIO F241 T1 | | BIO F342 L1 | BIO F242 L1 | | | | | | |

| ROOM NO | G104 | | | | | LECTURE CAPACITY | | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | 72 | | | 37 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | BIO F451 L1 | BIO G570 L1 | BIO G523 L1 | | | | | BIO G542 L1 | |
| T | CHEM F111 T4 | BIO F417 L1 | BIO F111 T9 | AN F312 L1 | BIO G643 L1 | | | | MATH F112 T18 | |
| W | | BIO F451 L1 | | BIO G523 L1 | | | | | BIO G542 L1 | |
| Th | CHEM F111 T4 | BIO F417 L1 | BITS F110 T8 | AN F312 L1 | BIO G643 L1 | | | | MATH F113 T18 | |
| F | BIO F342 T1 | BIO F451 L1 | | BIO G523 L1 | | | | | BIO G542 L1 | |
| S | | BIO F417 L1 | | AN F312 L1 | BIO G643 L1 | | | | | |

| ROOM NO | G105 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | DUAL DESK | | | | | | 74 | | 37 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | PHA G612 L1 | | | | | | | |
| T | CHEM F111 T5 | | BIO F111 T7 | PHA G546 L1 | | | | | MATH F112 T19 | |
| W | | | PHA G612 L1 | | | | | | | |
| Th | CHEM F111 T5 | | BITS F110 T9 | PHA G546 L1 | | | | | MATH F113 T19 | |
| F | | | PHA G612 L1 | | | | | | | |
| S | | | | PHA G546 L1 | | | | | | |

| ROOM NO | G106 | | | | | LECTURE CAPACITY | | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | 74 | | | 37 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | ME F433 L1 | BITS F314 L1 | | CHEM G551 L1 | | | | | |
| T | CHEM F111 T6 | ME G512 L1 | BIO F111 T8 | MF F422 L1 | CHEM G552 L1 | | | | MATH F112 T20 | |
| W | | ME F433 L1 | BITS F314 L1 | | CHEM G551 L1 | | | | | |
| Th | CHEM F111 T6 | ME G512 L1 | BITS F110 T10 | MF F422 L1 | CHEM G552 L1 | | | | MATH F113 T20 | |
| F | | ME F433 L1 | BITS F314 L1 | | CHEM G551 L1 | | | | | |
| S | | ME G512 L1 | | MF F422 L1 | CHEM G552 L1 | | | | | |

| ROOM NO | G107 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | | 74 | | 37 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | ME G631 L1 | | | | | | |
| T | CHEM F111 T9 | | BIO F111 T1 | ME G515 L1 | | | | | MATH F112 T1 | |
| W | | | | ME G631 L1 | | | | | | |
| Th | CHEM F111 T9 | | BITS F110 T1 | ME G515 L1 | | | | | MATH F113 T2 | |
| F | | | | ME G631 L1 | | | | | | |
| S | | | | ME G515 L1 | | | | | | |

| ROOM NO   G108 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| **TYPE**     DUAL DESK | | | | | | 82 | | 42 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | MATH F244 L1 | MATH F243 L1 | | | | | | MATH F342 L1 | |
| T | PHY F242 T1 | | MATH F343 L1 | MATH F241 L1 | | | | | MATH F242 L1 | |
| W | | MATH F244 L1 | MATH F243 L1 | | | | | | MATH F342 L1 | |
| Th | PHY F243 T1 | | MATH F343 L1 | MATH F241 L1 | | | | | MATH F242 L1 | |
| F | | MATH F244 L1 | MATH F243 L1 | | | | | | MATH F342 L1 | MATH F242 L1 |
| S | | | MATH F343 L1 | MATH F241 L1 | | | | | | |

| ROOM NO | G201 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | | 80 | | 40 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | PHA F241 L1 | PHA F313 L1 | | | | | | BITS F219 L1 | |
| T | CHEM F111 T7 | | BIO F111 T2 | | | | | | PHA F242 L1 | |
| W | | PHA F241 L1 | PHA F313 L1 | | | | | | | |
| Th | CHEM F111 T7 | | BITS F110 T2 | | | BITS F219 T1 | | | PHA F242 L1 | |
| F | | PHA F241 T1 | PHA F313 L1 | | | | | | BITS F219 L1 | |
| S | PHA F242 T1 | | | BIO F217 L1 | | | | | | |

| ROOM NO | G202 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | | 72 | | 37 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | PHY F241 L1 | | PHY F343 L1 | | | PHY F412 L1 | | PHY F342 L1 | |
| T | | PHY F341 L1 | | | | | | | PHY F242 L1 | |
| W | PHY F342 T1 | PHY F241 L1 | | PHY F343 L1 | | | PHY F412 L1 | PHY F343 T1 | PHY F342 L1 | |
| Th | | PHY F341 L1 | | | | | | | PHY F242 L1 | |
| F | | PHY F241 L1 | | PHY F343 L1 | | | PHY F412 L1 | PHY F341 T1 | PHY F342 L1 | PHY F242 L1 |
| S | PHY F241 T1 | PHY F341 L1 | | | | | | | | |

| ROOM NO | G203 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | | 74 | | 37 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | PHY F215 L1 | CHEM G531 L1 | | | | | PHA F343 L1 | | |
| T | CHEM F111 T8 | PHY F422 L1 | BIO F111 T4 | PHY F315 L1 | PHA F342 L1 | | | | MATH F112 T12 | |
| W | | PHY F215 L1 | CHEM G531 L1 | | PHY F111 L3 | PHY F111 L3 | PHY F111 L3 | | | |
| Th | CHEM F111 T8 | PHY F422 L1 | BITS F110 T4 | PHY F315 L1 | PHA F342 L1 PHY F111 T7 | PHY F111 T7 | PHY F111 T7 | | MATH F113 T12 | |
| F | | PHY F215 L1 | CHEM G531 L1 | | PHY F111 L3 | PHY F111 L3 | PHY F111 L3 | PHA F343 L1 | | |
| S | | PHY F422 L1 | | PHY F315 L1 | PHA F342 T1 | | | | | |

| ROOM NO | G204 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | | 72 | | 37 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | PHA F413 L1 | PHA G532 L1 | | | | | | |
| T | BITS F111 T2 | PHA G617 L1 | BIO F111 T3 | PHY F243 L1 | PHA G611 L1 | | | | MATH F112 T13 | |
| W | PHA F343 T1 | | PHA F413 L1 | PHA G532 L1 | | | | | | |
| Th | BITS F111 T2 | PHA G617 L1 | BITS F110 T3 | PHY F243 L1 | PHA G611 L1 | | | | MATH F113 T13 | |
| F | | | PHA F413 L1 | PHA G532 L1 | | | | | | |
| S | | PHA G617 L1 | | PHY F243 L1 | PHA G611 L1 | | | | | |

| ROOM NO | G205 | | | | | LECTURE CAPACITY | | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | DUAL DESK | | | | | 74 | | | 37 | |
| **D\H** | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| **M** | | AN F314 L1 | MF F421 L1 | | PHA G624 L1 | | | | | |
| **T** | BITS F111 T3 | ME F484 L1 | BIO F111 T6 | MF F485 L1 | | | | | MATH F112 T14 | |
| **W** | | AN F314 L1 | MF F421 L1 | | PHA G624 L1 | | | | | |
| **Th** | BITS F111 T3 | ME F484 L1 | BITS F110 T7 | MF F485 L1 | | | | | MATH F113 T14 | |
| **F** | | AN F314 L1 | MF F421 L1 | | PHA G624 L1 | | | | | |
| **S** | | ME F484 L1 | | MF F485 L1 | | | | | | |

| ROOM NO | G206 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | 74 | | 37 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | ME F432 L1 | | | | PHY F111 T5 | | ECON F343 L1 | |
| T | BITS F111 T4 | | PHA F344 L1 | ME F482 L1 | PHY F111 T6 | | | | MATH F112 T15 | |
| W | ECON F343 T1 | | ME F432 L1 | | | | PHY F111 T5 | | ECON F343 L1 | |
| Th | BITS F111 T4 | | PHA F344 L1 | ME F482 L1 | PHY F111 T6 | | | | MATH F113 T15 | |
| F | ECON F342 T1 | | | | | | | | ECON F343 L1 | |
| S | | | PHA F344 T1 | ME F482 L1 | | | | | | |

| ROOM NO | G207 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | | 74 | | 37 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | ME F323 L1 | BITS F441 L1 | | | | | | ECON F211 L1 | |
| T | BITS F111 T5 | BITS F315 L1 | ME F321 L1 | MGTS F314 L1 | | | | | MATH F112 T16 | |
| W | ECON F211 T1 | ME F323 L1 | BITS F441 L1 | | | | | | ECON F211 L1 | |
| Th | BITS F111 T5 | BITS F315 L1 | ME F321 L1 | | | | | | MATH F113 T16 | |
| F | | ME F323 L1 | BITS F441 L1 | | | | | | ECON F211 L1 | |
| S | | BITS F315 L1 | | | | | | | MGTS F314 L1 | MGTS F314 L1 |

| ROOM NO | G208 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | | 82 | | 42 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | ECON F355 L2 | | | | | | ECON F211 L2 | |
| T | BITS F111 T1 | | INSTR F343 L1 | ECON F354 L2 FIN F311 L2 | | | | | | |
| W | ECON F211 T2 | | ECON F355 L2 | | | | | | ECON F211 L2 | |
| Th | BITS F111 T1 | | INSTR F343 L1 | ECON F354 L2 FIN F311 L2 | | | | | | |
| F | | | ECON F355 L2 | | | | | | ECON F211 L2 | |
| S | | | INSTR F343 L1 | ECON F354 L2 FIN F311 L2 | | | | | | |

| ROOM NO | H106 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | LAB | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | EEE G592 P1 | EEE G592 P1 | |
| T | | | | | | | | | | |
| W | | | | | | | | EEE G592 P1 | EEE G592 P1 | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | H106/I011 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | EEE F246 P2 | EEE F246 P2 | | | |
| T | | | | | | EEE F246 P1 | EEE F246 P1 | | | |
| W | | | | | | EEE F246 P2 | EEE F246 P2 | | | |
| Th | | | | | | EEE F246 P1 | EEE F246 P1 | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | I011 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | EEE G622 P1 | EEE G622 P1 | | | | | |
| W | | | | | | | | | | |
| Th | | | | EEE G622 P1 | EEE G622 P1 | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | I012 | | | | | | LECTURE CAPACITY | | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | | 50 | | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | |
| M | | | | | | CS F241 P2<br>ECE F241 P2<br>EEE F241 P2<br>INSTR F241 P2 | CS F241 P2<br>ECE F241 P2<br>EEE F241 P2<br>INSTR F241 P2 | | | | |
| T | | CS F241 P8<br>ECE F241 P8<br>EEE F241 P8<br>INSTR F241 P8 | CS F241 P8<br>ECE F241 P8<br>EEE F241 P8<br>INSTR F241 P8 | | | CS F241 P13<br>ECE F241 P13<br>EEE F241 P13<br>INSTR F241 P13 | CS F241 P13<br>ECE F241 P13<br>EEE F241 P13<br>INSTR F241 P13 | | | | |
| W | | | | | | CS F241 P11<br>ECE F241 P11<br>EEE F241 P11<br>INSTR F241 P11 | CS F241 P11<br>ECE F241 P11<br>EEE F241 P11<br>INSTR F241 P11 | | | | |
| Th | | CS F241 P10<br>ECE F241 P10<br>EEE F241 P10<br>INSTR F241 P10 | CS F241 P10<br>ECE F241 P10<br>EEE F241 P10<br>INSTR F241 P10 | | | CS F241 P16<br>ECE F241 P16<br>EEE F241 P16<br>INSTR F241 P16 | CS F241 P16<br>ECE F241 P16<br>EEE F241 P16<br>INSTR F241 P16 | | | | |
| F | | | | | | CS F241 P1<br>ECE F241 P1<br>EEE F241 P1<br>INSTR F241 P1 | CS F241 P1<br>ECE F241 P1<br>EEE F241 P1<br>INSTR F241 P1 | | | | |
| S | | CS F241 P9<br>ECE F241 P9<br>EEE F241 P9<br>INSTR F241 P9 | CS F241 P9<br>ECE F241 P9<br>EEE F241 P9<br>INSTR F241 P9 | | | | | | | | |

| ROOM NO | I013 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|

| TYPE | LAB | | | | | 50 | | 50 | |
|---|---|---|---|---|---|---|---|---|---|

| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|
| M | | | | CS F342 P1 | CS F342 P1 | CS F241 P4<br>ECE F241 P4<br>EEE F241 P4<br>INSTR F241 P4 | CS F241 P4<br>ECE F241 P4<br>EEE F241 P4<br>INSTR F241 P4 | | | |
| T | | CS F241 P6<br>ECE F241 P6<br>EEE F241 P6<br>INSTR F241 P6 | CS F241 P6<br>ECE F241 P6<br>EEE F241 P6<br>INSTR F241 P6 | | | CS F241 P12<br>ECE F241 P12<br>EEE F241 P12<br>INSTR F241 P12 | CS F241 P12<br>ECE F241 P12<br>EEE F241 P12<br>INSTR F241 P12 | | | |
| W | | | | CS F342 P2 | CS F342 P2 | CS F241 P3<br>ECE F241 P3<br>EEE F241 P3<br>INSTR F241 P3 | CS F241 P3<br>ECE F241 P3<br>EEE F241 P3<br>INSTR F241 P3 | | | |
| Th | | CS F241 P7<br>ECE F241 P7<br>EEE F241 P7<br>INSTR F241 P7 | CS F241 P7<br>ECE F241 P7<br>EEE F241 P7<br>INSTR F241 P7 | | | CS F241 P14<br>ECE F241 P14<br>EEE F241 P14<br>INSTR F241 P14 | CS F241 P14<br>ECE F241 P14<br>EEE F241 P14<br>INSTR F241 P14 | | | |
| F | | | | CS F342 P3 | CS F342 P3 | CS F241 P5<br>ECE F241 P5<br>EEE F241 P5<br>INSTR F241 P5 | CS F241 P5<br>ECE F241 P5<br>EEE F241 P5<br>INSTR F241 P5 | | | |
| S | | CS F241 P15<br>ECE F241 P15<br>EEE F241 P15<br>INSTR F241 P15 | CS F241 P15<br>ECE F241 P15<br>EEE F241 P15<br>INSTR F241 P15 | | | | | | | |

| ROOM NO | I014 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 60 | | 60 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | I015 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 60 | | 60 | | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | CS F303 P2 | CS F303 P2 | | | | | |
| T | | | | | | | | CS F303 P1 | CS F303 P1 | |
| W | | | | CS F303 P3 | CS F303 P3 | | | CS G516 P1 | CS G516 P1 | |
| Th | | | | | | | | CS G513 P1 | CS G513 P1 | |
| F | | | | CS F303 P4 | CS F303 P4 | | | | | |
| S | | | | | | | | | | |

| ROOM NO | I111 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | | 56 | | 28 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | ECE F341 T1<br>EEE F341 T1<br>INSTR F341 T1 | EEE F111 T1 | EEE F474 L1 | MATH F341 L1 | | | EEE F111 T7 | | | |
| T | ECE F244 T1<br>EEE F244 T1<br>INSTR F244 T1 | EEE F477 L1 | | MATH F113 L1 | | | | MATH F243 T1 | | |
| W | ECE F341 T2<br>EEE F341 T2<br>INSTR F341 T2 | EEE F111 T5 | EEE F474 L1 | MATH F341 L1 | | | EEE F111 T8 | | | |
| Th | | EEE F477 L1 | | MATH F113 L1 | | | EEE F111 T2 | ECE F244 T2<br>EEE F244 T2<br>INSTR F244 T2 | | |
| F | | EEE F111 T6 | EEE F474 L1 | MATH F341 L1 | | | EEE F111 T9 | | EEE F111 T3 | |
| S | MATH F242 T1 | EEE F477 L1 | | MATH F113 L1 | EEE F111 T4 | | | | | |

| ROOM NO | I112 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | DUAL DESK | | | | | | 56 | | 28 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| **M** | ECE F341 T3 EEE F341 T3 INSTR F341 T3 | MATH F424 L1 | | | | | MATH F481 L1 | | | |
| **T** | ECE F244 T3 EEE F244 T3 INSTR F244 T3 | MATH F420 L1 | MATH F456 L1 | MATH F231 L1 | | | ECE F344 T2 | | | |
| **W** | ECE F341 T4 EEE F341 T4 INSTR F341 T4 | MATH F424 L1 | | | | | MATH F481 L1 | | | |
| **Th** | | MATH F420 L1 | MATH F456 L1 | MATH F231 L1 | | | | ECE F244 T4 EEE F244 T4 INSTR F244 T4 | | |
| **F** | ECE F344 T1 | MATH F424 L1 | | | | | MATH F481 L1 | | | |
| **S** | MATH F242 T2 | MATH F420 L1 | MATH F456 L1 | MATH F231 L1 | | | | | | |

| ROOM NO | I113 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | DUAL DESK | | | | | | 56 | | 28 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | ECE F341 T5<br>EEE F341 T5<br>INSTR F341 T5 | CS F441 L1 | | | | | IS F341 L1 | | | |
| T | MATH F113 T1 | | EEE G592 L1 | | | | EEE F342 T1<br>INSTR F342 T1 | CS F241 T1<br>ECE F241 T1<br>EEE F241 T1<br>INSTR F241 T1 | | |
| W | ECE F341 T6<br>EEE F341 T6<br>INSTR F341 T6 | CS F441 L1 | | | | | IS F341 L1 | | | |
| Th | ECE F242 T1<br>EEE F242 T1<br>INSTR F242 T1 | | EEE G592 L1 | | | | EEE F342 T2<br>INSTR F342 T2 | CS F241 T2<br>ECE F241 T2<br>EEE F241 T2<br>INSTR F241 T2 | | |
| F | EEE F342 T3<br>INSTR F342 T3 | CS F441 L1 | | | | | IS F341 L1 | | | |
| S | ECE F242 T2<br>EEE F242 T2<br>INSTR F242 T2 | | EEE G592 L1 | | | | | | | |

| ROOM NO | I114 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | | 56 | | 28 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | ECE F341 T7<br>EEE F341 T7<br>INSTR F341 T7 | MEL G641 L1 | MATH F213 L1 | MEL G642 L1 | | | | | | |
| T | | | MEL G632 L1 | MEL G623 L1 | | | | CS F241 T3<br>ECE F241 T3<br>EEE F241 T3<br>INSTR F241 T3 | | |
| W | ECE F343 T1 | MEL G641 L1 | MATH F213 L1 | MEL G642 L1 | | | | | | |
| Th | ECE F242 T3<br>EEE F242 T3<br>INSTR F242 T3 | | MEL G632 L1 | MEL G623 L1 | | | EEE F312 T2 | CS F241 T4<br>ECE F241 T4<br>EEE F241 T4<br>INSTR F241 T4 | | |
| F | ECE F343 T2 | MEL G641 L1 | MATH F213 L1 | | | | | | | |
| S | ECE F242 T4<br>EEE F242 T4<br>INSTR F242 T4 | | MEL G632 L1 | MEL G623 L1 | | | | | | |

| ROOM NO | I115 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | EEE F474 P1 | EEE F474 P1 | | | |
| Th | | | | | | | | | | |
| F | | | | ECE F312 P1 | ECE F312 P1 | | | | | |
| S | | | | | | | | | | |

| ROOM NO  I122 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE    DUAL DESK | | | | | | 56 | | 28 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|
| M | CS F303 T1 | EEE F428 L1 | CS G513 L1 | EEE G622 L1 | | | | | | |
| T | | | | CS G524 L1 | CS G520 L1 | | CS F303 T3 | CS F241 T5<br>ECE F241 T5<br>EEE F241 T5<br>INSTR F241 T5 | | |
| W | CS F303 T2 | EEE F428 L1 | CS G513 L1 | EEE G622 L1 | | | | | | |
| Th | ECE F242 T5<br>EEE F242 T5<br>INSTR F242 T5 | | | CS G524 L1 | CS G520 L1 | | | CS F241 T6<br>ECE F241 T6<br>EEE F241 T6<br>INSTR F241 T6 | | |
| F | | EEE F428 L1 | CS G513 L1 | EEE G622 L1 | | | | | | |
| S | ECE F242 T6<br>EEE F242 T6<br>INSTR F242 T6 | | | CS G524 L1 | CS G520 L1 | | | | | |

| ROOM NO  I123 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE     LAB | | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | I124 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | EEE F348 P1 | EEE F348 P1 | MEL G641 P1 | MEL G641 P1 | MEL G632 P1 | MEL G632 P1 | |
| T | | | | | | | | MEL G623 P1 | MEL G623 P1 | MEL G642 P1 |
| W | | | | EEE F348 P1 | EEE F348 P1 | EEE F348 P2 | EEE F348 P2 | MEL G632 P1 | MEL G632 P1 | MEL G642 P1 |
| Th | | | | | | | | | | |
| F | | | | | | EEE F348 P2 | EEE F348 P2 | MEL G641 P1 | MEL G641 P1 | |
| S | MEL G623 P1 | MEL G623 P1 | | | | | | | | |

| ROOM NO | I210 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | DUAL DESK | | | | | | 56 | | 28 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | ECE F416 L1<br>EEE F416 L1 | | | | | | | | |
| T | | CS F413 L1 | CS F402 L1 | | | | | CS F241 T7<br>ECE F241 T7<br>EEE F241 T7<br>INSTR F241 T7 | | |
| W | CS F363 T1 | ECE F416 L1<br>EEE F416 L1 | | | | | | | | |
| Th | ECE F243 T1<br>EEE F243 T1<br>INSTR F243 T1 | CS F413 L1 | CS F402 L1 | | | | CS F303 T4 | CS F241 T8<br>ECE F241 T8<br>EEE F241 T8<br>INSTR F241 T8 | | |
| F | CS F364 T1 | ECE F416 L1<br>EEE F416 L1 | | | | | | | | |
| S | ECE F243 T2<br>EEE F243 T2<br>INSTR F243 T2 | CS F413 L1 | CS F402 L1 | | | | | | | |

| ROOM NO | I211 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | | 56 | | 28 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | MST G522 L1 | | | | | | | |
| T | | PHA F414 L1 | CS G516 L1 | | | | INSTR F343 T1 | CS F241 T9<br>ECE F241 T9<br>EEE F241 T9<br>INSTR F241 T9 | | |
| W | CS F363 T3 | | MST G522 L1 | | | | | | | |
| Th | ECE F243 T3<br>EEE F243 T3<br>INSTR F243 T3 | PHA F414 L1 | CS G516 L1 | | | | CS F363 T2 | CS F241 T10<br>ECE F241 T10<br>EEE F241 T10<br>INSTR F241 T10 | | |
| F | CS F363 T4 | | MST G522 L1 | | | | | | | |
| S | ECE F243 T4<br>EEE F243 T4<br>INSTR F243 T4 | PHA F414 L1 | CS G516 L1 | | | | | | | |

| ROOM NO | I212 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | DUAL DESK | | | | | | 56 | | 28 | |
| **D\H** | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| **M** | CS F364 T2 | CS F315 L1 | BITS F442 L1 | | | | | MATH F341 T1 | | |
| **T** | ECE F244 T5<br>EEE F244 T5<br>INSTR F244 T5 | | | | | | CS F364 T4 | MATH F243 T2 | | |
| **W** | EEE F312 T1 | CS F315 L1 | BITS F442 L1 | | | | | MATH F342 T1 | | |
| **Th** | ECE F243 T5<br>EEE F243 T5<br>INSTR F243 T5 | | | | | | | ECE F244 T6<br>EEE F244 T6<br>INSTR F244 T6 | | |
| **F** | CS F364 T3 | CS F315 L1 | BITS F442 L1 | | | | | MATH F343 T1 | | |
| **S** | ECE F243 T6<br>EEE F243 T6<br>INSTR F243 T6 | | | | | | | | | |

| ROOM NO | I213 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | DUAL DESK | | | | | | 56 | | 28 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | MATH F353 L1 | | | | | MATH F341 T2 | | |
| T | MATH F241 T2 | | | MATH F471 L1 | | | | | MATH F112 T2 | |
| W | INSTR F343 T2 | | MATH F353 L1 | | | | | MATH F342 T2 | | |
| Th | CS F212 T1 | | | MATH F471 L1 | | | | MATH F244 T1 | | |
| F | | | MATH F353 L1 | | | | | MATH F343 T2 | | |
| S | CS F212 T2 | | | MATH F471 L1 | | | | | | |

| ROOM NO | I214 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 50 | | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | I221 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | | 56 | | 28 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | HSS F317 L1 | | | | | | |
| T | | | | | | | | | | |
| W | | | | HSS F317 L1 | | | | | | |
| Th | CS F211 T1 | | | | | | | MATH F244 T2 | | |
| F | | | | HSS F317 L1 | | | | | | |
| S | CS F211 T4 | | | | | | | | | CS F211 T4 |

| ROOM NO  I222 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE    DUAL DESK | | | | | | 56 | | 28 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | PHA F341 L1 | |
| T | MATH F241 T1 | BITS F114 L1 | | | | | | | BITS F114 T1 | |
| W | | | | | | | | | PHA F341 L1 | |
| Th | CS F211 T2 | BITS F114 L1 | | | | | | | | |
| F | | | | | | | | | PHA F341 T1 | |
| S | CS F211 T3 | BITS F114 L1 | | | | | | | | |

| ROOM NO | J105 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | CS G523 P1 | CS G523 P1 | |
| T | | | | | | | | | | |
| W | | | | | | | | CS G523 P1 | CS G523 P1 | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | J106 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | LAB | | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | ECE F341 P1<br>EEE F341 P1<br>INSTR F341 P1 | ECE F341 P1<br>EEE F341 P1<br>INSTR F341 P1 | ECE F341 P6<br>EEE F341 P6<br>INSTR F341 P6 | ECE F341 P6<br>EEE F341 P6<br>INSTR F341 P6 | | | |
| T | | | | | | | | ECE F341 P4<br>EEE F341 P4<br>INSTR F341 P4 | ECE F341 P4<br>EEE F341 P4<br>INSTR F341 P4 | |
| W | | | | ECE F341 P2<br>EEE F341 P2<br>INSTR F341 P2 | ECE F341 P2<br>EEE F341 P2<br>INSTR F341 P2 | ECE F341 P7<br>EEE F341 P7<br>INSTR F341 P7 | ECE F341 P7<br>EEE F341 P7<br>INSTR F341 P7 | | | |
| Th | | | | | | | | ECE F341 P5<br>EEE F341 P5<br>INSTR F341 P5 | ECE F341 P5<br>EEE F341 P5<br>INSTR F341 P5 | |
| F | | | | ECE F341 P3<br>EEE F341 P3<br>INSTR F341 P3 | ECE F341 P3<br>EEE F341 P3<br>INSTR F341 P3 | | | | | |
| S | | | | | | | | | | |

| ROOM NO | J107 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | DUAL DESK | | | | | | 56 | | 28 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | ECON F419 L1 | BITS F385 L1 | | | | BITS F214 L1 | | ECON F211 L5 |
| T | | BITS F399 L1 | HSS F316 L1 | ECON F345 L1 | | | | ECON F211 L5 | | |
| W | | | ECON F419 L1 | BITS F385 L1 | | | | BITS F214 L1 | | |
| Th | CS F212 T3 | BITS F399 L1 | HSS F316 L1 | ECON F345 L1 | | | | ECON F211 L5 | | |
| F | ECON F211 T5 | | ECON F419 L1 | BITS F385 L1 | | | | BITS F214 L1 | | |
| S | CS F212 T4 | BITS F399 L1 | HSS F316 L1 | ECON F345 L1 | | | | | | |

| ROOM NO | J114 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | LAB | | | | | | 50 | | 50 | |
| **D\H** | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| **M** | | | | EEE F342 P3 INSTR F342 P3 | EEE F342 P3 INSTR F342 P3 | | | | | |
| **T** | | | | | | | | EEE F342 P2 INSTR F342 P2 | EEE F342 P2 INSTR F342 P2 | |
| **W** | | | | EEE F342 P1 INSTR F342 P1 | EEE F342 P1 INSTR F342 P1 | | | | | |
| **Th** | | | | | | | | | | |
| **F** | | | | EEE F342 P4 INSTR F342 P4 | EEE F342 P4 INSTR F342 P4 | | | | | |
| **S** | | | | | | | | | | |

| ROOM NO J115 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE     DUAL DESK | | | | | | 56 | | 28 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | ECON F416 L1 | MGTS F351 L1 | HSS F368 L1 | | | | GS F223 L1 | | |
| T | ME F219 T2 | ECON F215 L1 | ECON F435 L1 | | | | | | MATH F112 T3 | |
| W | | ECON F416 L1 | MGTS F351 L1 | HSS F368 L1 | | | | GS F223 L1 | | |
| Th | ME F218 T2 | ECON F215 L1 | ECON F435 L1 | | | | | | MATH F113 T3 | |
| F | | ECON F416 L1 | MGTS F351 L1 | HSS F368 L1 | | | | GS F223 L1 | | |
| S | ME F220 T2 | ECON F215 L1 | ECON F435 L1 | | | | | | | |

| ROOM NO | J119 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | 56 | | 28 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|
| M | | | ECON F434 L1 | GS F312 L1 | | | | GS F333 L1 | | |
| T | ME F219 T3 | HSS F362 L1 | HSS F235 L1 | | | | | | | |
| W | | | ECON F434 L1 | GS F312 L1 | | | | GS F333 L1 | | |
| Th | ME F218 T3 | HSS F362 L1 | HSS F235 L1 | | | | | | | |
| F | | | ECON F434 L1 | GS F312 L1 | | | | GS F333 L1 | | |
| S | ME F220 T3 | HSS F362 L1 | HSS F235 L1 | | | | | | | |

| ROOM NO | J120 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | DUAL DESK | | | | | | 56 | | 28 | |
| **D\H** | **1** | **2** | **3** | **4** | **5** | **6** | **7** | **8** | **9** | **10** |
| **M** | | | | HSS F222 L1 | | | | HSS F237 L1 | | |
| **T** | ME F219 T4 | HSS F340 L1 | ECON F411 L1 | | | | | | MATH F112 T5 | |
| **W** | | | | HSS F222 L1 | | | | HSS F237 L1 | | |
| **Th** | ME F218 T4 | HSS F340 L1 | ECON F411 L1 | | | | | | MATH F113 T5 | |
| **F** | | | | HSS F222 L1 | | | | HSS F237 L1 | | |
| **S** | ME F220 T4 | HSS F340 L1 | ECON F411 L1 | | | | | | | |

| ROOM NO | J121 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | DUAL DESK | | | | | | 56 | | 28 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | HSS F338 L1 | | | | HSS F346 L1 | | |
| T | ME F219 T1 | | HSS F361 L1 | | | | | | MATH F112 T6 | |
| W | | | | HSS F338 L1 | | | | HSS F346 L1 | | |
| Th | ME F218 T1 | | HSS F361 L1 | | | | | | MATH F113 T6 | |
| F | | | | HSS F338 L1 | | | | HSS F346 L1 | | |
| S | ME F220 T1 | | HSS F361 L1 | | | | | | | |

| ROOM NO | J204 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | BITS F415 P1 BITS F415 P2 | BITS F415 P1 BITS F415 P2 | | |

| ROOM NO | J206 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | DUAL DESK | | | | | | 56 | | 28 | |
| **D\H** | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| **M** | | | BITS F415 L1 | ECON G546 L1 | ECON G547 L1 | | | HSS F365 L1 | | |
| **T** | | HSS F349 L1 | HSS F334 L1 | | | | | | MATH F112 T8 | |
| **W** | | | BITS F415 L1 | ECON G546 L1 | ECON G547 L1 | | | HSS F365 L1 | | |
| **Th** | | HSS F349 L1 | HSS F334 L1 | | | | | | MATH F113 T8 | |
| **F** | | | BITS F415 L1 | ECON G546 L1 | ECON G547 L1 | | | HSS F365 L1 | | |
| **S** | | HSS F349 L1 | HSS F334 L1 | | | | | | | |

| ROOM NO | J214 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | DUAL DESK | | | | | | 56 | | 28 | |
| **D\H** | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| **M** | | | | HSS F335 L1 | | | | HSS F342 L1 | | |
| **T** | | | HSS F369 L1 | | | | | | MATH F112 T9 | |
| **W** | | | | HSS F335 L1 | | | | HSS F342 L1 | | |
| **Th** | | | HSS F369 L1 | | | | | | MATH F113 T9 | |
| **F** | | | | HSS F335 L1 | | | | HSS F342 L1 | | |
| **S** | | | HSS F369 L1 | | | | | | | |

| ROOM NO | J217 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | | |
|---|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | DUAL DESK | | | | | 56 | | 28 | | |
| **D\H** | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| **M** | | | | | | | | | | |
| **T** | | BITS F428 L1 | | | | | | | MATH F112 T10 | |
| **W** | | | | | | | | | | |
| **Th** | | BITS F428 L1 | | | | | | | MATH F113 T10 | |
| **F** | | | | | | | | | | |
| **S** | | BITS F428 L1 | | | | | | | | |

| ROOM NO J218 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE DUAL DESK | | | | | | 56 | | 28 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | MATH F112 T11 | |
| W | | | | | | | | | | |
| Th | | | | | | | | | MATH F113 T11 | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | J219 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | DUAL DESK | | | | | 56 | | 28 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|
| **M** | | | | | | | | | | |
| **T** | | | | | | | | | MATH F112 T7 | |
| **W** | | | | | | | | | | |
| **Th** | | | | | | | | | MATH F113 T7 | |
| **F** | | | | | | | | | | |
| **S** | | | | | | | | | | |

| ROOM NO | J220 | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| **TYPE** | DUAL DESK | | | | | 56 | | 28 | |

| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|
| M | | | | | | | | | | |
| T | | | | | | | | | MATH F112 T4 | |
| W | | | | | | | | | | |
| Th | | | | | | | | | MATH F113 T4 | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | K125 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | EEE F478 P1 | EEE F478 P1 | | | |
| T | | EEE F245 P3 | EEE F245 P3 | | | EEE F245 P1 | EEE F245 P1 | | | |
| W | | | | | | EEE F478 P1 | EEE F478 P1 | | | |
| Th | | | | | | | | | | |
| F | | | | | | EEE F245 P2 | EEE F245 P2 | | | |
| S | | EEE F245 P4 | EEE F245 P4 | | | | | | | |

| ROOM NO K126 | | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE LAB | | | | | | 50 | | 50 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | LAB | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 200 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|
| M | | | | ME F321 P1 | ME F321 P1 | | PHA G612 P1 | CE G518 P1<br>ME G631 P1<br>PHA G612 P1 | CE G518 P1<br>ME G631 P1<br>PHA G612 P1 | CHEM F329 P1<br>PHA G612 P1 |
| T | | | | | | CHEM F336 P1 | CHEM F336 P1 | CE G575 P1<br>MF F422 P1 | CE G575 P1<br>MF F422 P1 | |
| W | | | | | | | | CE G566 P1<br>CE G613 P1 | CE G566 P1<br>CE G613 P1 | |
| Th | | | | | | CE F244 P1 | CE F244 P1 | CE G570 P1<br>CE G616 P1<br>ME F428 P1 | CE G570 P1<br>CE G616 P1<br>ME F428 P1 | |
| F | | | | ME F433 P1 | ME F433 P1 | ME F423 P1<br>ME G631 P1 | ME F423 P1<br>ME G631 P1 | | | |
| S | | | | | | | | | | |

| ROOM NO | MTII LAB | | | | | LECTURE CAPACITY | | EXAM CAPACITY | | |
|---------|----------|---|---|---|---|------------------|---|---------------|---|---|
| TYPE | LAB | | | | | 50 | | 50 | | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| M | | | | | | | | | | |
| T | | | | | | | | | | |
| W | | | | | | | | | | |
| Th | | | | | | | | | | |
| F | | | | | | | | | | |
| S | | | | | | | | | | |

| ROOM NO | WS | | | | | LECTURE CAPACITY | | EXAM CAPACITY | |
|---|---|---|---|---|---|---|---|---|---|
| TYPE | LAB | | | | | 50 | | 25 | |
| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

| D\H | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|
| M | | | | ME F219 P3 | ME F219 P3 | | ME F112 P4 | ME F112 P4 | ME F112 P4 | |
| T | | | ME F112 P1 | ME F112 P1 | ME F112 P1 | ME F219 P1 | ME F219 P1 | | | |
| W | | | | ME F219 P4 | ME F219 P4 | | ME F112 P2 | ME F112 P2 | ME F112 P2 | |
| Th | | | ME F112 P3 | ME F112 P3 | ME F112 P3 | ME F219 P2 | ME F219 P2 | | | |
| F | | | | | | | ME F112 P5 | ME F112 P5 | ME F112 P5 | |
| S | | | | | | | | | | |