



Online Java Compiler

Programiz PRO >



Square.java



Share

Run

Output

Clear

```
1
2 public class Square {
3     public static void main(String[] args) {
4         int n = 5;
5         for (int i = 1; i <= n; i++) {
6             for (int j = 1; j <= n; j++) {
7                 System.out.print("*");
8             }
9             System.out.println();
10        }
11    }
12 }
```

```
*****
*****
*****
*****
*****
```

=== Code Execution Successful ===



Online Java Compiler

Programiz PRO >



HollowSquare.java

Share Run

Clear

```
1 public class HollowSquare {
2     public static void main(String[] args) {
3         int n = 5;
4         for (int i = 1; i <= n; i++) {
5             for (int j = 1; j <= n; j++) {
6                 if (i == 1 || i == n || j == 1 || j == n) {
7                     System.out.print("*");
8                 } else {
9                     System.out.print(" ");
10                }
11            }
12            System.out.println();
13        }
14    }
15 }
```

Output

```
*****
*  *
*  *
*  *
*****

=== Code Execution Successful ===
```



Online Java Compiler

Programiz PRO >



Triangle.java



```
1 public class Triangle {  
2     public static void main(String[] args) {  
3         int n = 5;  
4         for (int i = 1; i <= n; i++) {  
5             for (int j = 1; j <= i; j++) {  
6                 System.out.print("*");  
7             }  
8             System.out.println();  
9         }  
10    }  
11 }
```

Output

Clear

```
*  
**  
***  
****  
*****  
  
=== Code Execution Successful ===
```



Online Java Compiler

Programiz PRO >



InvertedTriangle.java



Share

Run

Output

Clear

```
1 public class InvertedTriangle {
2     public static void main(String[] args) {
3         int n = 5;
4         for (int i = 1; i <= n; i++) {
5             for (int j = n; j >= i; j--) {
6                 System.out.print("*");
7             }
8             System.out.println();
9         }
10    }
11 }
```

```
*****
****
***
**
*
```

=== Code Execution Successful ===



Online Java Compiler

Programiz PRO >



Pyramid.java



Share

Run

Output

Clear

```
1 public class Pyramid {
2     public static void main(String[] args) {
3         int n = 4; // Generates a 4-row pyramid (up to 7 stars)
4         for (int i = 1; i <= n; i++) {
5             for (int j = 1; j <= n - i; j++) {
6                 System.out.print(" ");
7             }
8             for (int j = 1; j <= (2 * i - 1); j++) {
9                 System.out.print("*");
10            }
11            System.out.println();
12        }
13    }
14 }
```

```
*
***
*****
*****

=== Code Execution Successful ===
```





Online Java Compiler

Programiz PRO >

Diamond.java



Share

Run

Output

Clear

```
1 public class Diamond {
2     public static void main(String[] args) {
3         int n = 4;
4         // Top half
5         for (int i = 1; i <= n; i++) {
6             for (int j = 1; j <= n - i; j++) System.out.print(" ");
7             for (int j = 1; j <= (2 * i - 1); j++) System.out.print("*");
8             System.out.println();
9         }
10        // Bottom half
11        for (int i = n - 1; i >= 1; i--) {
12            for (int j = 1; j <= n - i; j++) System.out.print(" ");
13            for (int j = 1; j <= (2 * i - 1); j++) System.out.print("*");
14            System.out.println();
15        }
16    }
17 }
```

```
*
***
*****
*****
*****
***
*

=== Code Execution Successful ===
```





Online Java Compiler

Programiz PRO >



HalfDiamond.java



Share

Run

Output

Clear

```
1 public class HalfDiamond {
2     public static void main(String[] args) {
3         int n = 4;
4         // Growing phase
5         for (int i = 1; i <= n; i++) {
6             for (int j = 1; j <= i; j++) System.out.print("*");
7             System.out.println();
8         }
9         // Shrinking phase
10        for (int i = n - 1; i >= 1; i--) {
11            for (int j = 1; j <= i; j++) System.out.print("*");
12            System.out.println();
13        }
14    }
15 }
```

```
*
**
***
****
***
**
*

=== Code Execution Successful ===
```



Online Java Compiler

Programiz PRO >



HalfDiamondInverted.java



Share

Run

Output

Clear

```
1 public class HalfDiamondInverted {
2     public static void main(String[] args) {
3         int n = 4;
4         // Top half
5         for (int i = 1; i <= n; i++) {
6             for (int j = 1; j <= n - i; j++) System.out.print(" ");
7             for (int j = 1; j <= i; j++) System.out.print("*");
8             System.out.println();
9         }
10        // Bottom half
11        for (int i = n - 1; i >= 1; i--) {
12            for (int j = 1; j <= n - i; j++) System.out.print(" ");
13            for (int j = 1; j <= i; j++) System.out.print("*");
14            System.out.println();
15        }
16    }
17 }
```

```
*
**
***
****
***
**
*

=== Code Execution Successful ===
```



2. Number pattern

Week 2 Module.pdf

3rd year Week 3 Module.pdf

Week 4 Module.pdf

Week 1 Module.pdf

give me answer of every pat

Online Java Compiler - Prog

https://www.programiz.com/java-programming/online-compiler/

Programiz
Online Java Compiler

Programiz PRO >

Python

Java

C

C++

C#

Go

JS

TS

PHP

NumberSquare.java

Run

Share

Clear

```
1 public class NumberSquare {
2     public static void main(String[] args) {
3         int n = 5;
4         for (int i = 1; i <= n; i++) {
5             for (int j = 1; j <= n; j++) {
6                 System.out.print("1");
7             }
8             System.out.println();
9         }
10    }
11 }
```

Output

11111
11111
11111
11111
11111

=== Code Execution Successful ===

ZIM - BAN
Game score

Search

15:40
18-07-2026



Online Java Compiler

Programiz PRO >



IncrementingSquare.java

Share Run

Clear

```
1 public class IncrementingSquare {
2     public static void main(String[] args) {
3         int n = 5;
4         for (int i = 1; i <= n; i++) {
5             for (int j = 1; j <= n; j++) {
6                 System.out.print(j);
7             }
8             System.out.println();
9         }
10    }
11 }
```

Output

```
12345
12345
12345
12345
12345

=== Code Execution Successful ===
```



Online Java Compiler

Programiz PRO >



NumberRightTriangle.java

Full Screen Settings Share Run

```
1 public class NumberRightTriangle {
2     public static void main(String[] args) {
3         int n = 5;
4         for (int i = 1; i <= n; i++) {
5             for (int j = 1; j <= i; j++) {
6                 System.out.print(j);
7             }
8             System.out.println();
9         }
10    }
11 }
```

Output

Clear

```
1
12
123
1234
12345

=== Code Execution Successful ===
```



Online Java Compiler

Programiz PRO >



InvertedDiamondNumbers.java



Share

Run

Output

Clear

```
1 public class InvertedDiamondNumbers {  
2     public static void main(String[] args) {  
3         int n = 5;  
4         int val = 3;  
5         for (int i = n; i >= 1; i--) {  
6             for (int j = 1; j <= i; j++) {  
7                 System.out.print(val);  
8             }  
9             val++;  
10            System.out.println();  
11        }  
12    }  
13 }
```

```
33333  
4444  
555  
66  
7
```

=== Code Execution Successful ===



Online Java Compiler

Programiz PRO >



SandwichPattern.java

Full Screen Settings Share Run

Output

Clear

```
1 public class SandwichPattern {
2     public static void main(String[] args) {
3         int[] rows = {5, 3, 1};
4         int val = 3;
5         for (int count : rows) {
6             for (int j = 1; j <= count; j++) {
7                 System.out.print(val);
8             }
9             val++;
10            System.out.println();
11        }
12    }
13 }
```

```
33333
444
5

=== Code Execution Successful ===
```



Online Java Compiler

Programiz PRO >



IncrementingDiamond.java



Share

Run

Output

Clear

```
1 public class IncrementingDiamond {
2     public static void main(String[] args) {
3         int n = 5;
4         for (int i = 1; i <= n; i++) {
5             int val = i + 2;
6             for (int j = 1; j <= i; j++) {
7                 System.out.print(val);
8             }
9             System.out.println();
10        }
11        for (int i = n - 1; i >= 1; i--) {
12            int val = i + 2;
13            for (int j = 1; j <= i; j++) {
14                System.out.print(val);
15            }
16            System.out.println();
17        }
18    }
19 }
```

```
3
44
555
6666
77777
6666
555
44
3

=== Code Execution Successful ===
```


1.

```
public class Square {  
    public static void main(String[] args) {  
        int n = 5;  
        for (int i = 1; i <= n; i++) {  
            for (int j = 1; j <= n; j++) {  
                System.out.print("*");  
            }  
            System.out.println();  
        }  
    }  
}
```

2.

```
public class HollowSquare {  
    public static void main(String[] args) {  
        int n = 5;  
        for (int i = 1; i <= n; i++) {  
            for (int j = 1; j <= n; j++) {  
                if (i == 1 || i == n || j == 1 || j == n) {  
                    System.out.print("*");  
                }  
                else {  
                    System.out.print(" ");  
                }  
            }  
            System.out.println();  
        }  
    }  
}
```

3.

```
public class Triangle {  
    public static void main(String[] args) {  
        int n = 5;  
        for (int i = 1; i <= n; i++) {  
            for (int j = 1; j <= i; j++) {  
                System.out.print("*");  
            }  
            System.out.println();  
        }  
    }  
}
```

4.

```
public class InvertedTriangle {  
    public static void main(String[] args) {  
        int n = 5;  
        for (int i = 1; i <= n; i++) {  
            for (int j = n; j >= i; j--) {  
                System.out.print("*");  
            }  
            System.out.println();  
        }  
    }  
}
```

5.

```
public class Pyramid {  
    public static void main(String[] args) {  
        int n = 4;  
        for (int i = 1; i <= n; i++) {  
            for (int j = 1; j <= n - i; j++) {  
                System.out.print(" ");  
            }  
            for (int j = 1; j <= (2 * i - 1); j++) {  
                System.out.print("*");  
            }  
            System.out.println();  
        }  
    }  
}
```

6.

```
public class Diamond {  
    public static void main(String[] args) {  
        int n = 4;  
        for (int i = 1; i <= n; i++) {  
            for (int j = 1; j <= n - i; j++) {  
                System.out.print(" ");  
            }  
            for (int j = 1; j <= (2 * i - 1); j++) {  
                System.out.print("*");  
            }  
            System.out.println();  
        }  
    }  
}
```

5.

```
public class Pyramid {  
    public static void main(String[] args) {  
        int n = 4;  
        for (int i = 1; i <= n; i++) {  
            for (int j = 1; j <= n - i; j++) {  
                System.out.print(" ");  
            }  
            for (int j = 1; j <= (2 * i - 1); j++) {  
                System.out.print("*");  
            }  
            System.out.println();  
        }  
    }  
}
```

6.

```
public class Diamond {  
    public static void main(String[] args) {  
        int n = 4;  
        for (int i = 1; i <= n; i++) {  
            for (int j = 1; j <= n - i; j++) {  
                System.out.print(" ");  
            }  
            for (int j = 1; j <= (2 * i - 1); j++) {  
                System.out.print("*");  
            }  
            System.out.println();  
        }  
    }  
}
```

```

    }
    for (int i = n - 1; i >= 1; i--) {
        for (int j = 1; j <= n - i; j++) {
            System.out.print(" ");
        }
        for (int j = 1; j <= (2 * i - 1); j++) {
            System.out.print("*");
        }
        System.out.println();
    }
}
}

```

7.

```

public class HalfDiamond {
    public static void main(String[] args) {
        int n = 4;
        for (int i = 1; i <= n; i++) {
            for (int j = 1; j <= i; j++) System.out.print("*");
            System.out.println();
        }
        for (int i = n - 1; i >= 1; i--) {
            for (int j = 1; j <= i; j++) System.out.print("*");
            System.out.println();
        }
    }
}

```

8.

```
public class HalfDiamondInverted {
    public static void main(String[] args) {
        int n = 4;
        for (int i = 1; i <= n; i++) {
            for (int j = 1; j <= n - i; j++) System.out.print(" ");
            for (int j = 1; j <= i; j++) System.out.print("*");
            System.out.println();
        }
        for (int i = n - 1; i >= 1; i--) {
            for (int j = 1; j <= n - i; j++) System.out.print(" ");
            for (int j = 1; j <= i; j++) System.out.print("*");
            System.out.println();
        }
    }
}
```

9.

```
public class NumberSquare {
    public static void main(String[] args) {
        int n = 5;
        for (int i = 1; i <= n; i++) {
            for (int j = 1; j <= n; j++) {
                System.out.print(i);
            }
            System.out.println();
        }
    }
}
```


10.

```
public class IncrementingSquare {
    public static void main(String[] args) {
        int n = 5;
        for (int i = 1; i <= n; i++) {
            for (int j = 1; j <= n; j++) {
                System.out.print(j);
            }
            System.out.println();
        }
    }
}
```

11.

```
public class NumberRightTriangle {
    public static void main(String[] args) {
        int n = 5;
        for (int i = 1; i <= n; i++) {
            for (int j = 1; j <= i; j++) {
                System.out.print(j);
            }
            System.out.println();
        }
    }
}
```

12.

```
public class InvertedDiamondNumbers {  
    public static void main(String[] args) {  
        int n = 5;  
        int val = 3;  
        for (int i = n; i >= 1; i--) {  
            for (int j = 1; j <= i; j++) {  
                System.out.print(val);  
            }  
            val++;  
            System.out.println();  
        }  
    }  
}
```

13.

```
public class SandwichPattern {  
    public static void main(String[] args) {  
        int[] rows = {5, 3, 1};  
        int val = 3;  
        for (int count : rows) {  
            for (int j = 1; j <= count; j++) {  
                System.out.print(val);  
            }  
            val++;  
            System.out.println();  
        }  
    }  
}
```

14.

```
public class IncrementingDiamond {  
    public static void main(String[] args) {  
        int n = 5;  
        for (int i = 1; i <= n; i++) {  
            int val = i + 2;  
            for (int j = 1; j <= i; j++) {  
                System.out.print(val);  
            }  
            System.out.println();  
        }  
        for (int i = n - 1; i >= 1; i--) {  
            int val = i + 2;  
            for (int j = 1; j <= i; j++) {  
                System.out.print(val);  
            }  
            System.out.println();  
        }  
    }  
}
```