



myproject

- JRE System Library [JavaSE-21]
- src
 - myproject
 - anlamba.java
 - ArrayListA.java
 - ArrayListAllMethods.java
 - ENUMSW.java
 - Frauddetection.java
 - LISTALM.java
 - switchyie.java
 - TypeAnnotation.java
 - module-info.java

```
1 package myproject;
2 import java.util.Scanner;
3 public class Frauddetection {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6         int n = sc.nextInt();
7         String[] transactionIds = new String[n];
8         for (int i = 0; i < n; i++) {
9             transactionIds[i] = sc.next();
10        }
11        String targetId = sc.next();
12        boolean found = false;
13        for (int i = 0; i < n; i++) {
14            if (transactionIds[i].equals(targetId)) {
15                found = true;
16                break;
17            }
18        }
19        if (found) {
20            System.out.println("Fraud Transaction Found");
21        } else {
22            System.out.println("Transaction Not Found");
23        }
24
25        sc.close();
26    }
27 }
```

myproject

- Frauddetection
 - main(String[]) : void

```
5
1201 1305 1450 1408 1502
1450
Fraud Transaction Found
```




Package Explorer

myproject

- JRE System Library [JavaSE-21]
- src
 - myproject
 - anlamba.java
 - ArrayListA.java
 - ArrayListAllMethods.java
 - ENUMSW.java
 - Frauddetection.java
 - LISTALM.java
 - ServerLogSearch.java
 - switchyie.java
 - TypeAnnotation.java
 - module-info.java

anlamba.java ENUMSW.java switchyie.java LISTALM.java Frauddetecti... ServerLogSea... X

```
1 package myproject;
2 import java.util.Scanner;
3 public class ServerLogSearch {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6         int n = sc.nextInt();
7         int[] logIds = new int[n];
8         for (int i = 0; i < n; i++) {
9             logIds[i] = sc.nextInt();
10        }
11        int targetId = sc.nextInt();
12        int low = 0;
13        int high = n - 1;
14        boolean found = false;
15        while (low <= high) {
16            int mid = low + (high - low) / 2;
17            if (logIds[mid] == targetId) {
18                found = true;
19                break;
20            } else if (logIds[mid] < targetId) {
21                low = mid + 1;
22            } else {
23                high = mid - 1;
24            }
25        }
26        if (found) {
27            System.out.println("Log Found");
28        } else {
29            System.out.println("Log Not Found");
30        }
31        sc.close();
32    }
33 }
```

Outline

myproject

- ServerLogSearch
 - main(String[]) : void

Problems Javadoc Declaration Console X Java Developers 2026-06 Release

<terminated> ServerLogSearch [Java Application] C:\Users\aniru\p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_21.0.10.v20260205-0638\jre\bin\javaw.exe (18-Jul-2026, 4:13:17 pm - 4:13:57 pm elapsed 0:00)

```
7
1001 1005 1010 1015 1020 1030 1040
1015
Log Found
```




myproject

- JRE System Library [JavaSE-21]
- src
 - myproject
 - anlamba.java
 - ArrayListA.java
 - ArrayListAllMethods.java
 - ENUMSW.java
 - Frauddetection.java
 - LISTALM.java
 - SalarySort.java
 - ServerLogSearch.java
 - switchyie.java
 - TypeAnnotation.java
 - module-info.java

```
1 package myproject;
2 import java.util.Scanner;
3 public class SalarySort {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6         int n = sc.nextInt();
7         int[] salaries = new int[n];
8         for (int i = 0; i < n; i++) {
9             salaries[i] = sc.nextInt();
10        }
11        for (int i = 0; i < n - 1; i++) {
12            boolean swapped = false;
13            for (int j = 0; j < n - i - 1; j++) {
14                if (salaries[j] > salaries[j + 1]) {
15                    // Swap elements
16                    int temp = salaries[j];
17                    salaries[j] = salaries[j + 1];
18                    salaries[j + 1] = temp;
19                    swapped = true;
20                }
21            }
22            if (!swapped) {
23                break;
24            }
25        }
26        for (int i = 0; i < n; i++) {
27            System.out.print(salaries[i] + (i == n - 1 ? "" : " "));
28        }
29        System.out.println();
30
31        sc.close();
32    }
33 }
```

myproject

- SalarySort
 - main(String[]) : void

<terminated> SalarySort [Java Application] C:\Users\aniru\p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_21.0.10.v20260205-0638\jre\bin\javaw.exe (18-Jul-2026, 4:22:07 pm – 4:22:32 pm elapsed 0:00:24) [p

```
5
45000 32000 55000 28000 60000
28000 32000 45000 55000 60000
```




myproject

- JRE System Library [JavaSE-21]
- src
 - myproject
 - anlamba.java
 - ArrayListA.java
 - ArrayListAllMethods.java
 - BugPrioritySort.java
 - ENUMSW.java
 - Frauddetection.java
 - LISTALM.java
 - ResponseTimeSort.java
 - SalarySort.java
 - ServerLogSearch.java
 - switchyie.java
 - TypeAnnotation.java
 - module-info.java

```
1 package myproject;
2 import java.util.Scanner;
3 public class BugPrioritySort {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6         int n = sc.nextInt();
7         int[] priorities = new int[n];
8         for (int i = 0; i < n; i++) {
9             priorities[i] = sc.nextInt();
10        }
11        for (int i = 0; i < n - 1; i++) {
12            int minIdx = i;
13
14            for (int j = i + 1; j < n; j++) {
15                if (priorities[j] < priorities[minIdx]) {
16                    minIdx = j;
17                }
18            }
19            int temp = priorities[i];
20            priorities[i] = priorities[minIdx];
21            priorities[minIdx] = temp;
22        }
23        for (int i = 0; i < n; i++) {
24            System.out.print(priorities[i]);
25            if (i < n - 1) {
26                System.out.print(" ");
27            }
28        }
29        sc.close();
30    }
31 }
```

myproject

- BugPrioritySort
 - main(String[]) : void

<terminated> BugPrioritySort [Java Application] C:\Users\aniru\.p2\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_21.0.10.v20260205-0638\jre\bin\javaw.exe (18-Jul-2026, 4:31:09 pm – 4:31:17 pm elapsed 0:00:00)

```
5
9 2 8 1 5
1 2 5 8 9
```



1.

```
package myproject;
import java.util.Scanner;
public class Frauddetection {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        String[] transactionIds = new String[n];
        for (int i = 0; i < n; i++) {
            transactionIds[i] = sc.next();
        }

        String targetId = sc.next();
        boolean found = false;
        for (int i = 0; i < n; i++) {
            if (transactionIds[i].equals(targetId)) {
                found = true;
                break;
            }
        }

        if (found) {
            System.out.println("Fraud Transaction Found");
        } else {
            System.out.println("Transaction Not Found");
        }

        sc.close();
    }
}
```

2 .

```
package myproject;
import java.util.Scanner;
public class ServerLogSearch {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        int[] logIds = new int[n];
        for (int i = 0; i < n; i++) {
            logIds[i] = sc.nextInt();
        }
        int targetId = sc.nextInt();
        int low = 0;
        int high = n - 1;
        boolean found = false;
        while (low <= high) {
            int mid = low + (high - low) / 2;
            if (logIds[mid] == targetId) {
                found = true;
                break;
            }
            else if (logIds[mid] < targetId) {
                low = mid + 1;
            }
            else {
                high = mid - 1;
            }
        }
        if (found) {
```

```
2. System.out.println("Log Found");  
    else { }  
    System.out.println("Log Not Found");  
    }  
    sc.close();  
    }  
}
```


3.

```
import java.util.Scanner;
public class SalarySort {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        int[] salaries = new int[n];
        for (int i = 0; i < n; i++) {
            salaries[i] = sc.nextInt();
        }
        for (int i = 0; i < n - 1; i++) {
            boolean swapped = false;
            for (int j = 0; j < n - i - 1; j++) {
                if (salaries[j] > salaries[j + 1]) {
                    int temp = salaries[j];
                    salaries[j] = salaries[j + 1];
                    salaries[j + 1] = temp;
                    swapped = true;
                }
            }
            if (!swapped) {
                break;
            }
        }
        for (int i = 0; i < n; i++) {
            System.out.print(salaries[i] + (i == n - 1 ? "" : " "));
        }
        System.out.println();
        sc.close();
    }
}
```

4.

```
import java.util.Scanner;

public class ResponseTimeSort {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        int[] responseTimes = new int[n];
        for (int i = 0; i < n; i++) {
            responseTimes[i] = sc.nextInt();
        }

        for (int i = 1; i < n; i++) {
            int key = responseTimes[i];
            int j = i - 1;
            while (j >= 0 && responseTimes[j] > key) {
                responseTimes[j + 1] = responseTimes[j];
                j--;
            }
            responseTimes[j + 1] = key;
        }

        for (int i = 0; i < n; i++) {
            System.out.print(responseTimes[i] + (i == n - 1 ? "" : " "));
        }

        System.out.println();
        sc.close();
    }
}
```


5.

```
import java.util.Scanner;
public class BugPrioritySort {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        int[] priorities = new int[n];
        for (int i = 0; i < n; i++) {
            priorities[i] = sc.nextInt();
        }
        for (int i = 0; i < n - 1; i++) {
            int minIdx = i;
            for (int j = i + 1; j < n; j++) {
                if (priorities[j] < priorities[minIdx]) {
                    minIdx = j;
                }
            }
            int temp = priorities[i];
            priorities[i] = priorities[minIdx];
            priorities[minIdx] = temp;
        }
        for (int i = 0; i < n; i++) {
            System.out.print(priorities[i]);
            if (i < n - 1) {
                System.out.print(" ");
            }
        }
        sc.close();
    }
}
```