Import jove util Scannes; class Book private String name; private String author; private double price; private int num page; Book () name = xyz' usid getdatal) Scanner Sc= new Scanner (Systemin); system. out printle ("Enter name of Book") name = & next line (); System out - printin ("Entre name of Author) author = Sc. nextline(); system. out · perntln ("Tater Pouce of Book"); PARCE = SC nextline (); Eystem out purt in (" Enter du number of pages"); num-pages = gc. neptine ();

The second second		Camil	n Pa	ge
		Date	Angle institution to	1
-		gar on a many according to make the control of	a property and	di massalan massasi and shippan dalam bidanda
_				
1	public string tostring()			
	{	والمراجعة المستوالة المستوانية والمستوانية		apina mina mandal (dinin) y haqada (dinin) da
	return ("Book: "tranet"   n Author: "+ author+"   P.	. 0	^ 1	C. 1 1
	"In Ma & Da , i'll a souther the	nice - N	2	Pillet
	3 In No. of Payer: "+ numproger);	tande es alema es acus acus es filler e en afrancismo		ومعاهوري المراجعة المستواد والمتاومة والموادر والمستورة المستورة المستوادة والمستورة والمستورة المستوادة والمستوادة
T	class lab3		-	
	{	No lead than a continue a bandari dili ridgi dina mana a di mi	in the second second	in a saint a galagaine kina managa nganandhasa a dan sainth
	public static void main (steing SS[])			
0	S Some Code Main (Stang SSL)		A-746 100	
	Scanner sex=new Seanner (System-in);			
+	System- out printly ("Enter the no. of	2-11	. 11	),
	of to =xx: next full)			/1
	Bosk SM = new Book [n].			
	10+ i;			
15	system out pentla ("Enter Book dedails");			
1	for (T=0; izn; i+1)			
	\[ \left( \cup \cup \cup \cup \cup \cup \cup \cup			
	System. out. proth ("Book" + (1+1));			
20	b[i] = new Book ();			
20	47 4. get			
	La get data ()			
	?			J. 1989.
	System out puntle ("Punting Book datals.")	),`		
25	for (i=0;icn; itm)			
23	\$			
	System. out-printle (50);			
	System out punts ("");			
	3			
30	3	= 1		
	}			