

NAME = ANIRUDHA LAXMAN GAPAT

ROLL NO = 416(D1 BATCH)

PRN NO = 202201040067

link to dataset: <https://www.kaggle.com/c/titanic/data?select=train.csv>

Question 1: What is the survival rate of passengers based on their age group (child, adult, elderly)?

```
import pandas as pd
import numpy as np
df = pd.read_csv('/content/drive/MyDrive/train.csv')
age_bins = [0, 18, 60, np.inf]
age_labels = ['Child', 'Adult', 'Elderly']

df['AgeGroup'] = pd.cut(df['Age'], bins=age_bins, labels=age_labels)

survival_rate_per_age_group = df.groupby('AgeGroup')['Survived'].mean() * 100

print("Survival rate of passengers based on age group:")
print(survival_rate_per_age_group)
```

```

                based
Survival rate of passengers    on age group:
AgeGroup
Child          50.359712
Adult          38.878843
Elderly        22.727273
Name: Survived, dtype: float64
```

Question 2: How many passengers had siblings or spouses on board, and how many of them survived?

```
passengers_with_sibsp = df[df['SibSp'] > 0].shape[0]
survivors_with_sibsp = df[(df['SibSp'] > 0) & (df['Survived'] == 1)].shape[0]

print("Number of passengers with siblings or spouses:", passengers_with_sibsp)
print("Number of survivors with siblings or spouses:", survivors_with_sibsp)
```

```

Number of passengers with siblings or spouses: 283
Number of survivors with siblings or spouses: 132
```

Question 3: What is the average fare paid by passengers in each age group?

```
age_bins = [0, 18, 60, np.inf]
age_labels = ['Child', 'Adult', 'Elderly']

df['AgeGroup'] = pd.cut(df['Age'], bins=age_bins, labels=age_labels)

average_fare_per_age_group = df.groupby('AgeGroup')['Fare'].mean()

print("Average fare paid by passengers in each age group:")
print(average_fare_per_age_group)
```

```

                paid by passengers
Average fare          in each age group:
AgeGroup
Child          32.500721
Adult          34.980318
Elderly        41.371214
Name: Fare, dtype: float64
```

Question 4: How many passengers traveled in each cabin class (A, B, C, D, E, F, G) and what percentage of total passengers does each class represent?

```
passengers_per_cabin_class = df['Cabin'].str[0].value_counts()
total_passengers = df.shape[0]

percentage_per_cabin_class = passengers_per_cabin_class / total_passengers * 100

print("Passengers in each cabin class and their percentage:")
print(passengers_per_cabin_class)
print(percentage_per_cabin_class)
```

```
Passengers in each cabin class and their percentage:
```

```
C    59
B    47
D    33
E    32
A    15
F    13
```

```
G     4
T     1
```

```
Name: Cabin, dtype: int64
```

```
C    6.621773
B    5.274972
D    3.703704
E    3.591470
A    1.683502
F    1.459035
G    0.448934
T    0.112233
```

```
Name: Cabin, dtype: float64
```

Question 5: What is the survival rate of passengers who traveled alone (without any siblings, spouses, parents, or children)?

```
alone_passengers = df[(df['SibSp'] == 0) & (df['Parch'] == 0)]
survival_rate_alone_passengers = alone_passengers['Survived'].mean() * 100

print("Survival rate of passengers who traveled alone: {:.2f}%".format(survival_rate_alone_passengers))
Survival rate of passengers who traveled alone: 30.35%
```

Question 6: How many passengers had a known cabin number assigned?

```
passengers_with_cabin = df['Cabin'].notnull().sum()

print("Number of passengers with a known cabin number assigned:", passengers_with_cabin)
Number of passengers with a known cabin number assigned: 204
```

Question 7: What is the average fare paid by passengers of each gender?

```
average_fare_per_gender = df.groupby('Sex')['Fare'].mean()

print("Average fare paid by passengers of each gender:")
print(average_fare_per_gender)
Average fare paid by passengers of each gender:
Sex
female    44.479818
male      25.523893
Name: Fare, dtype: float64
```

Question 8: What is the survival rate of passengers based on their ticket fare category (low, medium, high)?

```

fare_bins = [0, 50, 100, np.inf]
fare_labels = ['Low', 'Medium', 'High']

df['FareCategory'] = pd.cut(df['Fare'], bins=fare_bins, labels=fare_labels)

survival_rate_per_fare_category = df.groupby('FareCategory')['Survived'].mean() * 100

print("Survival rate of passengers based on fare category:")
print(survival_rate_per_fare_category)

```

```

Survival rate of passengers based on fare category:
FareCategory
Low      32.402235
Medium   65.420561
High     73.584906
Name: Survived, dtype: float64

```

Question 10: What is the percentage of passengers who survived based on their cabin class?

```

survival_percentage_per_class = df.groupby('Pclass')['Survived'].mean() * 100

print("Percentage of passengers who survived based on cabin class:")
print(survival_percentage_per_class)

```

```

Percentage of passengers who survived based on cabin class:
Pclass
1      62.962963
2      47.282609
3      24.236253
Name: Survived, dtype: float64

```

```

# Question 11: What is the survival rate of passengers in each passenger class?
survival_rate_per_class = df.groupby('Pclass')['Survived'].mean() * 100
print("Survival rate of passengers in each passenger class:")
print(survival_rate_per_class)

```

```

# Question 12: What is the average age of passengers who traveled with siblings or spouses?
average_age_with_sibsp = df[df['SibSp'] > 0]['Age'].mean()
print("Average age of passengers who traveled with siblings or spouses: {:.2f}".format(average_age_with_sibsp))

```

```

# Question 13: How many passengers had parents or children on board?
passengers_with_parch = df[df['Parch'] > 0].shape[0]
print("Number of passengers who had parents or children on board: ", passengers_with_parch)

# Question 14: What is the survival rate of passengers based on their embarkation port?
survival_rate_per_port = df.groupby('Embarked')['Survived'].mean() * 100
print("Survival rate of passengers based on embarkation port:")
print(survival_rate_per_port)

```

```

# Question 15: What is the median fare paid by passengers in each passenger class?
median_fare_per_class = df.groupby('Pclass')['Fare'].median()
print("Median fare paid by passengers in each passenger class:")
print(median_fare_per_class)

```

```

Survival rate of passengers in each passenger class:
Pclass
1      62.962963
2      47.282609
3      24.236253
Name: Survived, dtype: float64
Average age of passengers who traveled with siblings or spouses: 26.41
Number of passengers who had parents or children on board: 213
Survival rate of passengers based on embarkation port:
Embarked
C      55.357143
Q      38.961039

```

```

S      33.695652
Name: Survived, dtype: float64
Median fare paid by passengers in each passenger class:
Pclass
1      60.2875
2      14.2500
3       8.0500
Name: Fare, dtype: float64

```

```

# Question 16: What is the average age of male passengers who survived?
average_age_male_survived = df[(df['Sex'] == 'male') & (df['Survived'] == 1)]['Age'].mean()
print("Average age of male passengers who survived: {:.2f}".format(average_age_male_survived))

# Question 17: How many passengers had multiple cabins assigned?
# passengers_with_multiple_cabins = df['Cabin'].str.split().apply(lambda x: len(x) if x else 0).sum()
# print("Number of passengers with multiple cabins assigned:", passengers_with_multiple_cabins)

# Question 18: What is the survival rate of passengers based on the number of siblings/spouses they had?
survival_rate_per_sibsp = df.groupby('SibSp')['Survived'].mean() * 100
print("Survival rate of passengers based on the number of siblings/spouses:")
print(survival_rate_per_sibsp)

# Question 19: How many passengers had a fare above the 75th percentile?
fare_75th_percentile = df['Fare'].quantile(0.75)
passengers_above_75th_percentile = df[df['Fare'] > fare_75th_percentile].shape[0]
print("Number of passengers with a fare above the 75th percentile:", passengers_above_75th_percentile)

# Question 20: What is the survival rate of passengers with different ticket types (numeric, alphanumeric)?
df['TicketType'] = df['Ticket'].str.extract(r'([a-zA-Z]+)')
survival_rate_per_ticket_type = df.groupby('TicketType')['Survived'].mean() * 100
print("Survival rate of passengers based on ticket type:")
print(survival_rate_per_ticket_type)

```

```

Average age of male passengers who survived: 27.28
Survival rate of passengers based on the number of siblings/spouses:
SibSp
0      34.539474
1      53.588517
2      46.428571
3      25.000000
4      16.666667
5       0.000000
8       0.000000
Name: Survived, dtype: float64
Number of passengers with a fare above the 75th percentile: 222
Survival rate of passengers based on ticket type:
TicketType
A          6.896552
C         45.454545

CA          7.142857
F         66.666667
Fa          0.000000
LINE       25.000000
P          50.000000
PC         65.000000
PP         66.666667
S          14.285714
SC          53.846154
SCO         0.000000
SO        100.000000
SOTON       11.764706
STON        44.444444
SW         100.000000
W           9.090909
WE          50.000000
Name: Survived, dtype: float64

```

