Week 2 (S3 Security)

Creating publicly available bucket:





The bucket being publicly available causing the object stored in it directly available using the object url:





Object content accessible through different account and also from incognito tab:



ANISH PATEL

Gujarat, India • +91 9726396980 • anishpatel7y@gmail.com • github.com/Anish-144 • linkedin.com/in/anish-patel-7y

SUMMARY

Third-year B.Tech ICT student specializing in cybersecurity engineering, with a strong focus on **cloud security, SOC operations, and agentic AI-driven security systems**. Experienced in building real-time monitoring pipelines, RAG-based threat intelligence platforms, and automated security workflows. Skilled in applying **IAM, least privilege, access control, and logging & monitoring** to detect misconfigurations and threats in cloud environments.

TECHNICAL SKILLS

Languages: Python
Web Development: Flask, FastAPI, REST APIs
Databases: MySQL, PostgreSQL
Security Tools: Burp Suite, Metasploit, Wireshark, Nmap, Hydra
Platforms: Git, Kali Linux, Streamlit, Supabase, Vercel, Render
Cloud: AWS (IAM, EC2 basics), Cloud Security Fundamentals
Concepts: OWASP Top 10, Threat Detection, Web Security, SIEM Basics, IAM, Least Privilege, Access Control, Logging & Monitoring

EDUCATION

Pandit Deendayal Energy University — Expected May 2027
B.Tech ICT — CGPA: 9.64

EXPERIENCE

Cybersecurity Core Committee Member — ACM Student Chapter — 2025 – Present
- Designed and deployed CTF challenges simulating SQLi, XSS, brute-force, and privilege escalation scenarios
- Coordinated technical teams to organize hands-on cybersecurity exercises and vulnerability analysis tasks

PROJECTS

CloudGuard — Cloud Security Monitoring, SIEM & IAM Risk Analyzer — AWS, Python, Logging
- Built cloud security monitoring system analyzing IAM users, roles, and permissions to detect misconfigurations and over-privileged access
- Simulated SIEM pipelines by collecting and analyzing cloud logs for anomaly detection and suspicious activity
- Implemented detection use cases for unused credentials, privilege escalation risks, and policy misconfigurations
- Automated IAM auditing and cloud telemetry analysis using Python scripts to improve security visibility

AttackSimulator — Multi-Channel Phishing & Security Awareness Platform — FastAPI, React, PostgreSQL
- Built full-stack phishing simulation platform for Email, SMS, and WhatsApp with flexible targeting (user, department, global)
- Designed modular attack framework supporting credential harvesting, QR phishing, spear phishing, and BEC with dynamic payloads
- Developed real-time WebSocket dashboard with click analytics, user interaction tracking, and risk scoring engine
- Implemented secure architecture using JWT authentication and zero credential storage under real-time constraints

CyberGuard — RAG-Based Threat Intelligence & AI-Assisted Incident Reasoning — Python, FAISS, LLM APIs
- Built RAG pipeline integrating embeddings and vector DB for CVEs, MITRE ATT&CK mapping, and log intelligence

Now if we enable the public access block permission than it is blocked from all public accessible places:





Usually the encryption is already set after creation of bucket to ensure the data is protected and encrypted at rest to prevent data link but always double check when storing confidential information: