# **VISVESVARAYA TECHNOLOGICAL UNIVERSITY**

JnanaSangama, Belagavi - 590 018, Karnataka



# **Acharya Institute of Technology**

Acharya P.O Soladevanahalli, Bengaluru-560107



# FULLSTACK DEVELOPMENT 21CS62

**VI Semester** 

# Prepared by:

- 1. Mr. Vinayak Raju Kage
- 2. Mr. Gowtham Raj

**DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING** 

(Accredited by NBA)

# **Table of contents**

Vision, Mission, Motto of Institute

- 1

Vision, Mission of Department

Ш

Program Educational Objectives (PEOs)

Program Specific Outcomes (PSOs)

Program outcomes (POs)

Course outcomes of course (COs)

CO-PO matrix

SL	Name of Program	Page No
1	Installation of Python, Django and Visual Studio code editors can be demonstrated.	
2	Creation of virtual environment, Django project and App should be demonstrated	
3	Develop a Django app that displays current date and time in server	
4	Develop a Django app that displays date and time four hours ahead and four hours before as an offset of current date and time in server.	
5	Develop a simple Django app that displays an unordered list of fruits and ordered list of selected students for an event	
6	Develop a layout.html with a suitable header (containing navigation menu) and footer with copyright and developer information. Inherit this layout.html and create 3 additional pages contact us, About Us and Home page of any website.	
7	Develop a Django app that performs student registration to a course. It should also display list of students registered for any selected course. Create students and course as models with enrolment as ManyToMany field.	
8	For student and course models created in Lab experiment for Module2, register admin interfaces, perform migrations and illustrate data entry through admin forms.	
9	Develop a Model form for student that contains his topic chosen for project, languages used and duration with a model called project.	
10	For students enrolment developed in Module 2, create a generic class view which displays list of students and detailview that displays student details for any selected student in the list.	
11	Develop example Django app that performs CSV and PDF generation for any models created in previous laboratory component.	

12	Develop a registration page for student enrolment as done in Module 2 but without page refresh using AJAX.	
13	Develop a search application in Django using AJAX that displays courses enrolled by a student being searched.	

### **Laboratory Experiments:**

- 1. Installation of Python, Django and Visual Studio code editors can be demonstrated
- 2. Creation of virtual environment, Django project and App should be demonstrated
- 3. Develop a Django app that displays current date and time in server
- 4. Develop a Django app that displays date and time four hours ahead and four hours before as an offset of current date and time in server.
- 5. Develop a simple Django app that displays an unordered list of fruits and ordered list of selected students for an event
- 6. Develop a layout.html with a suitable header (containing navigation menu) and footer with copyright and developer information. Inherit this layout.html and create 3 additional pages contact us, About Us and Home page of any website
- 7. Develop a Django app that performs student registration to a course. It should also display list of students registered for any selected course. Create students and course as models with enrolment as ManyToMany field
- 8. For student and course models created in Lab experiment for Module2, register admin interfaces, perform migrations and illustrate data entry through admin forms.
- 9. Develop a Model form for student that contains his topic chosen for project, languages used and duration with a model called project
- 10. For students enrolment developed in Module 2, create a generic class view which displays list of students and detail view that displays student details for any selected student in the list.
- 11. Develop example Django app that performs CSV and PDF generation for any models created in previous laboratory component.
- 12. Develop a registration page for student enrolment as done in Module 2 but without page refresh using AJAX.
- 13. Develop a search application in Django using AJAX that displays courses enrolled by a student being searched.

# **Evaluation Rubrics for lab Programs (Max marks 20)**

# A. Lab write-up and execution rubrics(Max marks 8)

		Good	Average
a.	Understanding of	Demonstrate goodknowledge of	Moderate understanding of
	problem	language constructs and	language constructs (1)
	(3 marks)	programming practice (3)	
b.	<b>Execution and</b>	Program handles all possible	Partial executions /poor error
	testing	conditions and results with	handling (1)
	(3marks)	satisfying results. (3)	_
c.	Result and	Meticulousdocumentation of	Moderate formatting of output
	documentation	changes made and results	and average documentation (1)
	(2 marks)	obtained are in proper format	
		(2)	

# **B.** VIVA Rubrics: (Max marks 2)

	Good	Average
Conceptual	Explain the complete program	Adequately provides
understanding	with the related concepts.(5)	explanation.(3)
(2 marks)		

# C. Marks for Lab Record:10

# 1.Installation of Python, Django and Visual Studio code editors can be demonstrated.

Python download link <a href="https://www.python.org/downloads/">https://www.python.org/downloads/</a>
To check out python installed version <a href="py -version">py -version</a>
VScode <a href="https://code.visualstudio.com/download">https://code.visualstudio.com/download</a>
Django installation commands to be typed in cmd

• py -m pip install Django

or
py -m pip install Django==5.0.4 #version

# 2. Creation of virtual environment, Django project and App should be demonstrated

• Create virtual environment!

```
# Install virtualenv if you haven't already
py -m pip install --user virtualenv

# Create a new virtual environment
py -m venv myenv (myenv is virtual environment name)

# Activate the virtual environment
python manage.py runserver
```

Installing Django

```
Once the virtual environment is activated, you can install Django

python -m pip install --upgrade pip

# Install Django

pip install Django
```

• Creating a Django Project

# Navigate to your desired directory cd /path/to/your/directory # Create a new Django project django-admin startproject myproject

• Running the Django Development Server

```
# Run the development server
python manage.py runserver
```

• Creating a Django App

# Ensure you are in the project directory cd /path/to/your/directory/myproject

# Create a new app called 'myapp'
python manage.py startapp myapp

• Running Migrations

python manage.py makemigrations python manage.py migrate

• Creating Superuser (Admin User)

```
python manage.py createsuperuser
python manage.py help
python manage.py runserver
```

### 3. develop a Django app that displays current date and time in server

To create environment → python -m venv myenv Activate the environment → .\myenv\Scripts\activate

#Instal Django → pip install django #if u created environment newly

### Create a new Django project:

django-admin startproject time\_project cd time\_project

### Create a new Django app

python manage.py startapp time\_app

```
time_app/views
```

```
from django.http import HttpResponse
from datetime import datetime
def current_datetime(request):
    now = datetime.now()
    html = "<html><body>Current date and time: {}</body></html>".format(now)
    return HttpResponse(html)
```

### time project/urls.py

```
from django.contrib import admin
from django.urls import path, include

urlpatterns = [
    path('admin/', admin.site.urls),
    path('time/', include('time_app.urls')),
]
```

### #Create a new file called urls.py inside the time\_app directory

```
from django.urls import path
from . import views
urlpatterns = [
    path('', views.current_datetime, name='current_datetime'),
]
```

#### to run

Python manage.py runserver

4. Develop a Django app that displays date and time four hours ahead and four hours before as an offset of current date and time in server.

django-admin startproject time\_project cd time\_project

### Create a new Django app

python manage.py startapp time\_app

```
time app/views
```

```
from django.http import HttpResponse
from datetime import datetime
def current_datetime(request):
    now1 = datetime.now() - timedelta(hours=4)
    now2 = datetime.now() + timedelta(hours=4)
    html = "<html><body>Current date and time 4hrs ago: {}<br/>hr>.format(now1)
    Current date and time 4hrs after: <br>{}</body></html>".format(now2)
return HttpResponse(html)
```

#### time\_project/urls.py

```
from django.contrib import admin
from django.urls import path, include

urlpatterns = [
    path('admin/', admin.site.urls),
    path('time/', include('time_app.urls')),
]
```

#### #Create a new file called urls.py inside the time app directory

```
from django.urls import path
from . import views
urlpatterns = [
    path('', views.current_datetime, name='current_datetime'),
]
```

#### to run

Python manage.py runserver

# 5. Develop a simple django app that displays an unordered list of fruits and ordered list of selected students for an event

django-admin startproject listapp cd listapp

### Create a new Django app

python manage.py startapp lists

### list/model.py

```
from django.db import models
class Fruit(models.Model):
    name = models.CharField(max_length=100)
    def __str__(self):
        return self.name
class Student(models.Model):
    name = models.CharField(max_length=100)
    def __str__(self):
        return self.name
```

### list/admin.py

from django.contrib import admin from .models import Fruit, Student admin.site.register(Fruit) admin.site.register(Student)

### <u>list/views.py</u>

```
from django.shortcuts import render
from .models import Fruit, Student
def fruit_list(request):
    fruits = Fruit.objects.all()
    return render(request, 'lists/fruit_list.html', {'fruits': fruits})
def student_list(request):
    students = Student.objects.all()
    return render(request, 'lists/student_list.html', {'students': students})
```

### <u>lists/templates/lists/fruit\_list.html</u>

Acharya Institute of Technology – Department of CS&E

**Subject: Fullstack Development-21CS652** 

```
{% for fruit in fruits %}
       {| fruit.name | }
     {% endfor %}
  </body>
</html>
lists/templates/lists/student_list.html
<!DOCTYPE html>
<html>
<head>
  <title>Student List</title>
</head>
<body>
  <h1>Ordered List of Selected Students</h1>
  <01>
     {% for student in students %}
       {| student.name | }
     {% endfor %}
  </body>
</html>
List/urls.py
from django.urls import path
from . import views
urlpatterns = [
  path('fruits/', views.fruit_list, name='fruit_list'),
  path('students/', views.student_list, name='student_list'),
1
Listsapp/urls.py
from django.contrib import admin
from django.urls import path, include
urlpatterns = [
  path('admin/', admin.site.urls),
  path('lists/', include('lists.urls')),
listapp/settings.py
INSTALLED APPS = [
  'django.contrib.admin',
  'django.contrib.auth',
  'django.contrib.contenttypes',
  'django.contrib.sessions',
  'django.contrib.messages',
  'django.contrib.staticfiles',
  'lists', # Add your app name here
1
```

# Migration and database changes

python manage.py makemigrations python manage.py migrate

# create user in command mode

python manage.py createsuperuser

**restart or run server** python manage.py runserver

### in browser

http://127.0.0.1:8000/lists/students/ http://127.0.0.1:8000/lists/fruits/

```
6. Develop a layout.html with a suitable header (containing navigation menu) and footer with copyright
and developer information. Inherit this layout.html and create 3 additional pages contact us, About Us and
Home page of any website
django-admin startproject mywebsite
cd mywebsite
python manage.py startapp pages
pages/urls.py
from django.urls import path
from . import views
urlpatterns = [
  path(", views.home, name='home'),
  path('about/', views.about, name='about'),
  path('contact/', views.contact, name='contact'),
1
Pages/views.pv
from django.shortcuts import render
def home(request):
  return render(request, 'home.html')
def about(request):
  return render(request, 'about.html')
def contact(request):
  return render(request, 'contact.html')
pages/templates/layout.html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>{% block title %}My Website{% endblock %}</title>
  <style>
    /* Basic CSS for layout */
       font-family: Arial, sans-serif;
       margin: 0;
       padding: 0;
       box-sizing: border-box;
     }
    header {
```

background-color: #333;

```
color: #fff;
      padding: 10px 0;
      text-align: center;
    }
    nav {
      display: flex;
      justify-content: center;
    nav a {
      color: #fff;
      text-decoration: none;
      padding: 10px 20px;
    nav a:hover {
      background-color: #555;
    footer {
      background-color: #333;
      color: #fff;
      text-align: center;
      padding: 10px 0;
      position: absolute;
      bottom: 0;
      width: 100%;
    }
  </style>
</head>
<body>
  <header>
    <h1>My Website</h1>
    <nav>
      <a href="{% url 'home' %}">Home</a>
      <a href="{% url 'about' %}">About Us</a>
      <a href="{% url 'contact' %}">Contact Us</a>
    </nav>
  </header>
  <div id="content">
    {% block content %}
    <!-- This block will be overridden by specific content of each page -->
    {% endblock %}
  </div>
  <footer>
    © {% now 'Y' %} My Website | Developed by Your Name
  </footer>
</body>
</html>
```

### pages/templates/home.html

```
{% extends 'layout.html' %}
{% block title %}Home - My Website{% endblock %}
{% block content %}
  <h2>Welcome to Our Home Page!</h2>
  This is the Home Page content of My Website.
  <!-- Add more content specific to the home page here -->
{% endblock %}
pages/templates/about.html
{% extends 'layout.html' %}
{% block title %}About Us - My Website{% endblock %}
{% block content %}
  <h2>About Us</h2>
  Learn more about our company or organization.
  <!-- Add more content specific to the about page here -->
{% endblock %}
pages/templates/contact.html
{% extends 'layout.html' %}
{% block title %}Contact Us - My Website{% endblock %}
{% block content %}
  <h2>Contact Us</h2>
  Get in touch with us using the form below or via other contact information.
  <!-- Add more content specific to the contact page here -->
{% endblock %}
Mywebsite/urls.py
from django.contrib import admin
from django.urls import path, include
urlpatterns = [
  path('admin/', admin.site.urls),
  path(", include('pages.urls')), # Include the URLs from the pages app
mywebsite/settings.py
add--- import os
'DIRS': [os.path.join(BASE_DIR, 'pages/templates')], #replacet this in templates
To run python manage.py runserver
```

http://127.0.0.1:8000/home

7. Develop a Django app that performs student registration to a course. It should also display list of students registered for any selected course. Create students and course as models with enrolment as ManyToMany field.

```
To create environment → python -m venv myenv Activate the environment → .\myenv\Scripts\activate
```

#Instal Django → if u created environment newly

### Create a new Django project:

django-admin startproject student\_registration cd student\_registration

### Create a new Django app

python manage.py startapp registration

### Add the new app to your project's settings:

```
In student_registration/settings.py, add 'registration' to the INSTALLED_APPS INSTALLED_APPS = [ ... 'registration', ]
```

### **Create the models** in registration/models.py:

from django.db import models

```
class Student(models.Model):
    first_name = models.CharField(max_length=50)
    last_name = models.CharField(max_length=50)
    email = models.EmailField(unique=True)

def __str__(self):
    return f'{self.first_name} {self.last_name}'

class Course(models.Model):
    name = models.CharField(max_length=100)
    description = models.TextField()

def __str__(self):
    return self.name

class Enrollment(models.Model):
    student = models.ForeignKey(Student, on_delete=models.CASCADE)
    course = models.ForeignKey(Course, on_delete=models.CASCADE)
```

```
enrolled at = models.DateTimeField(auto now add=True)
  class Meta:
     unique_together = ('student', 'course')
  def __str__(self):
     return f'{self.student} enrolled in {self.course}'
Run migrations to create the database schema:
python manage.py makemigrations
python manage.py migrate
admin interface registration/admin.py
from django.contrib import admin
from .models import Student, Course, Enrollment
admin.site.register(Student)
admin.site.register(Course)
admin.site.register(Enrollment)
Create views for registration and displaying enrolled students in registration/views.py:
from django.shortcuts import render, redirect, get object or 404
from .models import Student, Course, Enrollment
from django.http import HttpResponse
def course_list(request):
  courses = Course.objects.all()
  return render(request, 'registration/course_list.html', {'courses': courses})
def enroll student(request, course id):
  course = get_object_or_404(Course, id=course_id)
  students = Student.objects.all()
  if request.method == 'POST':
     student_id = request.POST.get('student')
     student = get_object_or_404(Student, id=student_id)
     Enrollment.objects.create(student=student, course=course)
     return redirect('course_list')
  return render(request, 'registration/enroll_student.html', {'course': course, 'students': students})
def enrolled_students(request, course_id):
  course = get_object_or_404(Course, id=course_id)
  enrollments = Enrollment.objects.filter(course=course)
  return render(request, 'registration/enrolled_students.html', {'course': course, 'enrollments':
enrollments)
                                                       Subject: Fullstack Development-21CS652
                                                                                             Page 17
  Acharya Institute of Technology - Department of CS&E
```

```
Create URLs for these views in registration/urls.py:
```

```
from django.urls import path
from . import views

urlpatterns = [
    path(", views.course_list, name='course_list'),
    path('course/<int:course_id>/enroll/', views.enroll_student, name='enroll_student'),
    path('course/<int:course_id>/students/', views.enrolled_students, name='enrolled_students'),
]
```

# Project folder student\_registration/urls.py

```
from django.contrib import admin
from django.urls import path, include
urlpatterns = [
   path('admin/', admin.site.urls),
   path('registration/', include('registration.urls')),
]
```

### **Create templates** for each view:

### registration/templates/registration/course\_list.html

```
<!DOCTYPE html>
<html>
<head>
  <title>Courses</title>
</head>
<body>
  <h1>Courses</h1>
  ul>
    {% for course in courses %}
      <
        {{ course.name }} - <a href="{% url 'enroll_student' course.id %}">Enroll</a> -
        <a href="{% url 'enrolled_students' course.id %}">View Students</a>
      {% endfor %}
  </body>
</html>
```

# registration/templates/registration/enroll\_student.html <!DOCTYPE html> <html> <head> <title>Enroll Student</title> </head> <body> <h1>Enroll Student in {{ course.name }}</h1> <form method="post"> {% csrf\_token %} <select name="student"> {% for student in students %} <option value="{{ student.id }}">{{ student.first\_name }} {{ student.last\_name {% endfor %} </select> <button type="submit">Enroll</button> </form> </body> </html> registration/templates/registration/enrolled\_students.html: <!DOCTYPE html> <html> <head> <title>Enrolled Students</title> </head> <body> <h1>Students Enrolled in {{ course.name }}</h1> ul> {% for enrollment in enrollments %} { enrollment.student.first\_name }} {{ enrollment.student.last\_name }}

# To create superuser

</body>
</html>

{% endfor %}

Python manage.py createsuperuser

<b>To run</b> Python manage.py runserver		
Ouput link $\rightarrow$ http://127.0.0.1:8000/admin/ add s	student name, course, enrolment	
Test app $\rightarrow \underline{\text{http://127.0.0.1:8000/registration/}}$		
Acharya Institute of Technology – Department of CS&E	Subject: Fullstack Development-21CS652	Page 20

```
8. For student and course models created in Lab experiment for Module2, register
admin interfaces, perform migrations and illustrate data entry through admin forms.
django-admin startproject college
cd college
django-admin startapp students
students/models.py
from django.db import models
class Course(models.Model):
  name = models.CharField(max_length=100)
  description = models.TextField()
  def __str__(self):
    return self.name
class Student(models.Model):
  first_name = models.CharField(max_length=30)
  last name = models.CharField(max length=30)
  email = models.EmailField(unique=True)
  courses = models.ManyToManyField(Course)
  def __str__(self):
    return f"{self.first name} {self.last name}"
students/admin.py
from django.contrib import admin
from .models import Student, Course
class CourseAdmin(admin.ModelAdmin):
  list_display = ('name', 'description')
  search_fields = ('name',)
class StudentAdmin(admin.ModelAdmin):
  list display = ('first name', 'last name', 'email')
  search_fields = ('first_name', 'last_name', 'email')
  filter_horizontal = ('courses',)
admin.site.register(Course, CourseAdmin)
admin.site.register(Student, StudentAdmin)
college/settings.py
INSTALLED\_APPS = [
  'students',
College/urls.py
from django.contrib import admin
from django.urls import path
```

Acharya Institute of Technology – Department of CS&E

**Subject: Fullstack Development-21CS652** 

Page 21

```
urlpatterns = [
  path('admin/', admin.site.urls),
Ouput link → <a href="http://127.0.0.1:8000/admin/">http://127.0.0.1:8000/admin/</a>
                                                                            Subject: Fullstack Development-21CS652
                                                                                                                               Page 22
   Acharya Institute of Technology – Department of CS&E
```

```
9. Develop a Model form for student that contains his topic chosen for project,
languages used and duration with a model called project
django-admin startproject collegeportal
cd collegeportal
django-admin startapp studentprojects
studentprojects/models.py
from django.db import models
class Project(models.Model):
  student name = models.CharField(max length=100)
  topic_chosen = models.CharField(max_length=200)
  languages used = models.CharField(max length=200)
  duration = models.IntegerField(help_text="Duration in weeks")
  def __str__(self):
    return self.student_name
studentprojects/forms.py
from django import forms
from .models import Project
class ProjectForm(forms.ModelForm):
  class Meta:
    model = Project
    fields = ['student_name', 'topic_chosen', 'languages_used', 'duration']
studentprojects/views.pv
from django.shortcuts import render, redirect
from .forms import ProjectForm
def project create view(request):
  if request.method == 'POST':
     form = ProjectForm(request.POST)
    if form.is_valid():
       form.save()
       return redirect('project_success')
  else:
     form = ProjectForm()
  return render(request, 'studentprojects/project_form.html', {'form': form})
def project_success_view(request):
  return render(request, 'studentprojects/project success.html')
studentprojects/templates/studentprojects/ project_form.html
<!DOCTYPE html>
<html>
<head>
  <title>Create Project</title>
</head>
<body>
  <h2>Create Project</h2>
                                                     Subject: Fullstack Development-21CS652
  Acharya Institute of Technology – Department of CS&E
                                                                                          Page 23
```

```
<form method="post">
     {% csrf_token %}
     {{ form.as_p }}
    <button type="submit">Submit</button>
  </form>
</body>
</html>
project success.html
<!DOCTYPE html>
<html>
<head>
  <title>Project Success</title>
</head>
<body>
  <h2>Project Submitted Successfully!</h2>
</body>
</html>
studentprojects/urls.py
from django.urls import path
from .views import project_create_view, project_success_view
urlpatterns = [
  path('create/', project_create_view, name='project_create'),
  path('success/', project_success_view, name='project_success'),
Collegeportal/Urls.py
from django.contrib import admin
from django.urls import include, path
urlpatterns = [
  path('admin/', admin.site.urls),
  path('projects/', include('studentprojects.urls')),
python manage.py makemigrations
python manage.py migrate
python manage.py runserver
```

Ouput link → http://127.0.0.1:8000/projects/create/

```
10. create a simple blog application with generic views.
django-admin startproject mysite
cd mysite
python manage.py startapp blog
blog/model.pv
from django.db import models
from django.urls import reverse
class Post(models.Model):
  title = models.CharField(max length=200)
  content = models.TextField()
  created at = models.DateTimeField(auto now add=True)
  def __str__(self):
    return self.title
  def get absolute url(self):
     return reverse('post_detail', kwargs={'pk': self.pk})
blog/views.py
from django.views.generic import ListView, DetailView, CreateView, UpdateView, DeleteView
from .models import Post
class PostListView(ListView):
  model = Post
  template_name = 'post_list.html' # default is 'blog/post_list.html'
  context object name = 'posts'
class PostDetailView(DetailView):
  model = Post
  template_name = 'post_detail.html' # default is 'blog/post_detail.html'
class PostCreateView(CreateView):
  model = Post
  template_name = 'post_form.html' # default is 'blog/post_form.html'
  fields = ['title', 'content']
class PostUpdateView(UpdateView):
  model = Post
  template_name = 'post_form.html'
  fields = ['title', 'content']
class PostDeleteView(DeleteView):
  model = Post
  template_name = 'post_confirm_delete.html' # default is 'blog/post_confirm_delete.html'
  success_url = '/'
blog/urls.py
```

from django.urls import path

from .views import PostListView, PostDetailView, PostCreateView, PostUpdateView, PostDeleteView

```
urlpatterns = [
  path(", PostListView.as_view(), name='post_list'),
  path('post/<int:pk>/', PostDetailView.as_view(), name='post_detail'),
  path('post/new/', PostCreateView.as_view(), name='post_create'),
  path('post/<int:pk>/edit/', PostUpdateView.as_view(), name='post_update'),
  path('post/<int:pk>/delete/', PostDeleteView.as_view(), name='post_delete'),
Mysite/urls
from django.contrib import admin
from django.urls import path, include
urlpatterns = [
  path('admin/', admin.site.urls),
  path(", include('blog.urls')),
blog/templates/post_list.html
<!DOCTYPE html>
<html>
<head>
  <title>Blog</title>
</head>
<body>
  <h1>Blog Posts</h1>
  <a href="{% url 'post_create' %}">Create new post</a>
  ul>
     {% for post in posts %}
       \langle li \rangle
          <a href="{% url 'post_detail' post.pk %}">{{ post.title }}</a>
          {{ post.content }}
       {% endfor %}
  </body>
</html>
Post detail.html
<!DOCTYPE html>
<html>
<head>
  <title>{{ post.title }}</title>
</head>
<body>
  <h1>{{ post.title }}</h1>
  {{ post.content }}
  <a href="{% url 'post update' post.pk %}">Edit</a>
  <a href="{% url 'post_delete' post.pk %}">Delete</a>
  <a href="{% url 'post list' %}">Back to list</a>
</body>
</html>
Post form.html
<!DOCTYPE html>
  Acharya Institute of Technology – Department of CS&E
                                                      Subject: Fullstack Development-21CS652
                                                                                          Page 26
```

```
<html>
<head>
  <title>{% if object %}Edit{% else %}New{% endif %} Post</title>
</head>
<body>
  <h1>{% if object %}Edit{% else %}New{% endif %} Post</h1>
  <form method="post">
     {% csrf_token %}
     {{ form.as_p }}
    <button type="submit">Save</button>
  </form>
  <a href="{% url 'post_list' %}">Back to list</a>
</body>
</html>
post confirm delete.html
<!DOCTYPE html>
<html>
<head>
  <title>Delete Post</title>
</head>
<body>
  <h1>Delete Post</h1>
  Are you sure you want to delete "{{ post.title }}"?
  <form method="post">
     {% csrf token %}
    <button type="submit">Yes, delete</button>
  </form>
  <a href="{% url 'post_detail' post.pk %}">Cancel</a>
</body>
</html>
Installed apps add blog
python manage.py makemigrations
python manage.py migrate
python manage.py runserver
```

```
11. Develop example Django app that performs CSV and PDF generation for any models created in previous
laboratory component.
django-admin startproject student_management
cd student management
python manage.py startapp enrollment
enrollment/models.py
from django.db import models
class Student(models.Model):
  first_name = models.CharField(max_length=100)
  last_name = models.CharField(max_length=100)
  enrollment_date = models.DateField()
  def str (self):
    return f"{self.first_name} {self.last_name}"
student management/settings.py
INSTALLED_APPS = [
  'enrollment',
python manage.py makemigrations
python manage.py migrate
pip install reportlab
from django.urls import include, path
urlpatterns = [
  path('admin/', admin.site.urls),
  path('projects/', include('studentprojects.urls')),
enrollment/views.py
import csv
from django.http import HttpResponse
from reportlab.pdfgen import canvas
from .models import Student
def export_students_csv(request):
  response = HttpResponse(content_type='text/csv')
  response['Content-Disposition'] = 'attachment; filename="students.csv"'
  writer = csv.writer(response)
  writer.writerow(['First Name', 'Last Name', 'Enrollment Date'])
  students = Student.objects.all().values_list('first_name', 'last_name', 'enrollment_date')
  for student in students:
     writer.writerow(student)
  Acharya Institute of Technology – Department of CS&E
                                                        Subject: Fullstack Development-21CS652
                                                                                              Page 28
```

```
return response
def export_students_pdf(request):
  response = HttpResponse(content_type='application/pdf')
  response['Content-Disposition'] = 'attachment; filename="students.pdf"'
  p = canvas.Canvas(response)
  students = Student.objects.all()
  y = 800
  for student in students:
    p.drawString(100, y, f"{student.first_name} {student.last_name} - {student.enrollment_date}")
    y = 20
  p.showPage()
  p.save()
  return response
enrollment/urls.py
from django.urls import path
from .views import export_students_csv, export_students_pdf
urlpatterns = [
  path('export/csv/', export students csv, name='export students csv'),
  path('export/pdf/', export_students_pdf, name='export_students_pdf'),
student_management/urls.py
from django.contrib import admin
from django.urls import path, include
urlpatterns = [
  path('admin/', admin.site.urls),
  path('enrollment/', include('enrollment.urls')),
enrollment/admin.py
from django.contrib import admin
from .models import Student
@admin.register(Student)
class StudentAdmin(admin.ModelAdmin):
  list_display = ('first_name', 'last_name', 'enrollment_date')
python manage.py createsuperuser
python manage.py runserver
goto this url and add few student details
  Acharya Institute of Technology - Department of CS&E
                                                       Subject: Fullstack Development-21CS652
                                                                                            Page 29
```

http://127.0.0.1:8000/admin		
Test CSV and PDF Export		
Go to http://127.0.0.1:8000/enrollment/export/csv/t	to download the CSV file.	
Go to http://127.0.0.1:8000/enrollment/export/p		

```
django-admin startproject college management
cd college_management
python manage.py startapp registration
enrollment/models.py
from django.db import models
class Student(models.Model):
  first_name = models.CharField(max_length=100)
  last name = models.CharField(max length=100)
  enrollment_date = models.DateField()
  def __str__(self):
    return f"{self.first_name} {self.last_name}"
college_management/settings.py
INSTALLED_APPS = [
  'registration',
registration/models.py
from django.db import models
class Student(models.Model):
  first_name = models.CharField(max_length=100)
  last name = models.CharField(max length=100)
  email = models.EmailField(unique=True)
  date_of_birth = models.DateField()
  def __str__(self):
    return f"{self.first_name} {self.last_name}"
registration/forms.py
from django import forms
from .models import Student
class StudentForm(forms.ModelForm):
  class Meta:
    model = Student
    fields = ['first_name', 'last_name', 'email', 'date_of_birth']
Registration/views.py
from django.shortcuts import render
from django.http import JsonResponse
from .forms import StudentForm
def student_registration(request):
  if request.method == 'POST' and request.headers.get('x-requested-with') == 'XMLHttpRequest':
    form = StudentForm(request.POST)
    if form.is_valid():
  Acharya Institute of Technology - Department of CS&E
                                                         Subject: Fullstack Development-21CS652
                                                                                                Page 31
```

12. Develop a registration page for student enrolment as done in Module 2 but without page refresh using AJAX.

```
form.save()
       return JsonResponse({'success': True})
    else:
       return JsonResponse({'success': False, 'errors': form.errors})
  else:
    form = StudentForm()
  return render(request, 'registration/student_registration.html', {'form': form})
registration/templates/registration/student_registration.html
<!DOCTYPE html>
<html>
<head>
  <title>Student Registration</title>
  <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
</head>
<body>
  <h2>Student Registration</h2>
  <form id="registrationForm" method="POST">
    {% csrf_token %}
    {{ form.as_p }}
    <button type="submit">Register</button>
  </form>
  <div id="successMessage" style="display:none;">
    Registration successful!
  </div>
  <div id="errorMessage" style="display:none;">
    There were errors in your form:
    </div>
  <script>
    $(document).ready(function() {
       $('#registrationForm').on('submit', function(event) {
         event.preventDefault();
         $.ajax({
           type: 'POST',
           url: ",
           data: $(this).serialize(),
           success: function(response) {
              if (response.success) {
                $('#registrationForm')[0].reset();
                $('#successMessage').show();
                $('#errorMessage').hide();
              } else {
                $('#errorMessage').show();
  Acharya Institute of Technology – Department of CS&E
                                                         Subject: Fullstack Development-21CS652
                                                                                                Page 32
```

```
$('#errorList').empty();
                 $.each(response.errors, function(key, value) {
                    $('#errorList').append('' + key + ': ' + value + '');
                  });
          });
       });
     });
  </script>
</body>
</html>
registration/urls.py
from django.urls import path
from . import views
urlpatterns = [
  path('register/', views.student_registration, name='student_registration'),
]
college_management/urls.py
from django.contrib import admin
from django.urls import include, path
urlpatterns = [
  path('admin/', admin.site.urls),
  path('registration/', include('registration.urls')),
python manage.py makemigrations
python manage.py migrate
python manage.py runserver
To run \rightarrow http://127.0.0.1:8000/registration/register/
```

```
13. Develop a search application in Django using AJAX that displays courses enrolled by a student being
searched.
django-admin startproject education_portal
cd education_portal
python manage.py startapp search
education_portal/settings.py
INSTALLED_APPS = [
  'search',
search/models.py
from django.db import models
class Student(models.Model):
  first name = models.CharField(max length=100)
  last_name = models.CharField(max_length=100)
  email = models.EmailField(unique=True)
  def __str__(self):
    return f"{self.first_name} {self.last_name}"
class Course(models.Model):
  name = models.CharField(max_length=100)
  students = models.ManyToManyField(Student, related_name='courses')
  def __str__(self):
    return self.name
   python manage.py makemigrations
python manage.py migrate
Search/forms.py
from django import forms
class StudentSearchForm(forms.Form):
  email = forms.EmailField(label='Student Email', max_length=100)
Search/views.py
```

Acharya Institute of Technology – Department of CS&E

```
from django.shortcuts import render
from django.http import JsonResponse
from .models import Student
from .forms import StudentSearchForm
def search_student_courses(request):
  if request.method == 'GET' and request.is_ajax():
    email = request.GET.get('email')
    student = Student.objects.filter(email=email).first()
    if student:
       courses = student.courses.all()
       course_names = [course.name for course in courses]
       return JsonResponse({'success': True, 'courses': course_names})
    else:
       return JsonResponse({'success': False, 'message': 'Student not found'})
  else:
    form = StudentSearchForm()
    return render(request, 'search/student_search.html', {'form': form})
search/templates/search/student_search.html
<!DOCTYPE html>
<html>
<head>
  <title>Student Course Search</title>
  <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
</head>
<body>
  <h2>Search for Student Courses</h2>
  <form id="searchForm" method="GET">
    {% csrf_token %}
    {{ form.as_p }}
    <button type="submit">Search</button>
  </form>
  <div id="results" style="display:none;">
    <h3>Courses:</h3>
    ul id="courseList">
  </div>
  <div id="errorMessage" style="display:none;">
    Student not found
  </div>
  Acharya Institute of Technology - Department of CS&E
                                                     Subject: Fullstack Development-21CS652
                                                                                         Page 35
```

```
<script>
    $(document).ready(function() {
       $('#searchForm').on('submit', function(event) {
         event.preventDefault();
         $.ajax({
            type: 'GET',
            url: ",
            data: $(this).serialize(),
            success: function(response) {
              if (response.success) {
                 $('#courseList').empty();
                 $.each(response.courses, function(index, course) {
                   ('=li>' + course + '');
                 });
                 $('#results').show();
                 $('#errorMessage').hide();
               } else {
                 $('#results').hide();
                 $('#errorMessage').show();
               }
          });
       });
     });
  </script>
</body>
</html>
search/urls.py
from django.urls import path
from . import views
urlpatterns = [
  path('search/', views.search student courses, name='search student courses'),
]
education_portal/urls.p
from django.contrib import admin
from django.urls import include, path
```

```
urlpatterns = [
  path('admin/', admin.site.urls),
  path('search/', include('search.urls')),
1
_____
Search/admin.py
from django.contrib import admin
from .models import Student, Course
@admin.register(Student)
class StudentAdmin(admin.ModelAdmin):
  list_display = ('first_name', 'last_name', 'email')
@admin.register(Course)
class CourseAdmin(admin.ModelAdmin):
  list_display = ('name', 'get_students')
  def get_students(self, obj):
    return ", ".join([student.first_name + " " + student.last_name for student in obj.students.all()])
  get students.short description = 'Students Enrolled'
  .____
Create super user to add student details
python manage.py createsuperuser
and add student details and subject name
To run python manage.py runserver
To test http://127.0.0.1:8000/search/search/
```