Cloud Computing & its Application



Mrs. Ranjitha H.M
Assistant Professor
Department of ISE
Acharya Institute Of Technology



Introduction ,Cloud Computing at a Glance, The Vision of Cloud Computing, Defining a Cloud, A Closer Look, Cloud Computing Reference Model, Characteristics and Benefits, Challenges Ahead, Historical Developments, Distributed Systems, Virtualization, Web 2.0, Service-Oriented Computing, Utility-Oriented Computing, Building Cloud Computing Environments, Application Development, Infrastructure and System Development, Computing Platforms and Technologies, Amazon Web Services (AWS), Google AppEngine, Microsoft Azure, Hadoop, Force.com and Salesforce.com, Manjrasoft Aneka Virtualization, Introduction, Characteristics of Virtualized, Environments Taxonomy of Virtualization Techniques, Execution Virtualization, Other Types of Virtualization, Virtualization and Cloud Computing, Pros and Cons of Virtualization, Technology Examples Xen: Paravirtualization, VMware: Full Virtualization, Microsoft Hyper-V

Textbook 1: Ch. 1,3

CLOUD COMPUTING





Department of ISE

Acharya Institute of Technology



Basic services

Water


Electricity

Telephony

1) Water

PROVIDER







2) Electricity

PROVIDER







Computing is being transformed into a model consisting of services that are commoditized and delivered in a manner similar to utilities such as water, electricity, gas and telephony.



Cloud computing - turn the vision of "computing utilities "in to a reality. computer utilities

- -/like electric and telephone utilities
- will service individual homes and offices across the country.

Cloud computing:

Users access services based on their requirements without regard to where the services are hosted.



This model has been referred to as utility computing or, (since 2007), as cloud computing.

Cloud computing allows

- -/renting infrastructure,
- runtime environments-IDE
- and services on a pay- per-use basis.

This principle provides-several practical applications and then gives different images of cloud computing to different people.

Cloud computing



- **★**One of the most diffuse views of cloud computing can be summarized as follows:
- **X**I don't care where my servers are, who manages them, where my documents are stored, or where my applications are hosted.
- **✗** I just want them always available and access them from any device connected through Internet.
- *And I am willing to pay for this service for as a long as I need it.
- The concept expressed above has strong similarities to the way we use other services, such as water and electricity. cloud computing turns IT services into utilities.
- *a delivery model is made possible by the effective composition of several technologies
- Web 2.0 technologies plays a central role in making cloud computing an attractive opportunity for building computing systems.

Overview





Cloud computing at a glance



Historical Developments



Massive transformation – from networks to cloud

Computing services readily available on demand, just as other utility services

Pay providers only when you access the computing services

Consumers no longer need to invest heavily - building and maintaining complex IT infrastructure





Utility computing or, recently (since 2007), as cloud computing.

Why is cloud popular?









EXTREMELY FLEXIBLE
ENVIRONMENT FOR BUILDING
NEW SYSTEMS AND
APPLICATIONS

EASY TO INTEGRATE ADDITIONAL CAPACITY OR NEW FEATURES INTO EXISTING SYSTEMS USE OF DYNAMICALLY
PROVISIONED IT RESOURCES –
NO NEED TO BUY ADDITIONAL
INFRASTRUCTURE AND
SOFTWARE

Cloud – one point of view

I don't care



where my servers are,

who manages them,

where my documents are stored,

where my applications are hosted

I just want them

<u>always available</u> and access them from any device connected through Internet

And I am willing to pay for this service for as a long as I need it

Cloud – Composition of several technologies





Web 2.0 technologies - transformed the Internet into a rich application and service delivery platform



Service orientation - to deliver its capabilities with familiar abstractions



Virtualization - necessary degree of customization, control, and flexibility for building production and enterprise systems



Vision of Cloud

- Anyone with a credit card can provision virtual hardware, runtime environments, and services
- Used as needed, with no up-front commitments
- The entire stack of a computing system is transformed into a collection of utilities
 - composed together to deploy systems in hours and with virtually no maintenance costs



Future – Global cloud marketplace



Give your needs – automation of discovery process and integration of the cloud services



Service providers – increase their revenue



Reduces the barriers between service consumers and providers



Standards



Optimize datacenter facilities - greener computing





- Refers to both the applications delivered as services over the Internet and the hardware and system software in the datacenters that provide those services.
- A model for enabling ubiquitous, convenient, on-demand network access to a shared pool of configurable computing resources (e.g., networks, servers, storage, applications, and services) that can be rapidly provisioned and released with minimal management effort or service provider interaction.

Criteria for a cloud service




The service is accessible via a Web browser (nonproprietary) or a Web services application programming interface (API)

Zero capital expenditure is necessary to get started You pay only for what you use as you use it









Department of ISE

Acharya Institute of Technology






- Infrastructure or hardware-as-a-service
- Platform as a service
- Software as a service

Layers and types of cloud computing


Cloud computing can be viewed as a collection of services, which can be presented as a layered cloud computing architecture














- Most popular and developed market segment of cloud computing
- Customizable infrastructure on demand
- On demand computing resources
- No up-front commitment
 - Start small and grow as required
 - No contract, Only credit card!
- Pay for what you use
- No maintenance
- Measured service
- Scalability
- Reliability





- Easy to Learn and Understand: Since people are quiet used to cloud applications like GMail, Google Docs, so anything related to the same is most likely to be understood by the users.
- Automatic Updating: It saves companies time and effort to update multiples server.
- Customize Setting : Cloud computing also allows you to customize your business applications.





Definition (Buyya – utility-oriented)

 A cloud is a type of parallel and distributed system consisting of a collection of interconnected and virtualized computers that are dynamically provisioned and presented as one or more unified computing resources based on service-level agreements established through negotiation between the service provider and consumers.







Large enterprises can offload some of their activities



Small enterprises / startups translate their ideas into business results more quickly, without excessive up-front costs



System developers can concentrate on the business logic rather than dealing with the complexity of infrastructure management and scalability



End users can have their documents accessible from everywhere and any device








Subscription - Oriented Cloud Services:

X{compute, apps, data, ..} as a Service (..aaS)





Historical Developments











Distributed systems

Virtualization

Web 2.0






Service oriented computing

Utility-oriented computing


1. Distributed systems

 A distributed system is a collection of independent computers that appears to its users as a single coherent system.









Evolution of Distributed Computing



Major milestones

Mainframe computing

Cluster computing

Grid computing



Mainframes



- Smaller than a super computer
- Large computational facilities leveraging multiple processing units
- Powerful, highly reliable computers specialized for large data movement and massive input/output (I/O) operations.

USE:

- online transactions
- enterprise resource planning
- huge data processing

Mainframes – good and bad



- ✓ Good Scalability
- √ Good memory storage
- ✓ Highly reliable
- √ Transparent fault tolerance
- ✓ No interruption while replacing faulty components
- ✓ Can run multiple OS

- High cost
- Difficult installation
- Huge physical size
- Environmental issues




ACHARYA

- Early 1980s
- Low-cost alternative to mainframes and supercomputers
- Increased availability of cheap commodity machines
- Connected by a high-bandwidth network and controlled by specific software tools that manage them as a single system
- 1980s clusters standard technology for parallel and highperformance computing
- Could run programs which once required mainframes



Cluster Computing

- Collection of tightly or loosely connected computers (nodes) that work together so that they act as a single entity
 - solve complicated problems
 - faster computational speed
 - enhanced data integrity
 - expandability







- Early 1990s
- Analogy to the power grid consume resources
- Aggregate geographically dispersed clusters
 - By means of Internet connections
 - These clusters belonged to different organizations
 - Arrangements were made among them to share the computational power
 - Different from a "large cluster"

Computing grid - dynamic aggregation of heterogeneous computing nodes, and its scale was nationwide or even worldwide

Why Grid Computing?





(a) clusters became quite common resources



(b) they were often underutilized



(c) new problems were requiring computational power that went beyond the capability of single clusters



(d) the improvements in networking and the Internet made possible long-distance, high-bandwidth connectivity

VERSUS

CLOUD COMPUTING

GRID COMPUTING

Use of widely distributed computer resources to reach a common goal

Computing resources are distributed among different devices located in different locations

Task is divided into several independent subtasks, and each machine on the grid is assigned with a subtask

Users can access the data in the grid computing devices via cooperate networks such as internet or a low-speed network

Management is decentralized

Uses distributed architecture

CLOUD COMPUTING

Technology that enables access to shared pools of configurable system resources and higher-level services over the internet

Computing resources are managed centrally in data centers belonging to the cloud service providers

Provides resources according to the requirements

Users can access the resources through the internet

Management is centralized

Uses client-server architecture

Visit www.PEDIAA.com





COMPARISON OF CLUSTER, GRID AND CLOUDCOMPUTING

	Cluster	Grid	Cloud
Resource Handling	Centralized	Distributed	Both
Loose coupling / Scalable	No	Both	Yes
Reliability/ User friendliness	No	Half	Full
Network type	Private	Private	Public Internet
Virtualization	Half	Half	Yes
Business Model	No	No	Yes
Task Size	Single large	Single large	Small, medium & large
Heterogeneity	No	Yes	Yes
Security	High	Medium / High	Low / Medium
Value Added Service	No	Both	Yes
Cost	Very High	High	Low


Department of ISE

2. Virtualization

- Allows creation of different computing environments
 - These environments are called virtual because they simulate the interface that is expected by a guest
 - e.g. Hardware virtualization
- Enables cloud computing solutions to deliver virtual servers on demand, such as Amazon EC2, RightScale, VMware vCloud

What is Virtualization?







2. Virtualization (Contd.)

- Definition
- Collection of solutions allowing the abstraction of some of the fundamental elements for computing
 - Hardware, runtime environments, storage, and networking


3. Web 2.0

- Refers to websites that have usergenerated content, ease of use, participatory culture and interoperability for end users
- A collection of standards and technologies such as XML, Asynchronous JavaScript and XML (AJAX), Web Services, and others
 - brings interactivity and flexibility into Web pages
 - providing enhanced user experience



4. Service-oriented computing





A service oriented architecture (SOA) consists of reusable components or services that can dynamically interoperate.

- Instead of building monolithic applications, business processes are implemented by combining services.
- Quickly adapt to changing requirements by re-combining services, without changing the code of the components.


5. Utility-oriented computing



- is a service provisioning model
- providing computing as a utility like natural gas, water, power, and telephone connection
- computing resources are provided to the customer based on specific demand
- Examples of such IT services are computing power, storage or applications.


Cloud Computing SERVICE Reference Model






Vendors of SPI Model











On Premise

laaS:

Infrastructure as a Service

PaaS:


Platform as a

Service

SaaS:

Software as a

Service









Managed by Vendor

Department of ISE

Acharya Institute of Technology

ACHARYA

Concept of a "Service" in Cloud Computing



In the Cloud scenario, the provider Organization (Microsoft, Oracle, Amazon, Google) offers the following commodities as services:

- Infrastructure (Hardware) -> Storage, Servers, Networking components
- Platform to run applications -> Runtimes (JRE, CLR), Operating Systems (Windows, Linux), Databases (MySQL, Oracle)
- Applications -> Gmail, Facebook, CRM, etc.

All these services are offered through Web APIs (Application Programming Interfaces)

Ex: Office 365 suite of applications, Google Drive suite of applications

Types of Services available in cloud computing



- IaaS --- Infrastructure as a Service --- server, memory, CPU processor, storage space, network components, disk space, hard disk
- PaaS---Platform as a Service --- Provides run time environment for developers – visual studio, IDE, WORD, OPERATING SYSTEM, VMWARE
- SaaS Software as a Service- ALL TYPE OF APPLICATION FACEBOOK, GMAIL. Google drive, google document, etc
- Stack of cloud computing --- arrangement of services
- SaaS
- PaaS
- IaaS





Advantages of laaS:

Cost Saving, On-demand scalability, Have the Flexibility You Need, Focus on business growth, It can also run when the server goes down.

Disadvantages of laaS:

Security, Lack of flexibility, Technical problems, Over Dependency, Upgrade & Maintenance.

PaaS- Advantages



Advantages of PaaS:

<u>Time Savings:</u> No need to spend time setting up/maintaining the core stack.

Speed to Market: Speed up the creation of apps.

Increase Security: PaaS providers invest heavily in security technology and expertise.

PaaS- Disadvantages

ACHARYA

Disadvantages of PaaS:

<u>Security:</u> All the data of applications are stored inside the provider's cloud database.

Control: Users lack some control over a PaaS solution.

Reliability: PaaS solutions often face reliability concerns.

<u>Compatibility:</u> Not all the components are cloud-enabled.

SaaS- Advantages

ACHARYA

· Advantages of SaaS:

<u>Operational Management:</u> No installation, equipment updates or traditional licensing management.

<u>Cost-Effective:</u> There are no upfront hardware costs and flexible payment methods such as pay-as-you-go models.

<u>Scalability:</u> Easily scale a solution to accommodate changing needs. <u>Data Storage:</u>

Data is routinely saved in the cloud.

SaaS- Disadvantages



Disadvantages of SaaS:

<u>Loss of Control:</u> The vendor manages everything, making you dependent upon the vendor's capabilities.

<u>Limited Customization:</u> Most SaaS applications offer little in the way of customization from the vendor.

Slower Speed: SaaS solutions can have more latency than client/server apps.





1.Public clouds - most common model

- IT infrastructure is established by a third-party service provider that makes it available to any consumer on a subscription basis
- Advantage: allow users to quickly leverage compute, storage, and application services
- Users' data and applications are deployed on cloud datacenters on the vendor's premises
- 2. Private clouds Large organizations that own massive computing
 - Infrastructures can still benefit from cloud computing by replicating the cloud IT service delivery model in-house



Cloud Deployment Models – Contd.

3. Hybrid Clouds

 Whenever private cloud resources are unable to meet users' quality-ofservice requirements, hybrid computing systems, partially composed of public cloud resources and privately owned infrastructures, are created to serve the organization's needs

Major deployment models for cloud computing





Private/Enterprise Clouds

Hybrid/Inter Clouds

*Third-party. multitenant cloud infrastructure and services


*Available on a subscription basis to all

*A public cloud model within a company's own datacenter/infrastructure for internal and/or partners' use

* Mixed use of private and public clouds; leasing public cloud services when private cloud capacity is insufficient











- No up-front commitments
- On-demand access
- Nice pricing
- Simplified application acceleration and scalability
- Efficient resource allocation
- Energy efficiency
- Seamless creation and use of third-party services



Cloud computing - challenges


- Technical
- Security
- Legal



Building Cloud Environments







Overview



Infrastructure and system development



Computing platforms and technologies



Application development



What sort of applications benefit from cloud?

Dynamically scale on demand

- Classes of applications
 - 1. Web applications
 - Performance depends on workload generated by varying user demand
 - Rich, complex and interactive



What sort of applications benefit from cloud?

2. Resource-intensive applications

- Data-intensive or compute-intensive applications
- Resources are required to complete execution in a reasonable timeframe
- But not required for a long duration
- · Not interactive, only batch processing
 - · e.g. scientific applications





How?

- (a) providing methods for renting compute power, storage, and networking
- (b) offering runtime environments designed for scalability and dynamic sizing
- (c) providing application services that mimic the behavior of desktop applications but that are completely hosted and managed on the provider side

Service orientation

- allows a simple and seamless integration into existing systems
- Developers access such services via simple Web interfaces



Infrastructure and system Development













DISTRIBUTED COMPUTING

VIRTUALIZATION

SERVICE ORIENTATION

WEB 2.0





- · Extreme dynamism of cloud systems
- New nodes and services are provisioned on demand
- Infrastructure-as-a-Service solutions
- Provide the capabilities to add and remove resources
- Platform-as-a-Service solutions
 - embed into their core offering algorithms and rules that control the provisioning process and the lease of resources
- Integration between cloud resources and existing system deployment ???

Web 2.0



- Constitute the interface through which cloud computing services are delivered, managed, and provisioned
- Service orientation is the underlying paradigm
- Cloud XaaS Everything-as-a-Service

Virtualization



Core feature of the infrastructure used by cloud providers

- Virtualization concept is > 40 years old
 - but cloud computing introduces new challenges, especially in the management of virtual environments



Computing platforms and technologies





- Leverage
 - Platforms
 - Technologies
 - Frameworks

Amazon web services (AWS)

Google AppEngine

Microsoft Azure

Hadoop

Force.com and Salesforce.com

Manjrasoft Aneka



Amazon web services (AWS)



Overview of Services

- laaS
- Platform that offers flexible, reliable, scalable, easy-to-use and, cost-effective cloud computing solutions
- · compute and storage-ondemand services
 - · Elastic Compute Cloud (EC2) and Simple Storage Service (S3)



Compute



Storage







Messaging











Content Delivery

Monitoring





Amazon web services (AWS)

- Elastic Compute Cloud (EC2)
- Customizable virtual hardware
- EC2 instances are deployed either by using
 - AWS console, which is a comprehensive Web portal for accessing AWS services
 - Web services API available for several programming languages

- Simple Storage Service (S3)
- Delivers persistent storage on demand
- S3 is organized into buckets; these are containers of objects that are stored in binary form and can be enriched with attributes
- Users can store objects of any size, from simple files to entire disk images, and have them accessible from everywhere



Google App Engine (GAE)











- Build highly scalable applications on a fully managed serverless platform
- Large computing infrastructure of Google to dynamically scale













Security and Identity Management



Google AppEngine

- Services include in-memory caching, scalable data store, job queues, messaging, and cron tasks
- GAE requires that applications be written in Java or Python, store data in Google Bigtable and use the Google query language.
- laaS similar to EC2
- Google provides GAE free up to a certain amount of use for the following resources:
 - processor storage
 - API calls
 - concurrent requests







 Provides a scalable runtime environment for Web applications and distributed applications



Compute





























Data Analytics







Identity

























Storage & Databases

Integration

DevOps

Microsoft Azure



- Applications in Azure are organized around the concept of roles, which identify a distribution unit for applications and embody the application's logic
- Three types of role: Web role, worker role, and virtual machine role

- Web role is designed to host a Web application
- Worker role is a more generic container of applications and can be used to perform workload processing
- Virtual machine role provides a virtual environment in which the computing stack can be fully customized, including the operating systems

Hadoop

ACHARYA

- Apache Hadoop is an open-source framework
 - that is suited for processing large data sets on commodity hardware
 - Hadoop is an integral part of the Yahoo! cloud infrastructure
 - Hadoop is an implementation of Map Reduce, an application programming model developed by Google
 - which provides two fundamental operations for data processing: map and reduce

- Map transforms and synthesizes the input data provided by the user
- Reduce aggregates the output obtained by the map operations
- Hadoop provides the runtime environment
- Developers need only provide the input data and specify the map and reduce functions that need to be executed

Force.com and Salesforce.com



- Force.com is a cloud computing platform for developing social enterprise applications
 - complete set of components supporting all the activities of an enterprise
 - provides complete support for developing applications design of the data layout to the definition of business rules and workflows and the definition of the user interface

 The platform is the basis for SalesForce.com, a Software-as-a-Service solution for customer relationship management

Manjrasoft Aneka



- Cloud application platform for rapid creation of scalable applications
- Supports a collection of programming abstractions for developing applications and a distributed runtime environment that can be deployed on heterogeneous hardware (clusters, networked desktop computers, and cloud resources)
- Applications are executed on the distributed service-oriented runtime environment, which can dynamically integrate additional resource on demand
- Services manage most of the activities happening at runtime: scheduling, execution, accounting, billing, storage, and quality of service



THANK YOU