


Name : Anish Khadka
Student_id: 164017
Mid-Term

1.

– movies that are not Sci-Fi but rating above 8.5

```
select * from movies
```

```
where genre != "Sci-Fi" and rating > 8.5;
```



The screenshot shows a SQL IDE interface with a dark theme. The top bar includes tabs for 'Administration - Server Status' and 'SQL File 5*'. Below the tabs is a toolbar with various icons and a 'Limit to 1000 rows' dropdown. The main editor area contains the following SQL query:

```
72  
73 • select * from watch_history;  
74  
75  
76 • select * from movies  
77   where genre != "Sci-Fi" and rating > 8.5;  
78  
79  
80  
81
```

Below the editor, the 'Result Grid' is displayed, showing a table with 6 columns: movie_id, title, genre, release_year, rating, and an empty column. The table contains 5 rows of data:


movie_id	title	genre	release_year	rating	
1	Inception	Sci-Fi	2010	8.8	
2	Titanic	Romance	1997	9.0	
3	The Matrix	Sci-Fi	1999	8.7	
5	Joker	Drama	2019	8.6	
NULL	NULL	NULL	NULL	NULL	

2.

– movies title with second character 'a'

```
select * from movies
```

```
where title LIKE '_a%';
```



3.

```
-- 3. movies released before 2000 OR rated below 8.0, exclude genre "Action"
select * from movies
where (release_year < 2000 OR rating < 8.0)
and genre != 'Action';
```

Administration - Server Status SQL File 5*

Limit to 1000 rows

```
-- 2. movies title with second character 'a'
select * from movies
where title LIKE '_a%';

-- 3. movies released before 2000 OR rated below 8.0, exclude genre "Action"
select * from movies
where (release_year < 2000 OR rating < 8.0)
and genre != 'Action';
```

100% 1:84

Result Grid Filter Rows: Search Edit: Export/Import:

movie_id	title	genre	release_year	rating
2	Titanic	Romance	1997	9.0
3	The Matrix	Sci-Fi	1999	8.7
NULL	NULL	NULL	NULL	NULL

4.

```
-- 4. only those genres where the average rating is greater than 8.5
select genre, AVG(rating) AS avg_rating
from movies
group by genre
having AVG(rating) > 8.5;
```

Administration - Server Status SQL File 5*

Limit to 1000 rows

```
83
84 -- 3. movies released before 2000 OR rated below 8.0, exclude genre "Action
85 • select * from movies
86 where (release_year < 2000 OR rating < 8.0)
87 and genre != 'Action';
88
89 -- 4. only those genres where the average rating is greater than 8.5
90 • select genre, AVG(rating) AS avg_rating
91 from movies
92 group by genre
93 having AVG(rating) > 8.5;
94
95
96
97 -- 5. highest and lowest movie ratings labeled as Highest Rating and Lowest
```

100% 1:89

Result Grid Filter Rows: Search Export:

genre	avg_rating
Sci-Fi	8.75000
Romance	9.00000
Drama	8.60000

5.

Administration - Server Status SQL File 5*

Limit to 1000 rows

```
88
89 -- 4. only those genres where the average rating is greater than 8.5
90 • select genre, AVG(rating) AS avg_rating
91   from movies
92  group by genre
93  having AVG(rating) > 8.5;
94
95
96
97 -- 5. highest and lowest movie ratings labeled as Highest_Rating and Lowest
98 • SELECT
99     MAX(rating) as Highest_Rating,
100    MIN(rating) as Lowest_Rating
101  from movies
```

100% 13:101

Result Grid Filter Rows: Search Export:

Highest_Rating	Lowest_Rating
9.0	8.4

6.

```
-- 6. add a new column award_won BOOLEAN to the movies table
ALTER TABLE movies
ADD COLUMN award_won BOOLEAN;
```

Administration - Server Status | SQL File 5*

Limit to 1000 rows

```

97  -- 5. highest and lowest movie ratings labeled as Highest_Rating and Lowest
98  SELECT
99      MAX(rating) as Highest_Rating,
100     MIN(rating) as Lowest_Rating
101  from movies;
102
103
104  -- 6. add a new column award_won BOOLEAN to the movies table
105  ALTER TABLE movies
106  ADD COLUMN award_won BOOLEAN;
107
108
109  select * from movies;

```

100% | 22:109

Result Grid | Filter Rows: Search | Edit: | Export/Import:

	movie_id	title	genre	release_year	rating	award_won
	1	Inception	Sci-Fi	2010	8.8	NULL
	2	Titanic	Romance	1997	9.0	NULL
	3	The Matrix	Sci-Fi	1999	8.7	NULL
	4	Avengers	Action	2019	8.4	NULL
	5	Joker	Drama	2019	8.6	NULL
	NULL	NULL	NULL	NULL	NULL	NULL

7.

```

-- 7. update award_won to true for all movies whose ratings are 8.8 or higher
UPDATE movies
SET award_won = TRUE
WHERE rating >= 8.8;

```

Administration - Server Status SQL File 5*

Limit to 1000 rows

```

104 -- 6. add a new column award_won BOOLEAN to the movies table
105 ALTER TABLE movies
106 ADD COLUMN award_won BOOLEAN;
107
108
109 select * from movies;
110
111 -- 7. update award_won to true for all movies whose ratings are 8.8 or high
112 UPDATE movies
113 SET award_won = TRUE
114 WHERE rating >= 8.8;
115
116 select * from movies;

```

100% 22:116

Result Grid Filter Rows: Search Edit: Export/Import:

	movie_id	title	genre	release_year	rating	award_won
	1	Inception	Sci-Fi	2010	8.8	1
	2	Titanic	Romance	1997	9.0	1
	3	The Matrix	Sci-Fi	1999	8.7	NULL
	4	Avengers	Action	2019	8.4	NULL
	5	Joker	Drama	2019	8.6	NULL
	NULL	NULL	NULL	NULL	NULL	NULL

8.

-- 8. reduce the rating by 0.2 for all movies older than the year 2000

update movies

set rating = rating - 0.2

where release_year < 2000;

select * from movies;

Administration - Server Status **SQL File 5***

Limit to 1000 rows

```

112 • UPDATE movies
113     SET award_won = TRUE
114     WHERE rating >= 8.8;
115
116 • select * from movies;
117
118
119 -- 8. reduce the rating by 0.2 for all movies older than the year 2000
120 • update movies
121     set rating = rating - 0.2
122     where release_year < 2000;
123
124 • select * from movies;

```

100% 22:124

Result Grid Filter Rows: Search Edit: Export/Import:

	movie_id	title	genre	release_year	rating	award_won
	1	Inception	Sci-Fi	2010	8.8	1
	2	Titanic	Romance	1997	8.8	1
	3	The Matrix	Sci-Fi	1999	8.5	NULL
	4	Avengers	Action	2019	8.4	NULL
	5	Joker	Drama	2019	8.6	NULL
	NULL	NULL	NULL	NULL	NULL	NULL

9.

```

DELETE FROM subscribers
WHERE join_date < '2021-01-01';

```

```

Select * from subscribers;

```


Administration - Server Status | SQL File 5*

Limit to 1000 rows

```
122 where release_year < 2000;
123
124 • select * from movies;
125
126
127 -- 9. delete all subscribers whose join_date is before 2021
128 • DELETE FROM subscribers
129 where join_date < '2021-01-01';
130
131 • Select * from subscribers;
132
133
134
135
```

100% | 1:127

Result Grid | Filter Rows: | Search | Edit: | Export/Import:

	sub_id	name	city	join_date	plan_type	
	1	Alice	New York	2022-01-15	Premium	
	2	Bob	Los Angeles	2021-11-10	Basic	
	3	Charlie	Chicago	2022-02-05	Standard	
	4	Diana	New York	2023-03-12	Premium	
	5	Ethan	Houston	2023-04-20	Basic	
	NULL	NULL	NULL	NULL	NULL	

10.

-- 10. show how many years old each movie is

select

title, release_year, YEAR(CURDATE()) - release_year AS years_old
FROM movies;

Administration - Server StatusSQL File 5*



Limit to 1000 rows



```
123
124 • select * from movies;
125
126
127 -- 9. delete all subscribers whose join_date is before 2021
128 • DELETE FROM subscribers
129   where join_date < '2021-01-01';
130
131 • Select * from subscribers;
132
133
134 -- 10. show how many years old each movie is
135 • select
136   title, release_year, YEAR(CURDATE()) - release_year AS years_old
```

100% 13:137

Result Grid

Filter Rows: Search Export:

	title	release_year	years_old	
	Inception	2010	15	
	Titanic	1997	28	
	The Matrix	1999	26	
	Avengers	2019	6	
	Joker	2019	6	