

Image Preprocessing

Date	10 NOVEMBER 2022
Team ID	PNT2022TMID12947
Project Name	AI-Powered Nutrition Analyzer For FitnessEnthusiasts

Image Preprocessing

In this milestone, we will be improving the image data that suppresses unwilling distortions or enhances some image features important for further processing, although performing some geometric transformations of images like rotation, scaling, translation, etc.

Loading and pre-processing the data:

Data is gold as far as deep learning models are concerned. Your image classification model has a far better chance of performing well if you have a good amount of images in the training set. Also, the shape of the data varies according to the architecture/framework that we use.

Hence, the critical data pre-processing step (the eternally important step in any project). I highly recommend going through the “basics of image processing using Python we use Keras Image Data Generator class to perform data augmentation. i.e we are using some kind of parameters to process our collected data. The word “augment” means to make something “greater” or “increase” something (in this case, data), the Keras Image Data Generator class actually works by:

Accepting a batch of images used for training. Taking this batch and applying a series of random transformations to each image in the batch (including random rotation, resizing, shearing, etc.).

Replacing the original batch with the new, randomly transformed batch. Training the CNN on this randomly transformed batch (i.e., the original data itself is not used for training).

Note: The Image Data Generator accepts the original data, randomly transforms it, and returns only the new, transformed data



❖ Import the library

```

Jupyter CONVOLUTION NEURAL NETWORK (autosaved)
File Edit View Insert Cell Kernel Widgets Help
[Icons] Run [Buttons] Code
In [9]: from keras.preprocessing.image import ImageDataGenerator

```

❖ Define the parameters /arguments for ImageDataGenerator class

```

train_datagen=ImageDataGenerator(rescale=1./255,shear_range=0.2,zoom_range=0.2,horizontal_flip=True)
test_datagen = ImageDataGenerator(rescale=1./255)

```

Note: The ImageDataGenerator transforms each image in the batch by a series of random translations, these translations are based on the arguments

❖ Applying ImageDataGenerator functionality to trainset and testset

```

train_datagen=ImageDataGenerator(rescale=1./255,shear_range=0.2,zoom_range=0.2,horizontal_flip=True)
test_datagen = ImageDataGenerator(rescale=1./255)

x_train = train_datagen.flow_from_directory(r'E:\dataset\training_set',target_size=(64,64),batch_size=32,class_mode='categorical')
x_test = train_datagen.flow_from_directory(r'E:\dataset\test_set',target_size=(64,64),batch_size=32,class_mode='categorical')

```

Found 8000 images belonging to 2 classes.
Found 2000 images belonging to 2 classes.