Importing Libraries

In [1]:
```
import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

Importing Datasets

In [2]:
```
df=pd.read_csv("rainfall_saurashtra _ kutch.csv")
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	D
0	2392	SAURASHTRA & KUTCH	1901	1.9	0.0	0.1	0.2	3.2	9.1	87.8	62.5	12.0	3.8	0.0	
1	2393	SAURASHTRA & KUTCH	1902	0.1	0.0	0.0	0.5	1.1	14.4	92.9	160.0	123.9	1.5	0.1	
2	2394	SAURASHTRA & KUTCH	1903	0.5	0.0	1.7	0.0	3.1	10.5	337.9	96.1	61.9	11.1	0.0	
3	2395	SAURASHTRA & KUTCH	1904	1.4	5.8	17.5	0.0	0.0	9.5	111.2	9.4	28.9	0.3	1.7	
4	2396	SAURASHTRA & KUTCH	1905	1.5	1.0	0.6	0.4	0.0	6.4	254.5	12.3	12.8	0.4	0.0	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
110	2502	SAURASHTRA & KUTCH	2011	0.0	1.4	0.0	0.0	0.0	26.0	212.7	290.9	210.1	1.2	0.1	
111	2503	SAURASHTRA & KUTCH	2012	0.0	0.0	0.0	0.2	0.1	22.4	34.7	34.5	228.5	2.4	0.0	
112	2504	SAURASHTRA & KUTCH	2013	1.7	0.2	0.1	8.5	0.1	127.7	171.2	83.3	260.2	28.6	0.0	
113	2505	SAURASHTRA & KUTCH	2014	0.3	0.0	0.1	0.5	2.1	17.3	137.7	118.8	99.2	5.2	2.7	
114	2506	SAURASHTRA & KUTCH	2015	0.9	0.0	4.4	2.1	0.8	112.6	226.7	10.6	79.9	3.3	0.3	

115 rows × 20 columns

head

In [3]:
```
df.head(5)
df
```

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	I
0	2392	SAURASHTRA & KUTCH	1901	1.9	0.0	0.1	0.2	3.2	9.1	87.8	62.5	12.0	3.8	0.0	
1	2393	SAURASHTRA & KUTCH	1902	0.1	0.0	0.0	0.5	1.1	14.4	92.9	160.0	123.9	1.5	0.1	
2	2394	SAURASHTRA & KUTCH	1903	0.5	0.0	1.7	0.0	3.1	10.5	337.9	96.1	61.9	11.1	0.0	
3	2395	SAURASHTRA & KUTCH	1904	1.4	5.8	17.5	0.0	0.0	9.5	111.2	9.4	28.9	0.3	1.7	
4	2396	SAURASHTRA & KUTCH	1905	1.5	1.0	0.6	0.4	0.0	6.4	254.5	12.3	12.8	0.4	0.0	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
110	2502	SAURASHTRA & KUTCH	2011	0.0	1.4	0.0	0.0	0.0	26.0	212.7	290.9	210.1	1.2	0.1	
111	2503	SAURASHTRA & KUTCH	2012	0.0	0.0	0.0	0.2	0.1	22.4	34.7	34.5	228.5	2.4	0.0	
112	2504	SAURASHTRA & KUTCH	2013	1.7	0.2	0.1	8.5	0.1	127.7	171.2	83.3	260.2	28.6	0.0	
113	2505	SAURASHTRA & KUTCH	2014	0.3	0.0	0.1	0.5	2.1	17.3	137.7	118.8	99.2	5.2	2.7	
114	2506	SAURASHTRA & KUTCH	2015	0.9	0.0	4.4	2.1	0.8	112.6	226.7	10.6	79.9	3.3	0.3	

115 rows × 20 columns

tail

In [4]:
```
df.tail(5)
df
```

Out[4]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	I
0	2392	SAURASHTRA & KUTCH	1901	1.9	0.0	0.1	0.2	3.2	9.1	87.8	62.5	12.0	3.8	0.0	
1	2393	SAURASHTRA & KUTCH	1902	0.1	0.0	0.0	0.5	1.1	14.4	92.9	160.0	123.9	1.5	0.1	
2	2394	SAURASHTRA & KUTCH	1903	0.5	0.0	1.7	0.0	3.1	10.5	337.9	96.1	61.9	11.1	0.0	

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	D
3	2395	SAURASHTRA & KUTCH	1904	1.4	5.8	17.5	0.0	0.0	9.5	111.2	9.4	28.9	0.3	1.7	
4	2396	SAURASHTRA & KUTCH	1905	1.5	1.0	0.6	0.4	0.0	6.4	254.5	12.3	12.8	0.4	0.0	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
110	2502	SAURASHTRA & KUTCH	2011	0.0	1.4	0.0	0.0	0.0	26.0	212.7	290.9	210.1	1.2	0.1	
111	2503	SAURASHTRA & KUTCH	2012	0.0	0.0	0.0	0.2	0.1	22.4	34.7	34.5	228.5	2.4	0.0	
112	2504	SAURASHTRA & KUTCH	2013	1.7	0.2	0.1	8.5	0.1	127.7	171.2	83.3	260.2	28.6	0.0	
113	2505	SAURASHTRA & KUTCH	2014	0.3	0.0	0.1	0.5	2.1	17.3	137.7	118.8	99.2	5.2	2.7	
114	2506	SAURASHTRA & KUTCH	2015	0.9	0.0	4.4	2.1	0.8	112.6	226.7	10.6	79.9	3.3	0.3	

115 rows × 20 columns

Data Cleaning and Data Preprocessing

describe()

In [5]:
```
df.describe()
```

Out[5]:

	index	YEAR	JAN	FEB	MAR	APR	MAY	JUN
count	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000
mean	2449.000000	1958.000000	1.139130	1.615652	1.296522	1.183478	4.662609	74.371304
std	33.341666	33.341666	2.374709	4.270576	5.691544	6.158847	16.587231	63.062739
min	2392.000000	1901.000000	0.000000	0.000000	0.000000	0.000000	0.000000	1.200000
25%	2420.500000	1929.500000	0.000000	0.000000	0.000000	0.000000	0.000000	19.150000
50%	2449.000000	1958.000000	0.200000	0.000000	0.000000	0.000000	0.500000	62.100000
75%	2477.500000	1986.500000	1.000000	0.550000	0.400000	0.500000	2.700000	114.250000
max	2506.000000	2015.000000	12.500000	28.200000	46.200000	64.400000	131.900000	321.800000

shape

In [6]:
```
np.shape(df)
```

Out[6]:
```
(115, 20)
```

size

In [7]:
```
np.size(df)
```

Out[7]:
```
2300
```

dropna

In [8]:
```
df=df.dropna()
```

columns

In [9]:
```
df.columns
```

Out[9]:
```
Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
       'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
       'Mar-May', 'Jun-Sep', 'Oct-Dec'],
      dtype='object')
```

info()

In [10]:
```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
 #   Column       Non-Null Count  Dtype  
---  ------       --------------  -----  
 0   index        115 non-null    int64  
 1   SUBDIVISION  115 non-null    object 
 2   YEAR         115 non-null    int64  
 3   JAN          115 non-null    float64
 4   FEB          115 non-null    float64
 5   MAR          115 non-null    float64
 6   APR          115 non-null    float64
 7   MAY          115 non-null    float64
 8   JUN          115 non-null    float64
 9   JUL          115 non-null    float64
 10  AUG          115 non-null    float64
 11  SEP          115 non-null    float64
 12  OCT          115 non-null    float64
 13  NOV          115 non-null    float64
 14  DEC          115 non-null    float64
 15  ANNUAL       115 non-null    float64
 16  Jan-Feb      115 non-null    float64
```

```
 17  Mar-May      115 non-null    float64
 18  Jun-Sep      115 non-null    float64
 19  Oct-Dec      115 non-null    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

Line chart

In [11]:
```
df.plot.line(subplots=True)
```

Out[11]:
```
array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>], dtype=object)
```



Line chart

In [12]:
```
df.plot.line()
```

Out[12]:
```
<AxesSubplot:>
```



Bar chart

In [13]:
```
df.plot.bar()
```

Out[13]: <AxesSubplot:>



Histogram

In [14]:
```
df.plot.hist()
```

Out[14]: <AxesSubplot:ylabel='Frequency'>



Area chart

In [15]:
```
df.plot.area()
```

Out[15]: <AxesSubplot:>



Box chart

In [16]:
```
df.plot.box()
```

Out[16]: <AxesSubplot:>



Pie chart

In [17]:
```
df.plot.pie(y='ANNUAL')
```

Out[17]:
```
<AxesSubplot:ylabel='ANNUAL'>
```


ANNUAL
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63



Scatter chart

In [18]:
```
df.plot.scatter(x='SUBDIVISION' ,y='ANNUAL')
```

Out[18]:
```
<AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL'>
```



In [19]:
```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
 #   Column       Non-Null Count  Dtype
---  ------       --------------  -----
 0   index        115 non-null    int64
 1   SUBDIVISION  115 non-null    object
 2   YEAR         115 non-null    int64
 3   JAN          115 non-null    float64
 4   FEB          115 non-null    float64
 5   MAR          115 non-null    float64
 6   APR          115 non-null    float64
 7   MAY          115 non-null    float64
 8   JUN          115 non-null    float64
 9   JUL          115 non-null    float64
 10  AUG          115 non-null    float64
 11  SEP          115 non-null    float64
 12  OCT          115 non-null    float64
 13  NOV          115 non-null    float64
 14  DEC          115 non-null    float64
 15  ANNUAL       115 non-null    float64
 16  Jan-Feb      115 non-null    float64
 17  Mar-May      115 non-null    float64
 18  Jun-Sep      115 non-null    float64
 19  Oct-Dec      115 non-null    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

In [20]:
```
df.describe()
```

Out[20]:

	index	YEAR	JAN	FEB	MAR	APR	MAY	JUN
count	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000
mean	2449.000000	1958.000000	1.139130	1.615652	1.296522	1.183478	4.662609	74.371304
std	33.341666	33.341666	2.374709	4.270576	5.691544	6.158847	16.587231	63.062739
min	2392.000000	1901.000000	0.000000	0.000000	0.000000	0.000000	0.000000	1.200000
25%	2420.500000	1929.500000	0.000000	0.000000	0.000000	0.000000	0.000000	19.150000

	index	YEAR	JAN	FEB	MAR	APR	MAY	JUN
50%	2449.000000	1958.000000	0.200000	0.000000	0.000000	0.000000	0.500000	62.100000
75%	2477.500000	1986.500000	1.000000	0.550000	0.400000	0.500000	2.700000	114.250000
max	2506.000000	2015.000000	12.500000	28.200000	46.200000	64.400000	131.900000	321.800000

EDA AND VISUALIZATION

In [21]:
```
sns.pairplot(df)
```

Out[21]: <seaborn.axisgrid.PairGrid at 0x1a0a00e6280>



In [22]:
```
sns.displot(df['ANNUAL'])
```

Out[22]: <seaborn.axisgrid.FacetGrid at 0x1a0ab8e1be0>



In [23]:
```
sns.heatmap(df.corr())
```

Out[23]: <AxesSubplot:>