

Importing Libraries

In [1]:

```
import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

Importing Datasets

In [2]:

```
df=pd.read_csv("rainfall_west uttar pradesh.csv")
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV
0	1127	WEST UTTAR PRADESH	1901	51.4	25.6	9.5	0.7	5.6	23.8	201.9	374.3	67.7	7.6	0.0
1	1128	WEST UTTAR PRADESH	1902	4.6	4.6	0.6	4.8	7.2	54.5	325.9	180.6	143.1	9.6	0.9
2	1129	WEST UTTAR PRADESH	1903	13.4	0.4	1.2	0.0	8.2	32.7	145.4	279.1	150.4	177.3	0.0
3	1130	WEST UTTAR PRADESH	1904	6.3	2.0	29.7	0.4	24.8	68.5	358.8	311.1	97.1	2.7	15.7
4	1131	WEST UTTAR PRADESH	1905	32.3	26.6	14.8	3.6	7.1	18.9	139.8	95.0	92.2	0.2	0.0
...
110	1237	WEST UTTAR PRADESH	2011	2.1	10.4	3.9	2.8	29.6	175.9	215.9	232.3	101.7	0.7	0.5
111	1238	WEST UTTAR PRADESH	2012	14.5	0.1	1.4	4.7	0.3	4.0	145.1	149.1	67.8	0.5	0.1
112	1239	WEST UTTAR PRADESH	2013	20.4	69.5	3.5	1.6	2.1	190.6	233.9	287.1	52.2	61.2	1.7
113	1240	WEST UTTAR PRADESH	2014	48.3	29.4	22.6	5.3	11.0	22.0	151.6	81.0	84.7	14.6	0.0
114	1241	WEST UTTAR PRADESH	2015	31.6	7.2	66.8	21.0	8.1	72.0	194.2	143.5	26.5	6.9	2.0

115 rows × 20 columns



head

In [3]:

```
df.head(5)
df
```

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV
0	1127	WEST UTTAR PRADESH	1901	51.4	25.6	9.5	0.7	5.6	23.8	201.9	374.3	67.7	7.6	0.0
1	1128	WEST UTTAR PRADESH	1902	4.6	4.6	0.6	4.8	7.2	54.5	325.9	180.6	143.1	9.6	0.9
2	1129	WEST UTTAR PRADESH	1903	13.4	0.4	1.2	0.0	8.2	32.7	145.4	279.1	150.4	177.3	0.0
3	1130	WEST UTTAR PRADESH	1904	6.3	2.0	29.7	0.4	24.8	68.5	358.8	311.1	97.1	2.7	15.7
4	1131	WEST UTTAR PRADESH	1905	32.3	26.6	14.8	3.6	7.1	18.9	139.8	95.0	92.2	0.2	0.0
...
110	1237	WEST UTTAR PRADESH	2011	2.1	10.4	3.9	2.8	29.6	175.9	215.9	232.3	101.7	0.7	0.5
111	1238	WEST UTTAR PRADESH	2012	14.5	0.1	1.4	4.7	0.3	4.0	145.1	149.1	67.8	0.5	0.1
112	1239	WEST UTTAR PRADESH	2013	20.4	69.5	3.5	1.6	2.1	190.6	233.9	287.1	52.2	61.2	1.7
113	1240	WEST UTTAR PRADESH	2014	48.3	29.4	22.6	5.3	11.0	22.0	151.6	81.0	84.7	14.6	0.0
114	1241	WEST UTTAR PRADESH	2015	31.6	7.2	66.8	21.0	8.1	72.0	194.2	143.5	26.5	6.9	2.0

115 rows × 20 columns



tail

In [4]:

```
df.tail(5)
df
```

Out[4]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV
0	1127	WEST UTTAR PRADESH	1901	51.4	25.6	9.5	0.7	5.6	23.8	201.9	374.3	67.7	7.6	0.0
1	1128	WEST UTTAR PRADESH	1902	4.6	4.6	0.6	4.8	7.2	54.5	325.9	180.6	143.1	9.6	0.9
2	1129	WEST UTTAR PRADESH	1903	13.4	0.4	1.2	0.0	8.2	32.7	145.4	279.1	150.4	177.3	0.0

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV
3	1130	WEST UTTAR PRADESH	1904	6.3	2.0	29.7	0.4	24.8	68.5	358.8	311.1	97.1	2.7	15.7
4	1131	WEST UTTAR PRADESH	1905	32.3	26.6	14.8	3.6	7.1	18.9	139.8	95.0	92.2	0.2	0.0
...
110	1237	WEST UTTAR PRADESH	2011	2.1	10.4	3.9	2.8	29.6	175.9	215.9	232.3	101.7	0.7	0.5
111	1238	WEST UTTAR PRADESH	2012	14.5	0.1	1.4	4.7	0.3	4.0	145.1	149.1	67.8	0.5	0.1
112	1239	WEST UTTAR PRADESH	2013	20.4	69.5	3.5	1.6	2.1	190.6	233.9	287.1	52.2	61.2	1.7
113	1240	WEST UTTAR PRADESH	2014	48.3	29.4	22.6	5.3	11.0	22.0	151.6	81.0	84.7	14.6	0.0
114	1241	WEST UTTAR PRADESH	2015	31.6	7.2	66.8	21.0	8.1	72.0	194.2	143.5	26.5	6.9	2.0

115 rows × 20 columns

Data Cleaning and Data Preprocessing

describe()

In [5]:

```
df.describe()
```

Out[5]:

	index	YEAR	JAN	FEB	MAR	APR	MAY	JUN
count	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000
mean	1184.000000	1958.000000	17.666087	17.893913	11.461739	6.253043	12.306087	77.597391
std	33.341666	33.341666	15.791531	19.972785	14.286434	10.015552	11.528510	55.681818
min	1127.000000	1901.000000	0.000000	0.000000	0.000000	0.000000	0.000000	3.700000
25%	1155.500000	1929.500000	4.100000	3.450000	1.700000	0.750000	3.750000	39.600000
50%	1184.000000	1958.000000	14.200000	10.400000	5.700000	3.100000	8.100000	67.200000
75%	1212.500000	1986.500000	28.100000	25.600000	18.350000	6.750000	18.300000	96.650000
max	1241.000000	2015.000000	68.600000	89.900000	66.800000	69.000000	52.000000	291.200000

shape

```
In [6]: np.shape(df)
```

```
Out[6]: (115, 20)
```

size

```
In [7]: np.size(df)
```

```
Out[7]: 2300
```

dropna

```
In [8]: df=df.dropna()
```

columns

```
In [9]: df.columns
```

```
Out[9]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
       'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
       'Mar-May', 'Jun-Sep', 'Oct-Dec'],
      dtype='object')
```

info()

```
In [10]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
 #   Column      Non-Null Count  Dtype  
--- 
 0   index       115 non-null    int64  
 1   SUBDIVISION 115 non-null    object  
 2   YEAR        115 non-null    int64  
 3   JAN         115 non-null    float64 
 4   FEB         115 non-null    float64 
 5   MAR         115 non-null    float64 
 6   APR         115 non-null    float64 
 7   MAY         115 non-null    float64 
 8   JUN         115 non-null    float64 
 9   JUL         115 non-null    float64 
 10  AUG         115 non-null    float64 
 11  SEP         115 non-null    float64 
 12  OCT         115 non-null    float64 
 13  NOV         115 non-null    float64 
 14  DEC         115 non-null    float64 
 15  ANNUAL      115 non-null    float64 
 16  Jan-Feb     115 non-null    float64
```

```


17 Mar-May      115 non-null    float64
18 Jun-Sep      115 non-null    float64
19 Oct-Dec      115 non-null    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB

```

Line chart

```
In [11]: df.plot.line(subplots=True)
```


```
Out[11]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>], dtype=object)
```



Line chart

```
In [12]: df.plot.line()
```


```
Out[12]: <AxesSubplot:>
```



Bar chart

In [13]: `df.plot.bar()`


Out[13]: <AxesSubplot:>



Histogram

In [14]: `df.plot.hist()`


Out[14]: <AxesSubplot:ylabel='Frequency'>



Area chart

In [15]: `df.plot.area()`


Out[15]: <AxesSubplot:>



Box chart

In [16]: `df.plot.box()`


Out[16]: <AxesSubplot:>




Pie chart

```
In [17]: df.plot.pie(y='ANNUAL')
```

```
Out[17]: <AxesSubplot:ylabel='ANNUAL'>
```






Scatter chart

```
In [18]: df.plot.scatter(x='SUBDIVISION' ,y='ANNUAL')
```

```
Out[18]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL'>
```



In [19]:

`df.info()`

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
 #   Column      Non-Null Count  Dtype  
--- 
 0   index       115 non-null    int64  
 1   SUBDIVISION 115 non-null    object  
 2   YEAR        115 non-null    int64  
 3   JAN         115 non-null    float64 
 4   FEB         115 non-null    float64 
 5   MAR         115 non-null    float64 
 6   APR         115 non-null    float64 
 7   MAY         115 non-null    float64 
 8   JUN         115 non-null    float64 
 9   JUL         115 non-null    float64 
 10  AUG         115 non-null    float64 
 11  SEP         115 non-null    float64 
 12  OCT         115 non-null    float64 
 13  NOV         115 non-null    float64 
 14  DEC         115 non-null    float64 
 15  ANNUAL      115 non-null    float64 
 16  Jan-Feb     115 non-null    float64 
 17  Mar-May     115 non-null    float64 
 18  Jun-Sep     115 non-null    float64 
 19  Oct-Dec     115 non-null    float64 
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

In [20]:

`df.describe()`

Out[20]:


	index	YEAR	JAN	FEB	MAR	APR	MAY	JUN
count	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000
mean	1184.000000	1958.000000	17.666087	17.893913	11.461739	6.253043	12.306087	77.597391
std	33.341666	33.341666	15.791531	19.972785	14.286434	10.015552	11.528510	55.681818
min	1127.000000	1901.000000	0.000000	0.000000	0.000000	0.000000	0.000000	3.700000
25%	1155.500000	1929.500000	4.100000	3.450000	1.700000	0.750000	3.750000	39.600000

	index	YEAR	JAN	FEB	MAR	APR	MAY	JUN
50%	1184.000000	1958.000000	14.200000	10.400000	5.700000	3.100000	8.100000	67.200000
75%	1212.500000	1986.500000	28.100000	25.600000	18.350000	6.750000	18.300000	96.650000
max	1241.000000	2015.000000	68.600000	89.900000	66.800000	69.000000	52.000000	291.200000

EDA AND VISUALIZATION


In [21]: `sns.pairplot(df)`

Out[21]: <seaborn.axisgrid.PairGrid at 0x284dddf820>



In [22]: `sns.displot(df['ANNUAL'])`

Out[22]: <seaborn.axisgrid.FacetGrid at 0x284e9196340>

In [23]:
sns.heatmap(df.corr())

Out[23]: <AxesSubplot:>

