

Importing Libraries

In [1]:

```
import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

Importing Datasets

In [2]:

```
df=pd.read_csv("rainfall_vidarbha.csv")
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV
0	2852	VIDARBHA	1901	36.8	39.9	30.9	26.1	7.3	129.7	295.3	368.8	123.4	35.2	0.0
1	2853	VIDARBHA	1902	1.6	0.1	0.0	6.5	4.1	38.0	270.7	204.7	150.9	29.6	16.1
2	2854	VIDARBHA	1903	5.2	4.0	0.1	2.5	37.8	121.2	475.5	325.5	154.8	100.8	2.0
3	2855	VIDARBHA	1904	4.3	2.4	12.9	0.2	14.8	148.9	158.3	151.8	196.9	61.7	0.0
4	2856	VIDARBHA	1905	7.3	12.7	12.4	16.2	14.0	81.0	254.5	216.3	321.3	6.0	0.2
...
110	2962	VIDARBHA	2011	0.0	1.2	0.1	7.7	0.6	137.9	247.1	302.8	191.0	4.7	0.0
111	2963	VIDARBHA	2012	3.1	0.1	0.0	0.6	0.2	125.5	370.5	316.2	249.4	34.9	7.3
112	2964	VIDARBHA	2013	6.6	13.0	3.8	2.8	0.5	366.7	535.5	326.1	131.7	133.5	0.0
113	2965	VIDARBHA	2014	1.2	18.3	49.6	2.6	4.0	63.3	337.6	191.7	224.9	17.3	6.2
114	2966	VIDARBHA	2015	26.3	4.7	66.3	28.1	12.8	254.6	137.2	288.9	167.5	7.0	0.0

115 rows × 20 columns



head

In [3]:

```
df.head(5)
df
```

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV
0	2852	VIDARBHA	1901	36.8	39.9	30.9	26.1	7.3	129.7	295.3	368.8	123.4	35.2	0.0
1	2853	VIDARBHA	1902	1.6	0.1	0.0	6.5	4.1	38.0	270.7	204.7	150.9	29.6	16.1

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV
2	2854	VIDARBHA	1903	5.2	4.0	0.1	2.5	37.8	121.2	475.5	325.5	154.8	100.8	2.0
3	2855	VIDARBHA	1904	4.3	2.4	12.9	0.2	14.8	148.9	158.3	151.8	196.9	61.7	0.0
4	2856	VIDARBHA	1905	7.3	12.7	12.4	16.2	14.0	81.0	254.5	216.3	321.3	6.0	0.2
...
110	2962	VIDARBHA	2011	0.0	1.2	0.1	7.7	0.6	137.9	247.1	302.8	191.0	4.7	0.0
111	2963	VIDARBHA	2012	3.1	0.1	0.0	0.6	0.2	125.5	370.5	316.2	249.4	34.9	7.3
112	2964	VIDARBHA	2013	6.6	13.0	3.8	2.8	0.5	366.7	535.5	326.1	131.7	133.5	0.0
113	2965	VIDARBHA	2014	1.2	18.3	49.6	2.6	4.0	63.3	337.6	191.7	224.9	17.3	6.2
114	2966	VIDARBHA	2015	26.3	4.7	66.3	28.1	12.8	254.6	137.2	288.9	167.5	7.0	0.0

115 rows × 20 columns

tail

In [4]:

```
df.tail(5)
df
```

Out[4]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV
0	2852	VIDARBHA	1901	36.8	39.9	30.9	26.1	7.3	129.7	295.3	368.8	123.4	35.2	0.0
1	2853	VIDARBHA	1902	1.6	0.1	0.0	6.5	4.1	38.0	270.7	204.7	150.9	29.6	16.1
2	2854	VIDARBHA	1903	5.2	4.0	0.1	2.5	37.8	121.2	475.5	325.5	154.8	100.8	2.0
3	2855	VIDARBHA	1904	4.3	2.4	12.9	0.2	14.8	148.9	158.3	151.8	196.9	61.7	0.0
4	2856	VIDARBHA	1905	7.3	12.7	12.4	16.2	14.0	81.0	254.5	216.3	321.3	6.0	0.2
...
110	2962	VIDARBHA	2011	0.0	1.2	0.1	7.7	0.6	137.9	247.1	302.8	191.0	4.7	0.0
111	2963	VIDARBHA	2012	3.1	0.1	0.0	0.6	0.2	125.5	370.5	316.2	249.4	34.9	7.3
112	2964	VIDARBHA	2013	6.6	13.0	3.8	2.8	0.5	366.7	535.5	326.1	131.7	133.5	0.0
113	2965	VIDARBHA	2014	1.2	18.3	49.6	2.6	4.0	63.3	337.6	191.7	224.9	17.3	6.2
114	2966	VIDARBHA	2015	26.3	4.7	66.3	28.1	12.8	254.6	137.2	288.9	167.5	7.0	0.0

115 rows × 20 columns

Data Cleaning and Data Preprocessing

describe()

In [5]:

```
df.describe()
```

Out[5]:

	index	YEAR	JAN	FEB	MAR	APR	MAY	JUN
count	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000
mean	2909.000000	1958.000000	10.563478	11.982609	11.872174	9.435652	11.551304	173.578261
std	33.341666	33.341666	15.105752	17.288888	15.540002	13.177554	14.604363	77.517321
min	2852.000000	1901.000000	0.000000	0.000000	0.000000	0.000000	0.000000	21.400000
25%	2880.500000	1929.500000	0.400000	1.100000	0.950000	2.650000	2.250000	116.550000
50%	2909.000000	1958.000000	3.800000	4.800000	4.900000	5.600000	6.200000	156.400000
75%	2937.500000	1986.500000	14.950000	14.300000	16.050000	12.000000	14.900000	232.400000
max	2966.000000	2015.000000	74.900000	84.900000	66.300000	112.700000	83.100000	377.500000

shape

In [6]:

```
np.shape(df)
```

Out[6]: (115, 20)

size

In [7]:

```
np.size(df)
```

Out[7]: 2300

dropna

In [8]:

```
df=df.dropna()
```

columns

In [9]:

```
df.columns
```

Out[9]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY', 'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',

```
'Mar-May', 'Jun-Sep', 'Oct-Dec'],
dtype='object')
```

info()

In [10]:

```
df.info()
```


```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
 #   Column      Non-Null Count  Dtype  
--- 
 0   index       115 non-null    int64  
 1   SUBDIVISION 115 non-null    object  
 2   YEAR        115 non-null    int64  
 3   JAN         115 non-null    float64 
 4   FEB         115 non-null    float64 
 5   MAR         115 non-null    float64 
 6   APR         115 non-null    float64 
 7   MAY         115 non-null    float64 
 8   JUN         115 non-null    float64 
 9   JUL         115 non-null    float64 
 10  AUG         115 non-null    float64 
 11  SEP         115 non-null    float64 
 12  OCT         115 non-null    float64 
 13  NOV         115 non-null    float64 
 14  DEC         115 non-null    float64 
 15  ANNUAL      115 non-null    float64 
 16  Jan-Feb     115 non-null    float64 
 17  Mar-May     115 non-null    float64 
 18  Jun-Sep     115 non-null    float64 
 19  Oct-Dec     115 non-null    float64 
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

Line chart

In [11]:

```
df.plot.line(subplots=True)
```


```
Out[11]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>], dtype=object)
```



Line chart

```
In [12]: df.plot.line()
```


```
Out[12]: <AxesSubplot:>
```



Bar chart

```
In [13]: df.plot.bar()
```


```
Out[13]: <AxesSubplot:>
```



Histogram

In [14]: `df.plot.hist()`


Out[14]: <AxesSubplot:ylabel='Frequency'>



Area chart

In [15]: `df.plot.area()`


Out[15]: <AxesSubplot:>



Box chart

```
In [16]: df.plot.box()
```


```
Out[16]: <AxesSubplot:>
```




Pie chart

```
In [17]: df.plot.pie(y='ANNUAL')
```

```
Out[17]: <AxesSubplot:ylabel='ANNUAL'>
```






Scatter chart

In [18]: `df.plot.scatter(x='SUBDIVISION' ,y='ANNUAL')`

Out[18]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL'>



In [19]:

`df.info()`

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
 #   Column      Non-Null Count  Dtype  
--- 
 0   index       115 non-null    int64  
 1   SUBDIVISION 115 non-null    object  
 2   YEAR        115 non-null    int64  
 3   JAN         115 non-null    float64 
 4   FEB         115 non-null    float64 
 5   MAR         115 non-null    float64 
 6   APR         115 non-null    float64 
 7   MAY         115 non-null    float64 
 8   JUN         115 non-null    float64 
 9   JUL         115 non-null    float64 
 10  AUG         115 non-null    float64 
 11  SEP         115 non-null    float64 
 12  OCT         115 non-null    float64 
 13  NOV         115 non-null    float64 
 14  DEC         115 non-null    float64 
 15  ANNUAL      115 non-null    float64 
 16  Jan-Feb     115 non-null    float64 
 17  Mar-May     115 non-null    float64 
 18  Jun-Sep     115 non-null    float64 
 19  Oct-Dec     115 non-null    float64 
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

In [20]:

`df.describe()`

Out[20]:


	index	YEAR	JAN	FEB	MAR	APR	MAY	JUN
count	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000
mean	2909.000000	1958.000000	10.563478	11.982609	11.872174	9.435652	11.551304	173.578261
std	33.341666	33.341666	15.105752	17.288888	15.540002	13.177554	14.604363	77.517321
min	2852.000000	1901.000000	0.000000	0.000000	0.000000	0.000000	0.000000	21.400000
25%	2880.500000	1929.500000	0.400000	1.100000	0.950000	2.650000	2.250000	116.550000

	index	YEAR	JAN	FEB	MAR	APR	MAY	JUN
50%	2909.000000	1958.000000	3.800000	4.800000	4.900000	5.600000	6.200000	156.400000
75%	2937.500000	1986.500000	14.950000	14.300000	16.050000	12.000000	14.900000	232.400000
max	2966.000000	2015.000000	74.900000	84.900000	66.300000	112.700000	83.100000	377.500000

EDA AND VISUALIZATION


In [21]: `sns.pairplot(df)`

Out[21]: <seaborn.axisgrid.PairGrid at 0x2482fa7b0a0>



In [22]: `sns.displot(df['ANNUAL'])`

Out[22]: <seaborn.axisgrid.FacetGrid at 0x2483af9cc70>

In [23]:
sns.heatmap(df.corr())

Out[23]: <AxesSubplot:>

