

SD LAB

SUBMITTED BY,

ATHIRA S

Roll No:03

S4 Regular MCA

AJCE

SD LAB

```
MINGW64:/c/Users/Home/Desktop/athii

Home@Home-PC MINGW64 ~/Desktop/athii
$ git config --global user.name "Athira S"

Home@Home-PC MINGW64 ~/Desktop/athii
$ git config --global user.email "athiras2022@mca.ajce.in"

Home@Home-PC MINGW64 ~/Desktop/athii
$ git init
Initialized empty Git repository in C:/Users/Home/Desktop/athii/.git/

Home@Home-PC MINGW64 ~/Desktop/athii (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    file1.txt

nothing added to commit but untracked files present (use "git add" to track)

Home@Home-PC MINGW64 ~/Desktop/athii (master)
$ git add file1.txt

Home@Home-PC MINGW64 ~/Desktop/athii (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   file1.txt

Home@Home-PC MINGW64 ~/Desktop/athii (master)
$ git add file2.txt
```

```
MINGW64:/c/Users/Home/Desktop/athii

Home@Home-PC MINGW64 ~/Desktop/athii (master)
$ git add file2.txt

Home@Home-PC MINGW64 ~/Desktop/athii (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   file1.txt
        new file:   file2.txt

Home@Home-PC MINGW64 ~/Desktop/athii (master)
$ git commit -m "first commit"
[master (root-commit) 16546a5] first commit
 2 files changed, 2 insertions(+)
 create mode 100644 file1.txt
 create mode 100644 file2.txt

Home@Home-PC MINGW64 ~/Desktop/athii (master)
$ git log
commit 16546a5c791b07303aad91ecf581945622605dec (HEAD -> master)
Author: Athira S <athiras2022@mca.ajce.in>
Date:   Sun Jul 18 22:44:51 2021 +0530

    first commit
```

```
Home@Home-PC MINGW64 ~/Desktop/athii (master)
$ git checkout 16546a5c791b07303aad91ecf581945622605dec
Note: switching to '16546a5c791b07303aad91ecf581945622605dec'.

You are in 'detached HEAD' state. You can look around, make experimental
changes and commit them, and you can discard any commits you make in this
state without impacting any branches by switching back to a branch.

If you want to create a new branch to retain commits you create, you may
do so (now or later) by using -c with the switch command. Example:

    git switch -c <new-branch-name>

Or undo this operation with:

    git switch -

Turn off this advice by setting config variable advice.detachedHead to false

HEAD is now at 16546a5 first commit

Home@Home-PC MINGW64 ~/Desktop/athii ((16546a5...))
$ |
```

```
MINGW64/c/Users/Home/Desktop/athi

Home@Home-PC MINGW64 ~/Desktop/athi ((9a1d1e7...))
$ git log
commit 9a1d1e7093a50dfa94ab591ecfba18cf79243c43 (HEAD)
Author: ATHIRA S <athiras@gmail.cpm>
Date: Wed Jun 23 15:48:51 2021 +0530

    First commit

Home@Home-PC MINGW64 ~/Desktop/athi ((9a1d1e7...))
$ git log --all
commit 8a804084434f339d9d31f7a4a3a72aa81139fa90 (master)
Author: ATHIRA S <athiras@gmail.cpm>
Date: Wed Jun 23 15:50:39 2021 +0530

    Second commit

commit 9a1d1e7093a50dfa94ab591ecfba18cf79243c43 (HEAD)
Author: ATHIRA S <athiras@gmail.cpm>
Date: Wed Jun 23 15:48:51 2021 +0530

    First commit

Home@Home-PC MINGW64 ~/Desktop/athi ((9a1d1e7...))
$ git checkout 8a804084434f339d9d31f7a4a3a72aa81139fa90 (master)
bash: syntax error near unexpected token '('

Home@Home-PC MINGW64 ~/Desktop/athi ((9a1d1e7...))
$ git checkout 8a804084434f339d9d31f7a4a3a72aa81139fa90
Previous HEAD position was 9a1d1e7 First commit
HEAD is now at 8a80408 Second commit

Home@Home-PC MINGW64 ~/Desktop/athi ((8a80408...))
$ git log
commit 8a804084434f339d9d31f7a4a3a72aa81139fa90 (HEAD, master)
Author: ATHIRA S <athiras@gmail.cpm>
Date: Wed Jun 23 15:50:39 2021 +0530

    Second commit

commit 9a1d1e7093a50dfa94ab591ecfba18cf79243c43
Author: ATHIRA S <athiras@gmail.cpm>
Date: Wed Jun 23 15:48:51 2021 +0530

    First commit

Home@Home-PC MINGW64 ~/Desktop/athi ((8a80408...))
$ git log --all --decorate --oneline --graph
* 8a80408 (HEAD, master) Second commit
* 9a1d1e7 First commit
```

```
MINGW64:/c/Users/Home/Desktop/athi
Home@Home-PC MINGW64 ~/Desktop/athi ((8a80408...))
$ git branch features

Home@Home-PC MINGW64 ~/Desktop/athi ((8a80408...))
$ git branch
* (HEAD detached at 8a80408)
  features
  master

Home@Home-PC MINGW64 ~/Desktop/athi ((8a80408...))
$ git checkout features
Switched to branch 'features'

Home@Home-PC MINGW64 ~/Desktop/athi (features)
$ git branch auth

Home@Home-PC MINGW64 ~/Desktop/athi (features)
$ git checkout auth
Switched to branch 'auth'

Home@Home-PC MINGW64 ~/Desktop/athi (auth)
$ git log --all --decorate --oneline --graph
* 8a80408 (HEAD -> auth, master, features) Second commit
* 9ald1e7 First commit

Home@Home-PC MINGW64 ~/Desktop/athi (auth)
$ git add .

Home@Home-PC MINGW64 ~/Desktop/athi (auth)
$ git status
On branch auth
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   file4.txt

Home@Home-PC MINGW64 ~/Desktop/athi (auth)
$ git commit -m "third commit"
[auth 3c10588] third commit
 1 file changed, 1 insertion(+)
 create mode 100644 file4.txt

Home@Home-PC MINGW64 ~/Desktop/athi (auth)
$ git log
commit 3c10588d68101a199cb554cccb368542c7847c64 (HEAD -> auth)
Author: ATHIRA S <athiras@gmail.cpm>
Date:   Wed Jun 23 16:12:38 2021 +0530

    third commit
```

```

MINGW64:/c/Users/Home/Desktop/athi
third commit

commit 8a804084434f339d9d31f7a4a3a72aa81139fa90 (master, features)
Author: ATHIRA S <athiras@gmail.cpm>
Date: Wed Jun 23 15:50:39 2021 +0530

Second commit

commit 9a1d1e7093a50dfa94ab591ecfba18cf79243c43
Author: ATHIRA S <athiras@gmail.cpm>
Date: Wed Jun 23 15:48:51 2021 +0530

First commit

Home@Home-PC MINGW64 ~/Desktop/athi (auth)
$ git checkout master
Switched to branch 'master'

Home@Home-PC MINGW64 ~/Desktop/athi (master)
$ git merge auth
Updating 8a80408..3c10588
Fast-forward
 file4.txt | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 file4.txt

Home@Home-PC MINGW64 ~/Desktop/athi (master)
$ git merge features
Already up to date.

Home@Home-PC MINGW64 ~/Desktop/athi (master)
$ git log --all --decorate --oneline --graph
* 3c10588 (HEAD -> master, auth) third commit
* 8a80408 (features) Second commit
* 9a1d1e7 First commit

Home@Home-PC MINGW64 ~/Desktop/athi (master)
$ git branch -d auth
Deleted branch auth (was 3c10588).

Home@Home-PC MINGW64 ~/Desktop/athi (master)
$ git log --all --decorate --oneline --graph
* 3c10588 (HEAD -> master) third commit
* 8a80408 (features) Second commit
* 9a1d1e7 First commit

Home@Home-PC MINGW64 ~/Desktop/athi (master)
$ git branch -D features
Deleted branch features (was 8a80408).


```

```

Home@Home-PC MINGW64 ~/Desktop/athi (master)
$ git log --all --decorate --oneline --graph
* 3c10588 (HEAD -> master) third commit
* 8a80408 Second commit
* 9a1d1e7 First commit

Home@Home-PC MINGW64 ~/Desktop/athi (master)
$

```


 Search or jump to... Pull requests Issues Marketplace Explore


Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Owner *


Repository name *

 Athira175


 / RemoteRepo 

Great repository names are short and memorable. Need inspiration? How about [vigilant-palm-tree?](#)

Description (optional)

☒  Public

Anyone on the internet can see this repository. You choose who can commit.

☐  Private

You choose who can see and commit to this repository.


Initialize this repository with:

Skip this step if you're importing an existing repository.


☒ Add a README file

This is where you can write a long description for your project. [Learn more.](#)

← → ↺ github.com/new

☒  Public

Anyone on the internet can see this repository. You choose who can commit.

☐  Private

You choose who can see and commit to this repository.

Initialize this repository with:

Skip this step if you're importing an existing repository.

☒ Add a README file


This is where you can write a long description for your project. [Learn more.](#)

☐ Add .gitignore


Choose which files not to track from a list of templates. [Learn more.](#)


☐ Choose a license

A license tells others what they can and can't do with your code. [Learn more.](#)

This will set  main as the default branch. Change the default name in your [settings](#).

Create repository

© 2021 GitHub, Inc. [Terms](#) [Privacy](#) [Security](#) [Status](#) [Docs](#)  [Contact GitHub](#) [Pricing](#) [API](#) [Training](#) [Blog](#) [About](#)

 Search or jump to... / Pull requests Issues Marketplace Explore

Athira175 / RemoteRepo

Unwatch 1Star 0Fork 0

<> CodeIssuesPull requestsActionsProjectsWikiSecurityInsightsSettings


RemoteRepo / file1 in main

Cancel changes

<> Edit new filePreview

Spaces2No wrap

1 hai



Commit new file

file1 added

Add an optional extended description...

☒ Commit directly to the main branch.
☐ Create a new branch for this commit and start a pull request. [Learn more about pull requests.](#)

Commit new fileCancel


```
Home@Home-PC MINGW64 ~/Desktop/New folder/RemoteRepo (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        rose.txt

nothing added to commit but untracked files present (use "git add" to track)

Home@Home-PC MINGW64 ~/Desktop/New folder/RemoteRepo (main)
$ git add .

Home@Home-PC MINGW64 ~/Desktop/New folder/RemoteRepo (main)
$ git commit -m "rose selected"
[main 2a49e99] rose selected
1 file changed, 1 insertion(+)
create mode 100644 rose.txt

Home@Home-PC MINGW64 ~/Desktop/New folder/RemoteRepo (main)
$ git log
commit 2a49e9959882c487a70e398599888b02c7e3a0c4 (HEAD -> main)
Author: ATHIRA S <kathiras@gmail.cpm>
Date:   Mon Jul 5 21:50:23 2021 +0530

    rose selected

commit f4b8a30276f272d7005cd87d887873860cbd3584 (origin/main, origin/HEAD)
Author: Athira175 <75133643+Athira175@users.noreply.github.com>
Date:   Mon Jul 5 21:27:35 2021 +0530

    Create file2

commit 71027f42fa1697889f8c5ccc6c4fdb27da4c9636
Author: Athira175 <75133643+Athira175@users.noreply.github.com>
Date:   Mon Jul 5 21:12:42 2021 +0530

    Update file1

commit 9f2e1b6b30716f92eb3f9c29a7cc4840191e02ac
Author: Athira175 <75133643+Athira175@users.noreply.github.com>
Date:   Mon Jul 5 21:11:41 2021 +0530

    new image
:...skipping...
commit 2a49e9959882c487a70e398599888b02c7e3a0c4 (HEAD -> main)
Author: ATHIRA S <kathiras@gmail.cpm>
Date:   Mon Jul 5 21:50:23 2021 +0530
```

```
MINGW64/c:/Users/Home/Desktop/New folder/RemoteRepo
Author: Athira175 <75133643+Athira175@users.noreply.github.com>
Date: Mon Jul 5 21:11:41 2021 +0530

    new image
...skipping...
commit 2a49e9959882c487a70e398599888b02c7e3a0c4 (HEAD -> main)
Author: ATHIRA S <athiras@gmail.cpm>
Date: Mon Jul 5 21:50:23 2021 +0530

    rose selected

commit f4b8a30276f272d7005cd87d887873860cbd3584 (origin/main, origin/HEAD)
Author: Athira175 <75133643+Athira175@users.noreply.github.com>
Date: Mon Jul 5 21:27:35 2021 +0530

    Create file2

commit 71027f42fa1697889f8c5ccc6c4fdb27da4c9636
Author: Athira175 <75133643+Athira175@users.noreply.github.com>
Date: Mon Jul 5 21:12:42 2021 +0530

    Update file1

commit 9f2e1b6b30716f92eb3f9c29a7cc4840191e02ac
Author: Athira175 <75133643+Athira175@users.noreply.github.com>
Date: Mon Jul 5 21:11:41 2021 +0530

    new image

commit 43babb7f5e94d28492934affe3a08046be7fe57a
Author: Athira175 <75133643+Athira175@users.noreply.github.com>
Date: Mon Jul 5 20:26:42 2021 +0530


    file1 added

commit c0b18dfd4c9dc585dbe8791242bf24be6fb3fa61
Author: Athira175 <75133643+Athira175@users.noreply.github.com>
Date: Mon Jul 5 20:22:23 2021 +0530

    Initial commit

~
~
~
~
~
~
~
```

[illegible]

A screenshot of a Windows terminal window titled 'MINGW64: c:/Users/Home/Desktop'. The window has standard Windows window controls (minimize, maximize, close) in the top right corner. The terminal text shows a user at 'Home@Home-PC' in a 'MINGW64' environment at the directory '~/Desktop'. They execute the command '\$ git clone https://github.com/Athira175/RepoAthira.git'. The output shows the cloning process: 'Cloning into 'RepoAthira'...', 'remote: Enumerating objects: 12, done.', 'remote: Counting objects: 100% (12/12), done.', 'remote: Compressing objects: 100% (8/8), done.', 'remote: Total 12 (delta 2), reused 0 (delta 0), pack-reused 0', 'Receiving objects: 100% (12/12), 762.15 KiB | 1.78 MiB/s, done.', and 'Resolving deltas: 100% (2/2), done.'. The prompt returns to 'Home@Home-PC MINGW64 ~/Desktop \$' with a cursor.

```
MINGW64: c:/Users/Home/Desktop

Home@Home-PC MINGW64 ~/Desktop
$ git clone https://github.com/Athira175/RepoAthira.git
Cloning into 'RepoAthira'...
remote: Enumerating objects: 12, done.
remote: Counting objects: 100% (12/12), done.
remote: Compressing objects: 100% (8/8), done.
remote: Total 12 (delta 2), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (12/12), 762.15 KiB | 1.78 MiB/s, done.
Resolving deltas: 100% (2/2), done.

Home@Home-PC MINGW64 ~/Desktop
$
```

MINGW64:/c/Users/Home/Desktop/RepoAthira

```
Date: Wed Jul 7 11:31:58 2021 +0530
```

```
file12 is added
```

```
commit 33f53a08d0e657b83e3a8fa52690f63489c98a42 (origin/main, origin/HEAD)
```

Author: Athira175 <75133643+Athira175@users.noreply.github.com>

```
Date: Wed Jul 7 11:25:16 2021 +0530
```

```
upload image
```

```
commit 2394011a05bc0239370c98f82051785bbaafc3bc6
```

Author: Athira175 <75133643+Athira175@users.noreply.github.com>

```
Date: Wed Jul 7 11:24:28 2021 +0530
```

```
create file11
```

```
commit 3cf7c6be3adba3a6317dce92198474cdeed5bc05
```

Author: Athira175 <75133643+Athira175@users.noreply.github.com>

```
Date: Wed Jul 7 11:23:50 2021 +0530
```

```
create file10
```

```
commit b9c304f0df0a02108cb87a24f2b75305939e7a59
```

Author: Athira175 <75133643+Athira175@users.noreply.github.com>

```
Date: Wed Jul 7 11:22:10 2021 +0530
```

```
Initial commit
```

[illegible]

MINGW64:/c/Users/Home/Desktop/RepoAthira

Home@Home-PC MINGW64 ~/Desktop/RepoAthira (main)

```
$ git config --global user.name "[Athira]"
```

Home@Home-PC MINGW64 ~/Desktop/RepoAthira (main)

```
$ git config --global user.email "[athiras@gmail.com]"
```

Home@Home-PC MINGW64 ~/Desktop/RepoAthira (main)

```
$ git status
```

On branch main

Your branch is up to date with 'origin/main'.

Untracked files:

(use "git add <file>..." to include in what will be committed)

FILE12.txt

nothing added to commit but untracked files present (use "git add" to track)

Home@Home-PC MINGW64 ~/Desktop/RepoAthira (main)

```
$ git add .
```

Home@Home-PC MINGW64 ~/Desktop/RepoAthira (main)

```
$ git commit -m "file12 is added"
```

[main 1440dbe] file12 is added

1 file changed, 1 insertion(+)

create mode 100644 FILE12.txt

Home@Home-PC MINGW64 ~/Desktop/RepoAthira (main)

```
$ git log
```

commit 1440dbe21d510474bc00d819652d2107a3dd29c0 (HEAD -> main)

Author: [Athira] <[athiras@gmail.com]>

Date: Wed Jul 7 11:31:58 2021 +0530

file12 is added

commit 33f53a08d0e657b83e3a8fa52690f63489c98a42 (origin/main, origin/HEAD)

Author: Athira175 <75133643+Athira175@users.noreply.github.com>

Date: Wed Jul 7 11:25:16 2021 +0530

upload image

commit 2394011a05bc0239370c98f82051785bbafc3bc6

Author: Athira175 <75133643+Athira175@users.noreply.github.com>

Date: Wed Jul 7 11:24:28 2021 +0530

create file11

MINGW64:/c/Users/Home/Desktop/RepoAthira

Date: Wed Jul 7 11:24:28 2021 +0530

create file11

commit 3cf7c6be3adba3a6317dce92198474cdeed5bc05

Author: Athira175 <75133643+Athira175@users.noreply.github.com>

Date: Wed Jul 7 11:23:50 2021 +0530

create file10

:...skipping...

commit 1440dbe21d510474bc00d819652d2107a3dd29c0 (HEAD -> main)

Author: [Athira] <[athiras@gmail.com]>

Date: Wed Jul 7 11:31:58 2021 +0530

file12 is added

commit 33f53a08d0e657b83e3a8fa52690f63489c98a42 (origin/main, origin/HEAD)

Author: Athira175 <75133643+Athira175@users.noreply.github.com>

Date: Wed Jul 7 11:25:16 2021 +0530

upload image

commit 2394011a05bc0239370c98f82051785bbafc3bc6

Author: Athira175 <75133643+Athira175@users.noreply.github.com>

Date: Wed Jul 7 11:24:28 2021 +0530

create file11

commit 3cf7c6be3adba3a6317dce92198474cdeed5bc05

Author: Athira175 <75133643+Athira175@users.noreply.github.com>

Date: Wed Jul 7 11:23:50 2021 +0530

create file10

commit b9c304f0df0a02108cb87a24f2b75305939e7a59

Author: Athira175 <75133643+Athira175@users.noreply.github.com>

Date: Wed Jul 7 11:22:10 2021 +0530

Initial commit

~
~
~
~
~
~
~

MINGW64/c/Users/Home/Desktop/RepoAthira

```
Home@Home-PC MINGW64 ~/Desktop/RepoAthira (main)
$ git remote add athi https://github.com/Athira175/RepoAthira.git

Home@Home-PC MINGW64 ~/Desktop/RepoAthira (main)
$ git push athi main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 2 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 276 bytes | 276.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Athira175/RepoAthira.git
   33f53a0..1440dbe main -> main

Home@Home-PC MINGW64 ~/Desktop/RepoAthira (main)
$ git branch auth

Home@Home-PC MINGW64 ~/Desktop/RepoAthira (main)
$ git checkout auth
Switched to branch 'auth'

Home@Home-PC MINGW64 ~/Desktop/RepoAthira (auth)
$ git status
On branch auth
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        file13.txt


nothing added to commit but untracked files present (use "git add" to track)

Home@Home-PC MINGW64 ~/Desktop/RepoAthira (auth)
$ git add .

Home@Home-PC MINGW64 ~/Desktop/RepoAthira (auth)
$ git commit -m "file13 insert"
[auth 4048b42] file13 insert
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 file13.txt
```

```
Home@Home-PC MINGW64 ~/Desktop/RepoAthira (auth)
$ git push athi auth
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 2 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 273 bytes | 136.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'auth' on GitHub by visiting:
remote:   https://github.com/Athira175/RepoAthira/pull/new/auth
remote:
To https://github.com/Athira175/RepoAthira.git
 * [new branch]      auth -> auth

Home@Home-PC MINGW64 ~/Desktop/RepoAthira (auth)
$
```

[Code](#) [Issues](#) [Pull requests](#) [Actions](#) [Projects](#) [Wiki](#) [Security](#) [Insights](#) [Settings](#)

auth had recent pushes less than a minute ago

Compare & pull request

main 2 branches 0 tags

Go to file Add file Code

[Athira] file12 is added 1440dbe 12 minutes ago 5 commits

FILE12.txt	file12 is added	12 minutes ago
Koala.jpg	upload image	19 minutes ago
README.md	Initial commit	22 minutes ago
file10	create file10	21 minutes ago
file11	create file11	20 minutes ago

README.md

About

No description, website, or topics provided.

Readme

Releases

No releases published
[Create a new release](#)

Packages

No packages published
[Publish your first package](#)

Open

file13 insert #1

Athira175 wants to merge 1 commit into main from auth

Athira175 commented now

No description provided.

file13 insert

4048b42

Add more commits by pushing to the auth branch on Athira175/RepoAthira.

Continuous integration has not been set up

[GitHub Actions](#) and [several other apps](#) can be used to automatically catch bugs and enforce style.

This branch has no conflicts with the base branch


Merging can be performed automatically.


Merge pull request You can also [open this in GitHub Desktop](#) or view [command line instructions](#).

Write Preview


H B I

Merged



file13 insert #1
Athira175 merged 1 commit into `main` from `auth`  now




Athira175 commented 1 minute ago

Owner  ...

No description provided.


  file13 insert

4048b42



Athira175 merged commit 07d3d2a into `main` now


Revert












Pull request successfully merged and closed

You're all set—the `auth` branch can be safely deleted.

Delete branch




Write Preview


H B I         

Leave a comment


github.com/Athira175/RepoAthira/pull/2

Open



Add files via upload #2
Athira175 wants to merge 1 commit into `main` from `Athira175-patch-1` 



Athira175 commented now


Owner  ...


No description provided.


  Add files via upload


Verified 5b7d604


Add more commits by pushing to the `Athira175-patch-1` branch on `Athira175/RepoAthira`.












 Continuous integration has not been set up
[GitHub Actions](#) and [several other apps](#) can be used to automatically catch bugs and enforce style.

 This branch has no conflicts with the base branch
Merging can be performed automatically.

Merge pull request  You can also [open this in GitHub Desktop](#) or view [command line instructions](#).



Write Preview

H B I         

```
Home@Home-PC MINGW64 ~/Desktop/RepoAthira (auth)
$ git pull athi main
remote: Enumerating objects: 7, done.
remote: Counting objects: 100% (7/7), done.
remote: Compressing objects: 100% (5/5), done.
remote: Total 5 (delta 1), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (5/5), 28.49 KiB | 129.00 KiB/s, done.
From https://github.com/Athira175/RepoAthira
 * branch                main          -> FETCH_HEAD
   1440dbe..bfacb51      main          -> athi/main
Updating 4048b42..bfacb51
Fast-forward
 vermicomposting-of-wood-wastes-ppt-6-638.jpg | Bin 0 -> 27447 bytes
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 vermicomposting-of-wood-wastes-ppt-6-638.jpg
```

```
MINGW64/c/Users/Home/Desktop/at

Home@Home-PC MINGW64 ~/Desktop/at
$ git config --global user.name "[Athira]"

Home@Home-PC MINGW64 ~/Desktop/at
$ git config --global user.email "[athira@gmail.com]"

Home@Home-PC MINGW64 ~/Desktop/at
$ git init
Initialized empty Git repository in C:/Users/Home/Desktop/at/.git/

Home@Home-PC MINGW64 ~/Desktop/at (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    kk.txt

nothing added to commit but untracked files present (use "git add" to track)

Home@Home-PC MINGW64 ~/Desktop/at (master)
$ git add .

Home@Home-PC MINGW64 ~/Desktop/at (master)
$ git commit -m "committed"
[master (root-commit) cd88455] committed
 1 file changed, 8 insertions(+)
 create mode 100644 kk.txt

Home@Home-PC MINGW64 ~/Desktop/at (master)
$ git log
commit cd884555a453f617cbc878fbab56c1431dac7d25 (HEAD -> master)
Author: [Athira] <[athira@gmail.com]>
Date:   Sun Jul 18 22:08:21 2021 +0530

    committed

Home@Home-PC MINGW64 ~/Desktop/at (master)
$
```



kk - Notepad

File Edit Format View Help

```
int add (int , int b)
```

```
int subtract (int a, int b)
```

```
int multiply (int a, int b)
```

```
int divide (int a, int b)
```



kk - Notepad

File Edit Format View Help

```
int add (int , int b)
```

```
return (a+b)
```

```
int subtract (int a, int b)
```

```
int multiply (int a, int b)
```

```
int divide (int a, int b)
```

MINGW64:/c/Users/Home/Desktop/at

Home@Home-PC MINGW64 ~/Desktop/at (master)

\$ git stash

Saved working directory and index state WIP on master: cd88455 committed

Home@Home-PC MINGW64 ~/Desktop/at (master)

\$ git stash pop

On branch master

Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

modified: kk.txt

no changes added to commit (use "git add" and/or "git commit -a")

Dropped refs/stash@{0} (ef9e11d9b229a15557e344fc4537c08ecac20cf9)

Home@Home-PC MINGW64 ~/Desktop/at (master)

\$