## **GIT LAB**

Date: 23-6-2021

```
HEAD is now at 48006b7 first commit
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas ((48006b7...))
§ git log
commit 48006b7ff9bbefdf2886a5068a49adc56641cf5e (HEAD)
Author: Jasmin Joseph <jasminjo@gmail.com>
Date: Wed Jun 23 15:57:56 2021 +0530
    first commit
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas ((48006b7...))
s git log --all commit eeac9caaea4e0e318e9faafbc1f3ab20424cc811 (master)
Author: Jasmin Joseph <jasminjo@gmail.com>
         Wed Jun 23 15:59:43 2021 +0530
Date:
    second commit
commit 48006b7ff9bbefdf2886a5068a49adc56641cf5e (HEAD)
Author: Jasmin Joseph <jasminjo@gmail.com>
Date: Wed Jun 23 15:57:56 2021 +0530
    first commit
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas ((48006b7...))
$ git checkout eeac9caaea4e0e318e9faafbc1f3ab20424cc811
Previous HEAD position was 48006b7 first commit
HEAD is now at eeac9ca second commit
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas ((eeac9ca...))
commit eeac9caaea4e0e318e9faafbc1f3ab20424cc811 (HEAD, master)
Author: Jasmin Joseph <jasminjo@gmail.com>
Date:
         Wed Jun 23 15:59:43 2021 +0530
    second commit
commit 48006b7ff9bbefdf2886a5068a49adc56641cf5e
Author: Jasmin Joseph <jasminjo@gmail.com>
Date: Wed Jun 23 15:57:56 2021 +0530
    first commit
```

```
MINGW64 ~/Desktop/jas ((eeac9ca...))
 git log
commit eeac9caaea4e0e318e9faafbc1f3ab20424cc811 (HEAD, master)
Author: Jasmin Joseph <jasminjo@gmail.com>
Date: Wed Jun 23 15:59:43 2021 +0530
    second commit
commit 48006b7ff9bbefdf2886a5068a49adc56641cf5e
Author: Jasmin Joseph <jasminjo@gmail.com>
Date: Wed Jun 23 15:57:56 2021 +0530
    first commit
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas ((eeac9ca...))
git log --all --decorate --oneline --graph
 eeac9ca (HEAD, master) second commit
 48006b7 first commit
P@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas ((eeac9ca...))
 git branch features
P@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas ((eeac9ca...))
 git branch
  (HEAD detached at eeac9ca)
 features
 master
#P@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas ((eeac9ca...))
 git checkout features
witched to branch 'features'
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (features)
 git branch auth
AP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (features)
 git checkout auth
witched to branch 'auth'
IP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (auth)
 git log --all --decorate --oneline --graph
eeac9ca (HEAD -> auth, master, features) second commit
48006b7 first commit
```

```
P@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (auth)
  git add .
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (auth)
$ git commit -m "third commit"
[auth c29bd39] third commit
1 file changed, 1 insertion(+) create mode 100644 file4.txt
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (auth)
$ git log
commit c29bd39c42a4088c4105c9b7258c34c7a8a3c875 (HEAD -> auth)
Author: Jasmin Joseph <jasminjo@gmail.com>
Date: Wed Jun 23 16:12:42 2021 +0530
     third commit
commit eeac9caaea4e0e318e9faafbc1f3ab20424cc811 (master, features)
Author: Jasmin Joseph <jasminjo@gmail.com>
Date: Wed Jun 23 15:59:43 2021 +0530
     second commit
 ommit 48006b7ff9bbefdf2886a5068a49adc56641cf5e
Author: Jasmin Joseph <jasminjo@gmail.com>
Date: Wed Jun 23 15:57:56 2021 +0530
     first commit
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (auth)
$ git checkout master
Switched to branch 'master'
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
$ git merge auth
Updating eeac9ca..c29bd39
 ast-forward
 file4.txt | 1 +
 1 file changed, 1 insertion(+) create mode 100644 file4.txt
```

```
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
$ git merge auth
Updating eeac9ca..c29bd39
ast-forward
 file4.txt | 1
 1 file changed, 1 insertion(+)
 create mode 100644 file4.txt
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
$ git merge features
Already up to date.
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
$ git log --all --decorate --oneline --graph
  c29bd39 (HEAD -> master, auth) third commit
  eeac9ca (features) second commit
48006b7 first commit
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
$ git branch -d auth
Deleted branch auth (was c29bd39).
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
$ git log --all --decorate --oneline --graph
  c29bd39 (HEAD -> master) third commit
  eeac9ca (features) second commit
48006b7 first commit
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
$ git branch -D features
Deleted branch features (was eeac9ca).
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
$ git log --all --decorate --oneline --graph
* c29bd39 (HEAD -> master) third commit
* eeac9ca second commit
* 48006b7 first commit
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
```

```
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
$ git config --global user.name "Jasmin Joseph"
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
$ git config --global user.email "jasminjo@gmail.com"
 HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
$ git init
Initialized empty Git repository in C:/Users/TEMP.LAPTOP-UG5435CF.003/Desktop/ja
 s/.git/
 HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
$ git status
On branch master
No commits yet
Untracked files:
(use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
 HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
$ git add .
 IP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
$ git status
On branch master
No commits yet
Changes to be committed:

(use "git rm --cached <file>..." to unstage)

new file: file1.txt
 HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
$ git add .
 HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
$ git status
 On branch master
```

```
435CF MINGW64 ~/Desktop/jas (master)
 git status
On branch master
No commits yet
Changes to be committed:

(use "git rm --cached <file>..." to unstage)


new file: file1.txt
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
$ git add .
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
$ git status
On branch master
No commits yet
Changes to be committed:
   (use "git rm --cached <file>..." to unstage)
          new file: file1.txt
new file: file2.txt
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
$ git commit -m "first commit"
[master (root-commit) f674527] first commit
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 file1.txt
create mode 100644 file2.txt
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
$ git log
commit f674527883ac121300b4711c327d143e747f6002 (HEAD -> master)
Author: Jasmin Joseph <jasminjo@gmail.com>
          Mon Jun 21 16:34:59 2021 +0530
Date:
     first commit
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
$ git checkout f674527883ac121300b4711c327d143e747f6002
Note: switching to 'f674527883ac121300b4711c327d143e747f6002'
```

```
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
$ git commit -m "first commit"
[master (root-commit) f674527] first commit
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 file1.txt
create mode 100644 file2.txt
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
commit f674527883ac121300b4711c327d143e747f6002 (HEAD -> master)
Author: Jasmin Joseph <jasminjo@gmail.com>
Date: Mon Jun 21 16:34:59 2021 +0530
    first commit
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
$ git checkout f674527883ac121300b4711c327d143e747f6002
Note: switching to 'f674527883ac121300b4711c327d143e747f6002'.
You are in 'detached HEAD' state. You can look around, make experimental
changes and commit them, and you can discard any commits you make in this
state without impacting any branches by switching back to a branch.
If you want to create a new branch to retain commits you create, you may
do so (now or later) by using -c with the switch command. Example:
  git switch -c <new-branch-name>
Or undo this operation with:
  git switch -
Turn off this advice by setting config variable advice.detachedHead to false
HEAD is now at f674527 first commit
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas ((f674527...))
```

## MINGW64:/c/Users/TEMP.LAPTOP-UG5435CF.003/Desktop


```
#P@LAPTOP-UG5435CF MINGW64 ~/Desktop
$ git clone https://github.com/Jasmin1997-hue/RemoteRepo.git
Cloning into 'RemoteRepo'...
remote: Enumerating objects: 12, done.
remote: Counting objects: 100% (12/12), done.
remote: Compressing objects: 100% (8/8), done.
remote: Total 12 (delta 1), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (12/12), 327.62 KiB | 1.20 MiB/s, done.
Resolving deltas: 100% (1/1), done.


HP@LAPTOP-UG5435CF MINGW64 ~/Desktop
$ |
```



```
git contig --global user.email [jasminjo@gmail.com]
     LAPTOP-UG5435CF MINGW64 ~/Desktop/RepoName (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
Changes to be committed:
(use "git restore --staged <file>..." to unstage)
new file: file 13.txt
  IP@LAPTOP-UG5435CF MINGW64 ~/Desktop/RepoName (main)
$ git add .
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/RepoName (main)
$ git commit -m "file 13 created"
[main c45ad8f] file 13 created
1 file changed, 1 insertion(+)
create mode 100644 file 13.txt
  IP@LAPTOP-UG5435CF MINGW64 ~/Desktop/RepoName (main)
s git log commit c45ad8f4734c08ba9f512a29eb8670654bba573d (HEAD -> main)
Author: [Jasmin Joseph] <[jasminjo@gmail.com]>
Date: Tue Jul 6 11:04:42 2021 +0530
       file 13 created
commit 7aab2f2799fbe6e1931a1fce301e240383387f15 (origin/main, origin/HEAD)
Author: Jasmin1997-hue <74810582+Jasmin1997-hue@users.noreply.github.com>
Date: Tue Jul 6 10:58:14 2021 +0530
      pic uploaded
 commit f8900a3a9a28b41215e0b045a2d94815bccc9c82
Author: Jasmin1997-hue <74810582+Jasmin1997-hue@users.noreply.github.com>
Date: Tue Jul 6 10:57:40 2021 +0530
       file 12 created
commit 9d5f6746c4a4ac790f820a275fc6845f29afaa9c
Author: Jasmin1997-hue <74810582+Jasmin1997-hue@users.noreply.github.com>
Date: Tue Jul 6 10:57:13 2021 +0530
      file 11 created
:...skipping...
commit c45ad8f4734c08ba9f512a29eb8670654bba573d (HEAD -> main)
Author: [Jasmin Joseph] <[jasminjo@gmail.com]>
Date: Tue Jul 6 11:04:42 2021 +0530
       file 13 created
```


```
Author: Jasmin1997-hue <74810582+Jasmin1997-hue@users.noreply.github.com>
Date: Tue Jul 6 10:58:14 2021 +0530
      pic uploaded
commit f8900a3a9a28b41215e0b045a2d94815bccc9c82
Author: Jasmin1997-hue <74810582+Jasmin1997-hue@users.noreply.github.com>
Date: Tue Jul 6 10:57:40 2021 +0530
       file 12 created
commit 9d5f6746c4a4ac790f820a275fc6845f29afaa9c
Author: Jasmin1997-hue <74810582+Jasmin1997-hue@users.noreply.github.com>
Date: Tue Jul 6 10:57:13 2021 +0530
       file 11 created
commit 876e27c7d977417105e5580424e1ec51fb820548
Author: Jasmin1997-hue <74810582+Jasmin1997-hue@users.noreply.github.com>
Date: Tue Jul 6 10:56:19 2021 +0530
       Initial commit
 HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/RepoName (main)
$ git remote add
```





## MINGW64:/c/Users/HP/Desktop/jas

```
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas
$ git config --global user.name"[Jasmin]"
error: invalid key: user.name[Jasmin]
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas
$ git config --global user.name "[Jasmin]"
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas
$ git config --global user.email "[jasminjo@gmail.com]"
 HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas
$ git init
Initialized empty Git repository in C:/Users/HP/Desktop/jas/.git/
 HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
$ git status
On branch master
No commits yet
Untracked files:
(use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
$ git add .
HP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
$ git commit -m "committed"
[master (root-committed 1 file changed, 7 insertions(+) create mode 100644 file 1.txt
 IP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
s git log commit 7ba6cdeae622866af1989ea0bd596c2cf61ddc85 (HEAD -> master)
Author: [Jasmin] <[jasminjo@gmail.com]>
Date: Sun Jul 18 21:38:23 2021 +0530
     committed
 IP@LAPTOP-UG5435CF MINGW64 ~/Desktop/jas (master)
```



## MINGW64:/c/Users/HP/Desktop/jas

```
#P@LAPTOP-UG543SCF MINGW64 ~/Desktop/jas (master)

§ git stash
No local changes to save

#P@LAPTOP-UG543SCF MINGW64 ~/Desktop/jas (master)

§ git stash
Saved working directory and index state WIP on master: 7ba6cde committed

#P@LAPTOP-UG543SCF MINGW64 ~/Desktop/jas (master)

§ git stash pop
On branch master

Changes not staged for commit:
(use "git add <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
modified: file l.txt

no changes added to commit (use "git add" and/or "git commit -a")
Dropped refs/stash@{0} (bee343c8a900d0baad4ea0af3f46046cc3189ea1)

#P@LAPTOP-UG543SCF MINGW64 ~/Desktop/jas (master)

§
```

