3. Working Directory in git.

In computing it is a discotory of herson. chichal file system. If any dynamically 95500 and with each process. It sometimes called current working directory.

143 stated in the git Documention the working diacetory is a Single checkout of one version of the project this essentially means if your cheekout a boanch and doe sat on a particular

staging Area

It is like a weigh doubt space, it's whose you can git add the version of a file or multiple files that we want to save in your next commit.

It is a file that do going to be a past of the next commit, which lets git know celet changes is the file are going to occurs. for the next commit.

## 2. abat 13 csitheb

.) It is a code hosting platform too version control and collaboration.

·) It lets you and other west together on

projects from anywhere

) bit hub essentials like expositioning, bounches,

commit and pull request.

) cost bub essentials (1

stepl: Cocale Repository

step2: cocate a Bounch

Step3: Make and commit changes

Step 1: gran a pull Reguest.

The collection of Intenct hosting of softend as development and version central using got. It after the distributed version control and source use must functionally of of oil plan its and the ability of.

1. Keeping a back of the change re, different cossion.

If the same life

2.14 also keep a second of all files pasont 15 a projed.

a. comparing and conaloging difficult codes with a detailed explanation.

The basic stop to start working in a Gittenviloonmost is to have local autository and a semost autository.

Local Repository

A Local repository is a path or difreetry carded by you on a local competer that is working directory. you work your code in this repocitory which is provide to you centil you publish push it to the scroots

Remote Repository

Remot sepositosy is a public debutory or 15 a public platform to host your cebsite Such as coitheb, Bit backet. Using sit one could easily push a pièce of code or cen entier payed to a remot repository