

05/07/2021

RLMCA232 - System Design Lab

Aim :To Learn about push,clone,pull and gitub merge and conflict concepts

```
sujith@sujith-HP-Laptop-15q-bu0xx: ~/gitlab

(use "git restore <file>..." to discard changes in working directory)
modified:   works/1.odt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
  11.png
  works/15 Sujith Kumar R Exp 2.pdf

no changes added to commit (use "git add" and/or "git commit -a")
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git add .
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git commit -a -m "feat:added new file"
[master 6aa0a8c] feat:added new file
 3 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 11.png
 rewrite works/1.odt (90%)
 create mode 100644 works/15 Sujith Kumar R Exp 2.pdf
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git ststus
git: 'ststus' is not a git command. See 'git --help'.

The most similar command is
  status
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git status
On branch master
nothing to commit, working tree clean
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git push
fatal: The current branch master has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin master

sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git push --set-upstream origin master
Username for 'https://github.com': ^X
Password for 'https://github.com':

remote: Invalid username or password.
fatal: Authentication failed for 'https://github.com/Sujith175/class_demo.git/'
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git remote -v
origin https://github.com/Sujith175/class_demo.git (fetch)
origin https://github.com/Sujith175/class_demo.git (push)
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git push --set-upstream origin master
Username for 'https://github.com': Sujith175
Password for 'https://Sujith175@github.com':
Enumerating objects: 45, done.
Counting objects: 100% (45/45), done.
Delta compression using up to 4 threads
Compressing objects: 100% (41/41), done.
Writing objects: 100% (45/45), 3.00 MiB | 614.00 KiB/s, done.
Total 45 (delta 23), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (23/23), done.
To https://github.com/Sujith175/class_demo.git
 * [new branch]      master -> master
Branch 'master' set up to track remote branch 'master' from 'origin'.
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$
```

master 1 branch 0 tags

Go to file Add file Code

About

Sujith175 feat:added new file 6aa0a8c 3 minutes ago 10 commits		
works	feat:added new file	3 minutes ago
1.png	feat:added new feature	14 days ago
10.png	refactor:added 10 png	14 days ago
11.png	feat:added new file	3 minutes ago
2.png	feat:added new feature	14 days ago
4.png	feat:added new feature	14 days ago
5.png	refactor:added new files in to feature	14 days ago
9.png	refactor:added 1 img file	14 days ago
feature_file	refactor:added new files in to feature	14 days ago
file1	refactor:edited added file 1	16 days ago
file2	refactor:modified file 2	16 days ago
file3	refactor:added new file file 3	16 days ago

Add a README with an overview of your project. Add a README

No description, website, or topics provided.

Releases No releases published Create a new release

Packages No packages published Publish your first package

```
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git branch newfeat
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git checkout newfeat
Switched to branch 'newfeat'
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ vim connection.txt
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git status
On branch newfeat
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        connection.txt

nothing added to commit but untracked files present (use "git add" to track)
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git add .
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git commit -a -m "feat:added new connection"
[newfeat bccb7f3] feat:added new connection
 1 file changed, 1 insertion(+)
   create mode 100644 connection.txt
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git status
On branch newfeat
nothing to commit, working tree clean
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git merge newfeat
Updating 6aa0a8c..bccb7f3
Fast-forward
   connection.txt | 1 +
   1 file changed, 1 insertion(+)
   create mode 100644 connection.txt
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git status
On branch master
Your branch is ahead of 'origin/master' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git push
Username for 'https://github.com': Sujith175
Password for 'https://Sujith175@github.com':
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 307 bytes | 307.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Sujith175/class_demo.git
   6aa0a8c..bccb7f3  master -> master
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$
```

```
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git branch
* master
  newfeat
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git checkout newfeat
Switched to branch 'newfeat'
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ vim add.txt
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git add .
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git commit -a -m "reactor:added numbers to add"
[newfeat e5e52e6] reactor:added numbers to add
 1 file changed, 17 insertions(+)
 create mode 100644 add.txt
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git push
fatal: The current branch newfeat has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin newfeat

sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git push --set-upstream origin newfeat
Username for 'https://github.com': Sujith175
Password for 'https://Sujith175@github.com':
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 312 bytes | 312.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'newfeat' on GitHub by visiting:
remote:   https://github.com/Sujith175/class_demo/pull/new/newfeat
remote:
To https://github.com/Sujith175/class_demo.git
 * [new branch]      newfeat -> newfeat
Branch 'newfeat' set up to track remote branch 'newfeat' from 'origin'.
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$
```

newfeat

2 branches

0 tags

Go to file

Add file

Code

Switch branches/tags

Find or create a branch...

Branches

Tags

master default

newfeat

View all branches

10.png

11.png

2.png

4.png

5.png

9.png

add.txt

connection.txt

feature_file

file1

file2

file3

feat:added new file

feat:added new feature

refactor:added 10 png

feat:added new file

feat:added new feature

feat:added new feature

refactor:added new files in to feature

refactor:added 1 img file

reactor:added numbers to add

feat:added new connection

refactor:added new files in to feature

refactor:edited added file 1

refactor:modified file 2

refactor:added new file file 3

e5e52e6

1 minute ago

12 commits

Add a README with an overview of your project.

Add a README

About

No description, website, or topics provided.

Releases

No releases published

Create a new release


Packages

No packages published

Publish your first package

```
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ vim add.txt
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git commit -a -m "refactor:edited add file"
[master 279d4ef] refactor:edited add file
1 file changed, 10 insertions(+), 17 deletions(-)
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git status
On branch master
Your branch is ahead of 'origin/master' by 2 commits.
(use "git push" to publish your local commits)

nothing to commit, working tree clean
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git checkout newfeat
Switched to branch 'newfeat'
Your branch is up to date with 'origin/newfeat'.
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ vim add.txt
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git commit -a -m "refactor:edited add file"
[newfeat c8bbca9] refactor:edited add file
1 file changed, 1 insertion(+), 6 deletions(-)
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git push
Username for 'https://github.com': Sujith175
Password for 'https://Sujith175@github.com':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 312 bytes | 312.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Sujith175/class_demo.git
e5e52e6..c8bbca9 newfeat -> newfeat
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git checkout master
Switched to branch 'master'
Your branch is ahead of 'origin/master' by 2 commits.
(use "git push" to publish your local commits)
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git push
Username for 'https://github.com': Sujith175
Password for 'https://Sujith175@github.com':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 318 bytes | 318.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Sujith175/class_demo.git
bcb7f3..279d4ef master -> master
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git merge newfeat
Auto-merging add.txt
CONFLICT (content): Merge conflict in add.txt
Automatic merge failed; fix conflicts and then commit the result.
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$
```

```
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git push
Username for 'https://github.com': Sujith175
Password for 'https://Sujith175@github.com':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 318 bytes | 318.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Sujith175/class_demo.git
    bcb7f3..279d4ef  master -> master
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git merge newfeat
Auto-merging add.txt
CONFLICT (content): Merge conflict in add.txt
Automatic merge failed; fix conflicts and then commit the result.
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git merge newfeat
error: Merging is not possible because you have unmerged files.
hint: Fix them up in the work tree, and then use 'git add/rm <file>'
hint: as appropriate to mark resolution and make a commit.
fatal: Exiting because of an unresolved conflict.
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git status
On branch master
Your branch is up to date with 'origin/master'.

You have unmerged paths.
  (fix conflicts and run "git commit")
  (use "git merge --abort" to abort the merge)

Unmerged paths:
  (use "git add <file>..." to mark resolution)
    both modified:   add.txt

no changes added to commit (use "git add" and/or "git commit -a")
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git commit -a -m "refactor:final edit"
[master 469d071] refactor:final edit
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git merge newfeat
Already up to date.
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$
```