


RLMCA232 - System Design Lab

```
sujith@sujith-HP-Laptop-15q-bu0xx: ~/gitlab
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /home/sujith/gitlab/.git/
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ ls
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git status
On branch master

No commits yet

nothing to commit (create/copy files and use "git add" to track)
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ vim file1
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$
```



The image shows a terminal window with a dark background. The title bar at the top reads "sujith@sujith-HP-Laptop-15q-bu0xx: ~/gitlab". The terminal content shows the text "hello sujith" followed by a vertical line of tilde characters (~) on the left side. At the bottom left, there is a prompt character ":" followed by "WQ!" and a cursor.

```
sujith@sujith-HP-Laptop-15q-bu0xx: ~/gitlab
hint:
hint:  git branch -m <name>
Initialized empty Git repository in /home/sujith/gitlab/.git/
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ ls
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git status
On branch master

No commits yet

nothing to commit (create/copy files and use "git add" to track)
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ vim file1
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        1.png
        2.png
        file1

nothing added to commit but untracked files present (use "git add" to track)
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$
```

```
sujith@sujith-HP-Laptop-15q-bu0xx: ~/gitlab
No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        1.png
        2.png
        file1

nothing added to commit but untracked files present (use "git add" to track)
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git add .
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   1.png
        new file:   2.png
        new file:   3.png
        new file:   file1

sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$
```

```
sujith@sujith-HP-Laptop-15q-bu0xx: ~/gitlab

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   1.png
    new file:   2.png
    new file:   3.png
    new file:   file1

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    4.png
    file2

sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git commit -a -m "refactor:edited added file 1"
[master (root-commit) 56abeef] refactor:edited added file 1
 4 files changed, 1 insertion(+)
 create mode 100644 1.png
 create mode 100644 2.png
 create mode 100644 3.png
 create mode 100644 file1
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$
```

```
sujith@sujith-HP-Laptop-15q-bu0xx: ~/gitlab

sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git commit -a -m "refactor:edited added file 1"
[master (root-commit) 56abeef] refactor:edited added file 1
 4 files changed, 1 insertion(+)
 create mode 100644 1.png
 create mode 100644 2.png
 create mode 100644 3.png
 create mode 100644 file1
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git add .
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   4.png
    new file:   5.png
    new file:   file2

sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git log
commit 56abeef04bf27b8f101f7fe622cd45c29386a178 (HEAD -> master)
Author: Sujith175 <sujithkumar.sk75@gmail.com>
Date:   Mon Jun 21 15:25:31 2021 +0530

    refactor:edited added file 1
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$
```

```
sujith@sujith-HP-Laptop-15q-bu0xx: ~/gitlab

commit 56abeeff04bf27b8f101f7fe622cd45c29386a178 (HEAD -> master)
Author: Sujith175 <sujithkumar.sk75@gmail.com>
Date: Mon Jun 21 15:25:31 2021 +0530

    refactor:edited added file 1
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ vim file2
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   4.png
    new file:   5.png
    new file:   file2

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   file2

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    6.png

sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$
```

```
sujith@sujith-HP-Laptop-15q-bu0xx: ~/gitlab

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   4.png
    new file:   5.png
    new file:   file2

sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git log
commit 56abeeff04bf27b8f101f7fe622cd45c29386a178 (HEAD -> master)
Author: Sujith175 <sujithkumar.sk75@gmail.com>
Date: Mon Jun 21 15:25:31 2021 +0530

    refactor:edited added file 1
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ vim file2
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   4.png
    new file:   5.png
    new file:   file2

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   file2

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    4.png

sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git add .
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git commit -a -m "refactor:modified file 2"
[master 2aa3fa7] refactor:modified file 2
5 files changed, 2 insertions(+)
create mode 100644 4.png
create mode 100644 5.png
create mode 100644 6.png
create mode 100644 7.png
create mode 100644 file2
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git status
On branch master
nothing to commit, working tree clean
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git log
commit 2aa3fa7bc51ff19025de2c900cf0dde5a4561fa (HEAD -> master)
Author: Sujith175 <sujithkumar.sk75@gmail.com>
Date: Mon Jun 21 15:27:38 2021 +0530

    refactor:modified file 2

commit 56abeeff04bf27b8f101f7fe622cd45c29386a178
Author: Sujith175 <sujithkumar.sk75@gmail.com>
Date: Mon Jun 21 15:25:31 2021 +0530


    refactor:edited added file 1
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$
```

```
sujith@ Sujith-HP-Laptop-15q-bu0xx: ~/gitlab
On branch master
nothing to commit, working tree clean
sujith@ Sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git log
commit 2aa3fa7bc51ff19025de2c900cf06dde5a4561fa (HEAD -> master)
Author: Sujith175 <sujithkumar.sk75@gmail.com>
Date: Mon Jun 21 15:27:38 2021 +0530

    refactor:modified file 2

commit 56abeef04bf27b8f101f7fe622cd45c29386a178
Author: Sujith175 <sujithkumar.sk75@gmail.com>
Date: Mon Jun 21 15:25:31 2021 +0530

    refactor:edited added file 1
sujith@ Sujith-HP-Laptop-15q-bu0xx:~/gitlab$ vim file3
sujith@ Sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git add .
sujith@ Sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git commit -a -m "refactor:added new file file 3"
[master bce687f] refactor:added new file file 3
 2 files changed, 1 insertion(+)
 create mode 100644 8.png
 create mode 100644 file3
sujith@ Sujith-HP-Laptop-15q-bu0xx:~/gitlab$
```





```
sujith@sujith-HP-Laptop-15q-bu0xx: ~/gitlab
Author: Sujith175 <sujithkumar.sk75@gmail.com>
Date: Mon Jun 21 15:27:38 2021 +0530

refactor:modified file 2

commit 56abeef04bf27b8f101f7fe622cd45c29386a178
Author: Sujith175 <sujithkumar.sk75@gmail.com>
Date: Mon Jun 21 15:25:31 2021 +0530

refactor:edited added file 1
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ vim file3
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git add .
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git commit -a -m "refactor:added new file file 3"
[master bce687f] refactor:added new file file 3
2 files changed, 1 insertion(+)
create mode 100644 8.png
create mode 100644 file3
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git log
commit bce687f9508377c71214056fd7fd6bf38181843b (HEAD -> master)
Author: Sujith175 <sujithkumar.sk75@gmail.com>
Date: Mon Jun 21 15:30:04 2021 +0530

refactor:added new file file 3

commit 2aa3fa7bc51ff19025de2c900cf06dde5a4561fa
Author: Sujith175 <sujithkumar.sk75@gmail.com>
Date: Mon Jun 21 15:27:38 2021 +0530

refactor:modified file 2

commit 56abeef04bf27b8f101f7fe622cd45c29386a178
Author: Sujith175 <sujithkumar.sk75@gmail.com>
Date: Mon Jun 21 15:25:31 2021 +0530

refactor:edited added file 1
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$ git checkout 2aa3fa7bc51ff19025de2c900cf06dde5a4561fa
Note: switching to '2aa3fa7bc51ff19025de2c900cf06dde5a4561fa'.

You are in 'detached HEAD' state. You can look around, make experimental
changes and commit them, and you can discard any commits you make in this
state without impacting any branches by switching back to a branch.

If you want to create a new branch to retain commits you create, you may
do so (now or later) by using -c with the switch command. Example:

git switch -c <new-branch-name>

Or undo this operation with:

git switch -

Turn off this advice by setting config variable advice.detachedHead to false

HEAD is now at 2aa3fa7 refactor:modified file 2
sujith@sujith-HP-Laptop-15q-bu0xx:~/gitlab$
```

