
Predicted switching to M: humans vs. gpt−5.4 vs. Claude
Mean of (predicted # players choosing M / 6), with 95% CI
Humans
gpt−5.4
Claude (opus−4−8)
Predicted proportion choosing M (round 9)
100%
75%
50%
25%
0%
43%
0%
0%
70%
7%
17%
55%
28%
35%
79%
75%
52%
0M
1M
2M
3M
Round−8 evidence (number of 6 players who chose M)


Most participants would themselves choose M − even with
Self−reported choice for round 9 ('if you were player 1'), 95% CI
100%
75%
50%
25%
0%
Proportion who would choose M themselves
52%
74%
73%
83%
0M
1M
2M
3M
Round−8 evidence (number of 6 players who chose M)


Would choose M themselves: humans vs. Claude
Self−reported round−9 choice ('if you were player 1'), 95% CI
Humans
Claude (opus−4−8)
Proportion who would choose M themselves
100%
75%
50%
25%
0%
52%
0%
74%
0%
73%
10%
83%
100%
0M
1M
2M
3M
Round−8 evidence (number of 6 players who chose M)


Self choice of M exceeds predicted choice for others
Round−9 choice of M, by round−8 evidence (95% CI)
Predicted for others
Would choose themselves
100%
75%
50%
25%
0%
Proportion choosing M
0M
1M
2M
3M
Round−8 evidence (number of 6 players who chose M)


Reasoning themes by condition
Keyword−based; responses may mention more than one theme
Coordination / matching risk
Higher payoff / switch to M
Gradual / uncertain
Stick with J / convention
100%
75%
50%
25%
0%
Proportion of responses mentioning theme
0M
1M
2M
3M
Round−8 evidence (number of 6 players who chose M)


Most frequent words in reasoning, by self−choice
Would choose M
m
j
n
higher
now
pick
go
some
s
next
from
change
0
25
50
75
Would not choose M
j
m
same
n
likely
new
worth
two
stick
pick
go
between
0
10
20
30
Word count