## Lab5 HDFS

to start hadoop services start-all.sh jps

```
hadoop@bmscecse-HP-Elite-Tower-800-G9-Desktop-PC:~$ start-all.sh
```

make a new directory and display the dierctory contents

```
hadoop@bmscecse-HP-Elite-Tower-800-G9-Desktop-PC:~$ hdfs dfs -mkdir /bda_hadoop
hadoop@bmscecse-HP-Elite-Tower-800-G9-Desktop-PC:~$ hadoop fs -ls /
Found 2 items
drwxr-xr-x - hadoop supergroup 0 2024-05-14 14:10 /abc
drwxr-xr-x - hadoop supergroup 0 2024-05-14 14:30 /bda_hadoop
```

use put to copy files from local to bda\_hadoop folder

```
hadoop@bmscecse-HP-Elite-Tower-800-G9-Desktop-PC:-$ hdfs dfs -put /home/hadoop/Desktop/welcome.txt /bda_hadoop/file.txt hadoop@bmscecse-HP-Elite-Tower-800-G9-Desktop-PC:-$ hdfs dfs -cat /bda_hadoop/file.txt hadoop is an open source platform
```

use copyFromLocal to copy files from local to bda\_hadoop folder

```
hadoop@bmscecse-HP-Elite-Tower-800-G9-Desktop-PC:-$ hdfs dfs -copyFromLocal /home/hadoop/Desktop/welcome.txt /bda_hadoop/file_cp_local.txt hadoop@bmscecse-HP-Elite-Tower-800-G9-Desktop-PC:-$ hdfs dfs -cat /bda_hadoop/file_cp_local.txt hadoop is an open source platform
```

use get to copy files from hadoop folder to local

```
hadoop@bmscecse-HP-Elite-Tower-800-G9-Desktop-PC:~$ hdfs dfs -get /bda_hadoop/file.txt /home/hadoop/Desktop/file_get.txt
```

make a merged file from hadoop and store it in local desktop

```
hadoop@bmscecse-HP-Elite-Tower-800-G9-Desktop-PC:-$ hdfs dfs -getmerge /bda_hadoop/file.txt /bda_hadoop/file_cp_local.txt /home/hadoop/Desktop/merged_file.txt
```

use getfacl to show the access rights

```
hadoop@bmscecse-HP-Elite-Tower-800-G9-Desktop-PC:~$ hadoop fs -getfacl /bda_hadoop/
# file: /bda_hadoop
# owner: hadoop
# group: supergroup
user::rwx
group::r-x
other::r-x
```

move the contents of a directory to another directory in hadoop