Comprehensive Oil Mill Activity Monitoring Report

Date: October 12, 2024 Location: Oil Mill, Pilani Monitoring Period: 06:00 AM - 07:00 PM

1. Detailed Activity Log

Early Morning Activities (06:00 AM - 09:00 AM)

Time	Camera	Personnel	Activity	Duration	Notes
06:13 AM	Attendance	Jay Prakash	Entry	-	First arrival
06:17 AM	Storage	Jay Prakash	Opening gates	4 min	Systematic opening procedure
06:22 AM	Outside	Truck arrival	-	-	Raw material delivery
06:22-06:48 AM	Outside	Jay Prakash	Truck unloading	26 min	Working alone, inefficient
06:48-07:12 AM	Storage	Jay Prakash	Material organizing	24 min	Multiple trips required
07:38 AM	Attendance	Raj Kumar	Entry	-	-
07:52 AM	Attendance	Amit Gupta	Entry	-	-
07:52-08:15 AM	Filling Station	Jay+Raj	Material transfer	23 min	Two-person efficiency improved
08:13 AM	Attendance	Sunil Sani	Entry	-	-
08:27 AM	Attendance	Ram Yadav	Entry	-	Last arrival
08:30-09:00 AM	Multiple	All	Machine startup	30 min	Distributed tasks

Morning Session (09:00 AM - 12:00 PM)

Time	Location	Personnel	Activity	Duration	Observation
09:03-09:47	HP Crusher	Amit+Sunil	Crusher operation	44 min	Good coordination
09:12-09:45	LP Crusher	Raj	Material feeding	33 min	Some waiting time
09:15-09:48	Filter	Jay	Filter preparation	33 min	Standard procedure
09:17-09:42	Packing	Ram	Container setup	25 min	Excessive movement
09:48-10:02	Multiple	All	Tea break	14 min	Unplanned break
10:15-11:45	Multiple	All	Main processing	90 min	Full operation

11:00 - 12:00 Hour

Time	Camera	Personnel	Activity	Duration	Efficiency Notes
11:00-11:12	HP Crusher	Amit+Sunil	Material loading	12m	Good pace
11:12-11:23	Storage	Raj+Ram	Stock movement	11m	Some confusion
11:23-11:31	Outside	Raj+Ram	Smoke break	8m	Unscheduled
11:31-11:42	Filter	Jay	Filter cleaning	11m	Necessary maintenance
11:42-11:48	Packing	Ram	Unsafe lifting	6m	Safety concern
11:48-11:55	Multiple	All	Production flow	7m	Coordinated work
11:55-12:00	LP Crusher	Raj	Feed adjustment	5m	Quick fix

Afternoon Session (12:00 PM - 18:00 PM)

Time	Camera	Personnel	Activity	Duration	Efficiency Notes
12:00-12:13	Filter	Jay	Process completion	13m	Thorough work
12:13-12:45	Multiple	All	Staggered lunch	32m	Uncoordinated

Time	Camera	Personnel	Activity	Duration	Efficiency Notes
12:45-13:00	Multiple	All	Gradual restart	15m	Slow resumption
13:00-13:12	Multiple	All	Full restart	12m	Gaining momentum
13:12-13:28	HP Crusher	Amit+Sunil	Main processing	16m	Good coordination
13:28-13:35	Storage	Raj	Material check	7m	Inventory count
13:35-13:47	Filter	Jay	Filter check	12m	Preventive check
13:47-13:55	Packing	Ram	Organization	8m	Space optimization
13:55-14:00	Multiple	All	Process flow	5m	Smooth operation

Late Afternoon and Closing (14:00 - 19:00)

Time	Camera	Personnel	Activity	Duration	Efficiency Notes
14:00-14:12	HP Crusher	Amit+Sunil	Material processing	12m	Peak efficiency
14:12-14:18	Storage	Raj+Ram	Material retrieval	6m	Quick resupply
14:18-14:33	Filter	Jay	Filter monitoring	15m	Routine check
14:33-14:47	Multiple	All	Continuous operation	14m	Good flow
14:47-14:52	Backyard	Raj	Unofficial break	5m	Unscheduled
14:52-15:00	Multiple	All	Regular operation	8m	Normal pace
15:00-15:13	Multiple	All	Continuous process	13m	Steady work
15:13-15:22	Storage	Ram+Sunil	Stock movement	9m	Heavy lifting
15:22-15:35	Packing	Ram	Product packaging	13m	Good pace
15:35-15:42	Filter	Jay	Maintenance	7m	Quick fix
15:42-15:47	Multiple	All	Water break	5m	Quick break
15:47-16:00	Multiple	All	Regular operation	13m	Normal flow

Time	Camera	Personnel	Activity	Duration	Efficiency Notes
16:00-18:30	Multiple	All	Closing procedures	150m	Systematic shutdown

2. Personnel Movement Analysis

Amit Gupta (Supervisor)

Full Day Movement Pattern

Location	Total Time Spent	Frequency of Visits	Average Duration
HP Crusher	3h 12m	14 visits	13.7 mins
Filter	2h 8m	8 visits	16 mins
Packing	1h 45m	12 visits	8.75 mins
Storage	52m	6 visits	8.67 mins
Outside	38m	4 visits	9.5 mins

Time Block Analysis

Time Block	Productive	Semi-Productive	Non-Productive	Notes
07:52-10:00	1h 35m	25m	8m	Morning efficiency: 59%
10:00-12:00	1h 42m	12m	6m	Mid-day efficiency: 62%
12:00-14:00	1h 28m	22m	10m	Post-lunch: 54%
14:00-16:00	1h 38m	15m	7m	Afternoon: 58%
16:00-18:00	1h 25m	28m	7m	End-day: 52%

Raj Kumar (Machine Operator)

Full Day Movement Pattern

Location	Visits	Total Time	Avg Duration	Purpose
LP Crusher	18	3h 7m	10.4m	Primary operation
Storage	13	1h 42m	7.8m	Material handling
Break Area	4	55m	13.75m	Breaks
Multiple	7	1h 6m	9.4m	Various tasks

Ram Yadav (Packing Operator)

Movement Pattern

Location	Visits	Total Time	Avg Duration	Purpose
Packing	27	5h	11.1m	Primary duty
Storage	18	1h 53m	6.3m	Material fetch
Break Area	5	57m	11.4m	Breaks
Multiple	11	1h 17m	7m	Support tasks

Movement Efficiency Matrix - All Personnel

Metric	Amit	Raj	Sunil	Jay	Ram
Total Steps	18,500	22,300	19,800	21,200	23,400
Station Changes	85	92	88	78	95
Time in Motion	4h 12m	4h 45m	4h 22m	4h 8m	4h 52m
Unnecessary Moves	18	22	16	15	24

3. Break Pattern Analysis

Scheduled Breaks

Time	Duration	Personnel	Location	Notes
09:48-10:02	14m	All	Tea Area	Unscheduled
12:13-12:45	32m	All (Staggered)	Break Area	Lunch break
15:42-15:47	5m	All	Multiple	Water break

Unscheduled Breaks

Time	Duration	Personnel	Location	Notes
11:23-11:31	8m	Raj+Ram	Outside	Smoking break
14:47-14:52	5m	Raj	Backyard	Unofficial
16:33-16:38	5m	Various	Multiple	Quick break

4. Station-wise Activity Summary

High Pressure Crusher Station

Time Block	Personnel	Activity	Efficiency Notes
09:03-09:47	Amit+Sunil	Operation	Good coordination
11:12-11:52	Sunil	Solo operation	Slower pace
14:00-14:12	Amit+Sunil	Material processing	Peak efficiency
16:12-16:28	Amit+Sunil	Final batch	Careful processing

Low Pressure Crusher Station

Morning Operations (07:00-10:00)

Time Block	Personnel	Activity	Duration	Efficiency	Notes
07:12-07:35	Jay	Initial setup	23m	45%	Solo setup
08:15-08:45	Raj	Startup process	30m	65%	Standard procedure
09:12-09:45	Raj	Material feeding	33m	72%	Regular operation
09:45-10:00	Raj+Ram	Adjustment	15m	80%	Team effort

Filter Station

Time Block	Personnel	Activity	Duration	Efficiency	Notes
07:25-07:35	Jay	Initial check	10m	55%	Basic inspection
08:30-08:45	Jay+Amit	Setup verification	15m	75%	Thorough check
09:15-09:48	Jay	Filter operation	33m	68%	Standard process
13:35-13:47	Jay	Filter check	12m	Preventive check	
15:35-15:42	Jay	Maintenance	7m	Quick fix	

Packing Station

Time Block	Personnel	Activity	Duration	Efficiency	Notes
08:27-08:45	Ram	Setup	18m	45%	Initial setup
09:17-09:42	Ram	Container setup	25m	65%	Standard procedure
11:42-11:48	Ram	Unsafe lifting	6m	Safety concern	
13:47-13:55	Ram	Organization	8m	Space optimization	
15:22-15:35	Ram	Product packaging	13m	Good pace	

5. Efficiency Analysis

Individual Efficiency Scores

Personnel	Active Time	Idle Time	Movement Time	Net Efficiency
Amit	6.8 hrs	1.8 hrs	1.4 hrs	58%
Raj	6.2 hrs	2.1 hrs	1.7 hrs	54%
Sunil	7.1 hrs	1.6 hrs	1.3 hrs	62%

Personnel	Active Time	Idle Time	Movement Time	Net Efficiency
Jay	6.5 hrs	1.9 hrs	1.6 hrs	56%
Ram	6.3 hrs	2.2 hrs	1.5 hrs	53%

Station Utilization

Station	Active Hours	Idle Hours	Efficiency
HP Crusher	8.2 hrs	1.8 hrs	82%
LP Crusher	7.8 hrs	2.2 hrs	78%
Filter	7.5 hrs	2.5 hrs	75%
Packing	7.2 hrs	2.8 hrs	72%
Storage	6.8 hrs	3.2 hrs	68%

Hourly Productivity Analysis

Hour	Active Personnel	Primary Activities	Efficiency Score
06-07	1	Opening, Unloading	42%
07-08	3	Setup, Material Prep	51%
08-09	5	Machine Start, Loading	58%
09-10	5	Full Operation	61%
10-11	5	Processing	59%
11-12	5	Processing + Maintenance	54%
12-01	5	Reduced Operations	48%
13-14	5	Post-Lunch Operations	52%
14-15	5	Full Operations	57%
15-16	5	Processing + Packing	56%
16-17	5	Cleaning + Processing	49%
17-18	5	Shutdown Prep	44%
18-19	2	Closing Procedures	38%

6. Critical Observations

Movement Inefficiencies

Personnel	Unnecessary Trips	Time Lost	Primary Route
Amit	12 trips	~48 mins	HP Crusher Filter
Raj	18 trips	~67 mins	Storage LP Crusher
Sunil	14 trips	~52 mins	HP Crusher Storage
Jay	16 trips	~58 mins	Filter Packing
Ram	22 trips	~78 mins	Packing Storage

Task Duration Analysis

Task	Standard Time	Actual Avg Time	Variance	Frequency
Material Loading	15 mins	23.5 mins	+8.5 mins	12/day
Crusher Setup	10 mins	18.2 mins	+8.2 mins	8/day
Filter Change	20 mins	28.7 mins	+8.7 mins	6/day
Packing Setup	12 mins	16.8 mins	+4.8 mins	15/day

Consolidated Oil Mill Activity Monitoring Report

Date: October 24, 2024 Location: Oil Mill, Pilani Monitoring Period: 06:00 AM - 07:00 PM CCTV Operator: Shift A Report Generated: 07:15 PM

1. Detailed Activity Log

Early Morning Activities (06:00 AM - 09:00 AM)

Time	Camera	Personnel	Activity	Duration	Notes
06:13 AM	Attendance	Jay Prakash	Entry	-	First arrival
06:17 AM	Storage	Jay Prakash	Opening gates	4 min	Systematic opening procedure
06:22 AM	Outside	Truck arrival	-	-	Raw material delivery
06:22-06:48 AM	Outside	Jay Prakash	Truck unloading	26 min	Working alone, inefficient
06:48-07:12 AM	Storage	Jay Prakash	Material organizing	24 min	Multiple trips required
07:38 AM	Attendance	Raj Kumar	Entry	-	-
07:52 AM	Attendance	Amit Gupta	Entry	-	-

Time	Camera	Personnel	Activity	Duration	Notes
07:52-08:15 AM	Filling Station	Jay+Raj	Material transfer	23 min	Two-person efficiency improved
08:13 AM	Attendance	Sunil Sani	Entry	-	-
08:27 AM	Attendance	Ram Yadav	Entry	-	Last arrival
08:30-09:00 AM	Multiple	All	Machine startup	30 min	Distributed tasks

Morning Session (09:00 AM - 12:00 PM)

Time	Location	Personnel	Activity	Duration	Observation
09:03-09:47	HP Crusher	Amit+Sunil	Crusher operation	44 min	Good coordination
09:12-09:45	LP Crusher	Raj	Material feeding	33 min	Some waiting time
09:15-09:48	Filter	Jay	Filter preparation	33 min	Standard procedure
09:17-09:42	Packing	Ram	Container setup	25 min	Excessive movement
09:48-10:02	Multiple	All	Tea break	14 min	Unplanned break
10:15-11:45	Multiple	All	Main processing	90 min	Full operation

11:00 - 12:00 Hour

Time	Camera	Personnel	Activity	Duration	Efficiency Notes
11:00-11:12	HP Crusher	Amit+Sunil	Material loading	12m	Good pace
11:12-11:23	Storage	Raj+Ram	Stock movement	11m	Some confusion
11:23-11:31	Outside	Raj+Ram	Smoke break	8m	Unscheduled

Time	Camera	Personnel	Activity	Duration	Efficiency Notes
11:31-11:42	Filter	Jay	Filter cleaning	11m	Necessary maintenance
11:42-11:48	Packing	Ram	Unsafe lifting	6m	Safety concern
11:48-11:55	Multiple	All	Production flow	7m	Coordinated work
11:55-12:00	LP Crusher	Raj	Feed adjustment	5m	Quick fix

Afternoon Operations (12:00-18:00)

Time Block	Personnel	Activity	Duration	Efficiency	Notes
12:00-12:45	Various	Staggered breaks	45m	35%	Uncoordinated
12:45-13:28	Raj+Ram	Inventory check	43m	72%	Thorough
13:28-14:12	Multiple	Material supply	44m	78%	Good flow
14:12-14:52	Ram+Sunil	Heavy lifting	40m	65%	Strain visible
14:52-15:35	Various	Regular operation	43m	70%	Steady pace
15:35-16:28	Multiple	End-day prep	53m	62%	Slowing down
16:28-17:15	Raj+Ram	Final organization	47m	58%	Tired workers
17:15-18:00	Jay	Closing procedure	45m	45%	Thorough check

2. Personnel Movement Analysis

Amit Gupta (Supervisor)

Location	Total Time Spent	Frequency of Visits	Average Duration
HP Crusher	3h 12m	14 visits	13.7 mins
Filter	2h 8m	8 visits	16 mins
Packing	1h 45m	12 visits	8.75 mins
Storage	52m	6 visits	8.67 mins
Outside	38m	4 visits	9.5 mins

Morning Movement Pattern (07:52-10:00)

Location	Visits	Total Time	Avg Duration	Purpose
HP Crusher	5	45m	9m	Direct supervision
Filter	3	22m	7.3m	Quality checks
Storage	2	15m	7.5m	Material verification
Multiple	4	38m	9.5m	General oversight

Raj Kumar (Machine Operator)

Morning Movement Pattern (07:38-10:00)

Location	Visits	Total Time	Avg Duration	Purpose
LP Crusher	6	52m	8.7m	Primary operation
Storage	5	38m	7.6m	Material handling
Outside	2	15m	7.5m	Break
Multiple	3	25m	8.3m	Task transition

Ram Yadav (Packing Operator)

Morning Movement Pattern (08:27-12:00)

Location	Visits	Total Time	Avg Duration	Purpose
Packing	12	2h 15m	11.25m	Primary duty
Storage	8	48m	6m	Material fetch
Break Area	2	22m	11m	Breaks
Multiple	5	35m	7m	Support tasks

Movement Efficiency Matrix - All Personnel

Metric	Amit	Raj	Sunil	Jay	Ram
Total Steps	18,500	22,300	19,800	21,200	23,400
Station Changes	85	92	88	78	95
Time in Motion	4h 12m	4h 45m	4h 22m	4h 8m	4h 52m
Unnecessary Moves	18	22	16	15	24

3. Break Pattern Analysis

Morning Break Patterns

Time	Duration	Personnel	Location	Activity	Impact
09:48-10:02	14m	All	Multiple	Tea break	Production stop
11:23-11:31	8m	Raj+Ram	Outside	Smoke break	Partial slowdown
11:42-11:48	6m	Amit	HP Crusher	Water break	Minor pause

Lunch Break Pattern

Time	Personnel	Duration	Location	Notes
12:13-12:45	Staggered	32m	Multiple	Uncoordinated
- Jay+Raj	12:13-12:33	Break Area	Quick lunch	
- Amit+Sunil	12:25-12:45	Break Area	Combined break	
- Ram	12:33-12:53	Break Area	Extended slightly	

Afternoon Break Patterns

Time	Duration	Personnel	Location	Activity	Impact
14:47-14:52	5m	Raj	Backyard	Unofficial	Minor
15:42-15:47	5m	All	Multiple	Water break	Coordinated
16:33-16:38	5m	Various	Multiple	Quick break	Minimal impact

4. Station-wise Activity Summary

High Pressure Crusher Station

Time Block	Personnel	Activity	Efficiency Notes
09:03-09:47	Amit+Sunil	Operation	Good coordination
11:12-11:52	Sunil	Solo operation	Slower pace
02:13-02:48	Amit	Maintenance	Unnecessary delays
04:22-04:58	Raj+Sunil	Shift change	Smooth transition

Low Pressure Crusher Station

Morning Operations (07:00-10:00)

Time Block	Personnel	Activity	Duration	Efficiency	Notes
07:12-07:35	Jay	Initial setup	23m	45%	Solo setup
08:15-08:45	Raj	Startup process	30m	65%	Standard procedure
09:12-09:45	Raj	Material feeding	33m	72%	Regular operation
09:45-10:00	Raj+Ram	Adjustment	15m	80%	Team effort

Packing Station

Morning Operations (08:00-12:00)

Time Block	Personnel	Activity	Duration	Efficiency	Notes
08:27-08:45	Ram	Setup	18m	45%	Initial setup
08:45-09:17	Ram	Container prep	32m	65%	Standard procedure

Time Block	Personnel	Activity	Duration	Efficiency	Notes
09:17-09:42	Ram	Packing operation	25m	75%	Good pace
09:42-10:15	Ram+Raj	Team packing	33m	85%	Excellent teamwork
10:15-10:45	Ram	Solo operation	30m	70%	Steady work
10:45-11:12	Ram+Sunil	Heavy items	27m	80%	Good coordination
11:12-11:42	Ram	Regular packing	30m	72%	Normal pace
11:42-12:00	Ram+Jay	End batch	18m	82%	Quick completion

5. Safety Compliance Observations

Time	Camera	Observation	Personnel	Duration
07:52 AM	HP Crusher	No safety shoes	Amit	42 mins
09:17 AM	Filter	No gloves	Jay	35 mins
11:42 AM	Packing	Unsafe lifting	Ram	Instance
02:33 PM	Storage	Blocked pathway	Raj	28 mins

6. Efficiency Analysis

Movement Inefficiencies

Personnel	Unnecessary Trips	Time Lost	Primary Route
Amit	12 trips	~48 mins	HP Crusher Filter
Raj	18 trips	~67 mins	Storage LP Crusher
Sunil	14 trips	~52 mins	HP Crusher Storage
Jay	16 trips	~58 mins	Filter Packing
Ram	22 trips	~78 mins	Packing Storage

Task Duration Analysis

Task	Standard Time	Actual Avg Time	Variance	Frequency
Material Loading	15 mins	23.5 mins	+8.5 mins	12/day
Crusher Setup	10 mins	18.2 mins	+8.2 mins	8/day
Filter Change	20 mins	28.7 mins	+8.7 mins	6/day
Packing Setup	12 mins	16.8 mins	+4.8 mins	15/day

Hourly Productivity Analysis

Hour	Active Personnel	Primary Activities	Efficiency Score
06-07	1	Opening, Unloading	42%
07-08	3	Setup, Material Prep	51%
08-09	5	Machine Start, Loading	58%
09-10	5	Full Operation	61%
10-11	5	Processing	59%
11-12	5	Processing + Maintenance	54%
12-01	5	Reduced Operations	48%
13-14	5	Post-Lunch Operations	52%
14-15	5	Full Operations	57%
15-16	5	Processing + Packing	56%
16-17	5	Cleaning + Processing	49%
17-18	5	Shutdown Prep	44%
18-19	2	Closing Procedures	38%

7. Critical Bottlenecks Identified

Material Movement Bottlenecks

Time	Location	Issue	Impact	Frequency
07:25-07:35	Storage-HP	Solo handling	-15% efficiency	3x daily
09:12-09:17	Storage-Packing	Distance	-10% efficiency	8x daily
11:12-11:23	Storage-LP	Poor layout	-12% efficiency	5x daily
14:12-14:18	Storage-Filter	Heavy loads	-18% efficiency	4x daily

Process Flow Bottlenecks

Time	Process	Issue	Impact	Frequency
08:27-08:45	Startup	Staggered arrival	-25% efficiency	Daily
12:13-12:45	Lunch break	Uncoordinated	-40% efficiency	Daily
16:28-16:35	Shutdown	Poor sequence	-20% efficiency	Daily

8. Recommendations

Immediate Actions (Next Day)

1. Break Schedule Revision
    - Fixed tea break: 09:30-09:40

- Lunch slots: 12:00-12:20, 12:20-12:40
- Afternoon break: 15:30-15:40

2. Material Movement
   - Add trolley for heavy loads
   - Mark pathway zones
   - Install material staging areas

Short-term Improvements (Within Week)

1. Station Layout
   - Relocate storage bins closer to LP crusher
   - Add temporary storage near packing
   - Install water stations at key points
2. Work Pattern
   - Implement buddy system for heavy lifting
   - Create standard operating procedures
   - Install basic automation for repetitive tasks

Long-term Recommendations

1. Infrastructure
   - Install material handling equipment
   - Upgrade storage organization
   - Add rest area facilities
2. Process
   - Implement shift handover protocol
   - Create maintenance schedule
   - Develop training program

9. Statistical Summary

Individual Performance Summary

Worker	Average	Peak	Low	Key Strength
Amit	57%	62%	52%	Supervision
Raj	54%	58%	50%	Machine operation
Sunil	62%	65%	58%	Consistent work
Jay	59%	63%	55%	Early efficiency
Ram	53%	56%	50%	Material handling

Station Utilization

Station	Active Hours	Idle Hours	Efficiency
HP Crusher	8.2 hrs	1.8 hrs	82%

Station	Active Hours	Idle Hours	Efficiency
LP Crusher	7.8 hrs	2.2 hrs	78%
Filter	7.5 hrs	2.5 hrs	75%
Packing	7.2 hrs	2.8 hrs	72%
Storage	6.8 hrs	3.2 hrs	68%

Overall Facility Metrics

Time Block	Average Efficiency	Peak Efficiency	Lowest Efficiency
06:00-09:00	48%	58% (08:45)	42% (06:30)
09:00-12:00	57%	61% (09:30)	54% (11:45)
12:00-15:00	51%	57% (14:15)	48% (12:30)
15:00-18:00	49%	56% (15:15)	44% (17:45)

10. Areas for Improvement

1. Immediate Actions Needed:
   - Install material handling equipment between storage and crushers
   - Implement proper break schedule
   - Add water stations near workstations
   - Mark clear pathways for material movement
2. Process Improvements:
   - Organize staggered lunch breaks
   - Create standard operating procedures for machine setup
   - Implement buddy system for heavy lifting tasks
   - Regular safety training sessions
3. Layout Optimization:
   - Reorganize storage area for better access
   - Create dedicated paths for material movement
   - Install better lighting in storage area
   - Add safety mirrors at blind corners
4. Safety Compliance:
   - Regular PPE checks needed
   - Clear pathway markings required
   - Proper lifting training needed
   - Installation of safety barriers and warning signs
5. Break Management:
   - Implement scheduled breaks
   - Organize staggered lunch timing
   - Provide water stations near workstations
   - Create proper break area facilities
6. Task Transition Optimization:
   - Standardize handover procedures

- Create clear task completion checklists
- Implement efficient shift change protocols
- Reduce unnecessary movement between stations

11. Conclusions

The oil mill operation shows several areas where efficiency can be improved:

1. Worker Efficiency:
   - Highest individual efficiency: Sunil (62%)
   - Lowest individual efficiency: Ram (53%)
   - Average team efficiency: 57%
2. Critical Issues:
   - Uncoordinated breaks causing significant productivity loss
   - Excessive movement between stations
   - Safety compliance needs improvement
   - Material handling inefficiencies
3. Positive Aspects:
   - Good team coordination during peak hours
   - Effective machine operation when fully staffed
   - Thorough closing procedures
   - Regular quality checks maintained
4. Priority Actions:
   - Implement material handling equipment
   - Establish structured break schedule
   - Improve safety compliance
   - Optimize station layout