Before fixing

```
LAB 7 — -zsh — 208×56
(lab-venv) anjaliarun@Anjalis-MacBook-Air-2 LAB 7 % python -m pytest test_photo_print_order.py
============================= test session starts ==============================
platform darwin -- Python 3.15.0, pytest-9.2.0, pluggy-1.7.0
rootdir: /Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7
plugins: hypothesis-6.170.15
collected 12 items

test_photo_print_order.py ............                                   [100%]


============================== 12 passed in 0.32s ==============================
(lab-venv) anjaliarun@Anjalis-MacBook-Air-2 LAB 7 % python photo_print_order.py
==== Running parse_order ====
Enter print size:copies (e.g. 4x6:25): 4x6
Traceback (most recent call last):
  File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/photo_print_order.py", line 31, in <module>
    main()
    ~~~~^^
  File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/photo_print_order.py", line 17, in main
    result = parse_order(user_input)
  File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/photo_print_order.py", line 2, in parse_order
    size, copies = text.split(':')
    ^^^^^^^^^^^^
ValueError: not enough values to unpack (expected 2, got 1)
(lab-venv) anjaliarun@Anjalis-MacBook-Air-2 LAB 7 %
```


```
LAB 7 — -zsh — 208×56
    | Traceback (most recent call last):
    |   File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 97, in test_payable_amount_result_shape
    |     result = payable_amount(s)
    |   File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/photo_print_order.py", line 10, in payable_amount
    |     amount, discount = text.split('|')
    |                        ~~~~~~~~~~^^^^^
    | TypeError: a bytes-like object is required, not 'str'
    | Falling test case: test_payable_amount_result_shape(
    |     s=b'',
    | )
    +---------------- 2 ----------------
    | Traceback (most recent call last):
    |   File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 97, in test_payable_amount_result_shape
    |     result = payable_amount(s)
    |   File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/photo_print_order.py", line 11, in payable_amount
    |     total = float(amount) * 1.18 - float(discount)
    |             ~~~~~^^^^^^^^
    | ValueError: could not convert string to float: ''
    | Falling test case: test_payable_amount_result_shape(
    |     s='|',
    | )
    +---------------- 3 ----------------
    | Traceback (most recent call last):
    |   File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 97, in test_payable_amount_result_shape
    |     result = payable_amount(s)
    |   File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/photo_print_order.py", line 10, in payable_amount
    |     amount, discount = text.split('|')
    |     ^^^^^^^^^^^^^^^^
    | ValueError: not enough values to unpack (expected 2, got 1)
    | Falling test case: test_payable_amount_result_shape(
    |     s='',
    | )
    +---------------- 4 ----------------
    | Traceback (most recent call last):
    |   File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 97, in test_payable_amount_result_shape
    |     result = payable_amount(s)
    |   File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/photo_print_order.py", line 10, in payable_amount
    |     amount, discount = text.split('|')
    |                        ^^^^^^^^^^
    | AttributeError: 'NoneType' object has no attribute 'split'
    | Falling test case: test_payable_amount_result_shape(
    |     s=None,  # or any other generated value
    | )
    +------------------------------------
=========================== short test summary info ============================
FAILED test_photo_print_order.py::test_parse_order_no_crash - ExceptionGroup: Hypothesis found 3 distinct failures. (3 sub-exceptions)
FAILED test_photo_print_order.py::test_parse_order_any_type_no_crash - ExceptionGroup: Hypothesis found 4 distinct failures. (4 sub-exceptions)
FAILED test_photo_print_order.py::test_parse_order_result_shape - ExceptionGroup: Hypothesis found 4 distinct failures. (4 sub-exceptions)
FAILED test_photo_print_order.py::test_file_size_average_no_crash - ExceptionGroup: Hypothesis found 2 distinct failures. (2 sub-exceptions)
FAILED test_photo_print_order.py::test_file_size_average_any_type_no_crash - ExceptionGroup: Hypothesis found 3 distinct failures. (3 sub-exceptions)
FAILED test_photo_print_order.py::test_file_size_average_result_shape - ExceptionGroup: Hypothesis found 3 distinct failures. (3 sub-exceptions)
FAILED test_photo_print_order.py::test_payable_amount_no_crash - ExceptionGroup: Hypothesis found 3 distinct failures. (3 sub-exceptions)
FAILED test_photo_print_order.py::test_payable_amount_any_type_no_crash - ExceptionGroup: Hypothesis found 3 distinct failures. (3 sub-exceptions)
FAILED test_photo_print_order.py::test_payable_amount_result_shape - ExceptionGroup: Hypothesis found 4 distinct failures. (4 sub-exceptions)
============================== 9 failed, 3 passed in 1.13s ==============================
(lab-venv) anjaliarun@Anjalis-MacBook-Air-2 LAB 7 %
```


```
LAB 7 — -zsh — 208×56
(lab-venv) anjaliarun@Anjalis-MacBook-Air-2 LAB 7 % python -m pytest test_photo_print_order.py
============================= test session starts ==============================
platform darwin -- Python 3.15.0, pytest-9.2.0, pluggy-1.7.0
rootdir: /Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7
plugins: hypothesis-6.170.15
collected 12 items

test_photo_print_order.py FFF.FFF.FFF.                                  [100%]

=================================== FAILURES ===================================
_____________________________ test_parse_order_no_crash ______________________________
  + Exception Group Traceback (most recent call last):
  |   File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 18, in test_parse_order_no_crash
  |     def test_parse_order_no_crash(s):
  |                    ^^^
  | ExceptionGroup: Hypothesis found 3 distinct failures. (3 sub-exceptions)
  +-+---------------- 1 ----------------
    | Traceback (most recent call last):
    |   File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 20, in test_parse_order_no_crash
    |     parse_order(s)
    |     ~~~~~~~~~~~^^^
    |   File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/photo_print_order.py", line 3, in parse_order
    |     return size.strip().upper(), int(copies)
    |                          ~~~^^^^^^^^
    | ValueError: invalid literal for int() with base 10: ''
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 22, in test_parse_order_no_crash
    |     assert False, f"parse_order crashed with: {e!r}"
    | AssertionError: parse_order crashed with: ValueError("invalid literal for int() with base 10: ''")
    | assert False
    | Falling test case: test_parse_order_no_crash(
    |     s='',
    | )
    +---------------- 2 ----------------
    | Traceback (most recent call last):
    |   File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 20, in test_parse_order_no_crash
    |     parse_order(s)
    |     ~~~~~~~~~~~^^^
    |   File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/photo_print_order.py", line 2, in parse_order
    |     size, copies = text.split(':')
    |     ^^^^^^^^^^^^
    | ValueError: not enough values to unpack (expected 2, got 1)
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 22, in test_parse_order_no_crash
    |     assert False, f"parse_order crashed with: {e!r}"
    | AssertionError: parse_order crashed with: ValueError('not enough values to unpack (expected 2, got 1)')
    | assert False
    | Falling test case: test_parse_order_no_crash(
    |     s='',  # or any other generated value
    | )
```


LAB 7 — -zsh — 208×56
test_parse_order_any_type_no_crash
+ Exception Group Traceback (most recent call last):
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 26, in test_parse_order_any_type_no_crash
| def test_parse_order_any_type_no_crash(s):
| ^^^
| ExceptionGroup: Hypothesis found 4 distinct failures. (4 sub-exceptions)
+-+---------- 1 ----------
| Traceback (most recent call last):
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 28, in test_parse_order_any_type_no_crash
| parse_order(s)
| ~~~~~~~~~~^^^
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/photo_print_order.py", line 2, in parse_order
| size, copies = text.split(':')
| ~~~~~~~~~~^^^^^
| TypeError: a bytes-like object is required, not 'str'
|
| During handling of the above exception, another exception occurred:
|
| Traceback (most recent call last):
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 30, in test_parse_order_any_type_no_crash
| assert False, f"parse_order crashed with: {e!r}"
| AssertionError: parse_order crashed with: TypeError("a bytes-like object is required, not 'str'")
| assert False
| Failing test case: test_parse_order_any_type_no_crash(
| s=b'',
|)
+---------- 2 ----------
| Traceback (most recent call last):
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 28, in test_parse_order_any_type_no_crash
| parse_order(s)
| ~~~~~~~~~~~^^^
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/photo_print_order.py", line 3, in parse_order
| return size.strip().upper(), int(copies)
| ~~~^^^^^^^^
| ValueError: invalid literal for int() with base 10: ''
|
| During handling of the above exception, another exception occurred:
|
| Traceback (most recent call last):
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 30, in test_parse_order_any_type_no_crash
| assert False, f"parse_order crashed with: {e!r}"
| AssertionError: parse_order crashed with: ValueError("invalid literal for int() with base 10: ''")
| assert False
| Failing test case: test_parse_order_any_type_no_crash(
| s=':',
|)
+---------- 3 ----------
| Traceback (most recent call last):
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 28, in test_parse_order_any_type_no_crash
| parse_order(s)
| ~~~~~~~~~~~^^^
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/photo_print_order.py", line 2, in parse_order
| size, copies = text.split(':')
| ^^^^^^^^^^^
| ValueError: not enough values to unpack (expected 2, got 1)
|


LAB 7 — -zsh — 208×56
test_parse_order_result_shape
+ Exception Group Traceback (most recent call last):
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 34, in test_parse_order_result_shape
| def test_parse_order_result_shape(s):
| ^^^
| ExceptionGroup: Hypothesis found 4 distinct failures. (4 sub-exceptions)
| Traceback (most recent call last):
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 35, in test_parse_order_result_shape
| result = parse_order(s)
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/photo_print_order.py", line 2, in parse_order
| size, copies = text.split(':')
| ~~~~~~~~~~^^^^^
| TypeError: a bytes-like object is required, not 'str'
| Failing test case: test_parse_order_result_shape(
| s=b'',
|)
| Traceback (most recent call last):
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 35, in test_parse_order_result_shape
| result = parse_order(s)
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/photo_print_order.py", line 3, in parse_order
| return size.strip().upper(), int(copies)
| ~~~^^^^^^^^
| ValueError: invalid literal for int() with base 10: ''
| Failing test case: test_parse_order_result_shape(
| s=':',
|)
| Traceback (most recent call last):
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 35, in test_parse_order_result_shape
| result = parse_order(s)
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/photo_print_order.py", line 2, in parse_order
| size, copies = text.split(':')
| ^^^^^^^^^^^^
| ValueError: not enough values to unpack (expected 2, got 1)
| Failing test case: test_parse_order_result_shape(
| s='',
|)
| Traceback (most recent call last):
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 35, in test_parse_order_result_shape
| result = parse_order(s)
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/photo_print_order.py", line 2, in parse_order
| size, copies = text.split(':')
| ^^^^^^^^^^
| AttributeError: 'NoneType' object has no attribute 'split'
| Failing test case: test_parse_order_result_shape(
| s=None, # or any other generated value
|)
test_file_size_average_no_crash
+ Exception Group Traceback (most recent call last):
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 50, in test_file_size_average_no_crash
| def test_file_size_average_no_crash(s):


LAB 7 — -zsh — 208×56
test_file_size_average_result_shape
+ Exception Group Traceback (most recent call last):
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 66, in test_file_size_average_result_shape
| def test_file_size_average_result_shape(s):
| ^^^
| ExceptionGroup: Hypothesis found 3 distinct failures. (3 sub-exceptions)
| Traceback (most recent call last):
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 67, in test_file_size_average_result_shape
| result = file_size_average(s)
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/photo_print_order.py", line 6, in file_size_average
| values = [int(r) for r in sizes_csv.split(',')]
| ~~~~~~~~~~~~~~~~^^^^^
| TypeError: a bytes-like object is required, not 'str'
| Failing test case: test_file_size_average_result_shape(
| s=b'',
|)
| Traceback (most recent call last):
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 67, in test_file_size_average_result_shape
| result = file_size_average(s)
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/photo_print_order.py", line 6, in file_size_average
| values = [int(r) for r in sizes_csv.split(',')]
| ~~~^^^
| ValueError: invalid literal for int() with base 10: ''
| Failing test case: test_file_size_average_result_shape(
| s='',
|)
| Traceback (most recent call last):
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 67, in test_file_size_average_result_shape
| result = file_size_average(s)
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/photo_print_order.py", line 6, in file_size_average
| values = [int(r) for r in sizes_csv.split(',')]
| ^^^^^^^^^^^^^^^
| AttributeError: 'NoneType' object has no attribute 'split'
| Failing test case: test_file_size_average_result_shape(
| s=None, # or any other generated value
|)
test_payable_amount_no_crash
+ Exception Group Traceback (most recent call last):
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 80, in test_payable_amount_no_crash
| def test_payable_amount_no_crash(s):
| ^^^
| ExceptionGroup: Hypothesis found 3 distinct failures. (3 sub-exceptions)
| Traceback (most recent call last):
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/test_photo_print_order.py", line 82, in test_payable_amount_no_crash
| payable_amount(s)
| ~~~~~~~~~~~~~~^^^
| File "/Users/anjaliarun/PES1UG24AM421_SE_LAB/LAB 7/photo_print_order.py", line 11, in payable_amount
| total = float(amount) * 1.18 - float(discount)
| ~~~~~^^^^^^^^
| ValueError: could not convert string to float: ''

After fixing

