

Report

Task 1: Install FTP Service on Linux.

- Command: apt install vsftpd
vsftpd = Very Secure FTP Daemon
Daemon = Program that runs in background.

```
(root@kali)-[~]
# apt install vsftpd
The following packages were automatically installed and are no longer required:
  libavc1394-0 libio-pty-perl libipc-run-perl libpostal-data libpostal1 libteamctl0 postgresql-common-dev python3-pysnmp4
Use 'apt autoremove' to remove them.

Installing:
  vsftpd

Summary:
  Upgrading: 0, Installing: 1, Removing: 0, Not Upgrading: 882
  Download size: 143 kB
  Space needed: 366 kB / 60.7 GB available

Get:1 http://mirrors.esto.network/kali kali-rolling/main amd64 vsftpd amd64 3.0.5-0.7 [143 kB]
Fetched 143 kB in 32s (4,450 B/s)
Preconfiguring packages ...
Selecting previously unselected package vsftpd.
(Reading database... 427135 files and directories currently installed.)
Preparing to unpack .../vsftpd_3.0.5-0.7_amd64.deb...
Unpacking vsftpd (3.0.5-0.7)...
Setting up vsftpd (3.0.5-0.7)...
Creating group 'ftp' with GID 971.
Creating user 'ftp' (ftp daemon) with UID 971 and GID 971.
update-rc.d: We have no instructions for the vsftpd init script.
update-rc.d: It looks like a network service, we disable it.
vsftpd.service is a disabled or a static unit, not starting it.
Processing triggers for man-db (2.13.1-1)...
Processing triggers for kali-menu (2026.2.3)...
```

- Command: systemctl start vsftpd
systemctl = System Control communicates with systemd, to manage all background services.
- Command: systemctl enable vsftp
enable = Enable automatic startup

```
(root@kali)-[~]
# systemctl start vsftpd

(root@kali)-[~]
# systemctl enable vsftpd
Created symlink '/etc/systemd/system/multi-user.target.wants/vsftpd.service' → '/usr/lib/systemd/system/vsftpd.service'.
```

- Command: `systemctl status vsftpd`
status = Show the status of service.

```
(root@kali)-[~]
# systemctl status vsftpd
● vsftpd.service - vsftpd FTP server
   Loaded: loaded (/usr/lib/systemd/system/vsftpd.service; enabled; preset: disabled)
   Active: active (running) since Wed 2026-07-01 03:44:58 EDT; 37s ago
 Invocation: 406169ae8cdd431490939d20f40ab810
    Docs: man:vsftpd(8)
   Main PID: 200594 (vsftpd)
     Tasks: 1 (limit: 2074)
    Memory: 1M (peak: 2.3M)
       CPU: 16ms
    CGroup: /system.slice/vsftpd.service
           └─200594 /usr/sbin/vsftpd /etc/vsftpd.conf

Jul 01 03:44:58 kali systemd[1]: Starting vsftpd.service - vsftpd FTP server ...
Jul 01 03:44:58 kali systemd[1]: Started vsftpd.service - vsftpd FTP server.
```

Task 2: Access FTP service using Windows CMD

- Command: `ping 192.168.110.128` [To check connectivity]

```
C:\Users\anjus>ping 192.168.110.128

Pinging 192.168.110.128 with 32 bytes of data:
Reply from 192.168.110.128: bytes=32 time<1ms TTL=64
Reply from 192.168.110.128: bytes=32 time=1ms TTL=64
Reply from 192.168.110.128: bytes=32 time<1ms TTL=64
Reply from 192.168.110.128: bytes=32 time=2ms TTL=64

Ping statistics for 192.168.110.128:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 2ms, Average = 0ms
```

- Command: ftp 192.168.110.128

[Login Using User & Pass]

```
C:\Users\anjus>ftp 192.168.110.128
Connected to 192.168.110.128.
220 (vsFTPd 3.0.5)
200 Always in UTF8 mode.
User (192.168.110.128:(none)): kali
331 Please specify the password.
Password:

230 Login successful.
```


- Successful Login

```
230 Login successful.
ftp> ls
200 PORT command successful. Consider using PASV.
150 Here comes the directory listing.
Desktop
Documents
Downloads
Music
Pictures
Public
Templates
Videos
226 Directory send OK.
ftp: 78 bytes received in 0.00Seconds 39.00Kbytes/sec.
ftp> cd Documents
250 Directory successfully changed.
```


[Anonymous Login]

- Command: nano /etc/vsftpd.conf
/etc/vsftpd.conf = Configuration File of FTP.

Edit the file and Enable Anonymous Login



```
GNU nano 0.0 /etc/vsftpd.conf
# Example config file /etc/vsftpd.conf
#
# The default compiled in settings are fairly paranoid. This sample file
# loosens things up a bit, to make the ftp daemon more usable.
# Please see vsftpd.conf.5 for all compiled in defaults.
#
# READ THIS: This example file is NOT an exhaustive list of vsftpd options.
# Please read the vsftpd.conf.5 manual page to get a full idea of vsftpd's
# capabilities.
#
# Run standalone? vsftpd can run either from an inetd or as a standalone
# daemon started from an initscript.
listen=NO
#
# This directive enables listening on IPv6 sockets. By default, listening
# on the IPv6 "any" address (:::) will accept connections from both IPv6
# and IPv4 clients. It is not necessary to listen on *both* IPv4 and IPv6
# sockets. If you want that (perhaps because you want to listen on specific
# addresses) then you must run two copies of vsftpd with two configuration
# files.
listen_ipv6=YES
#
# Allow anonymous FTP? (Disabled by default).
anonymous_enable=YES
#
# Uncomment this to allow local users to log in.
local_enable=YES
#
# Uncomment this to enable any form of FTP write command.
write_enable=YES
#
# Default umask for local users is 077. You may wish to change this to 022,
# if your users expect that (022 is used by most other ftp's)
local_umask=022
#
# Uncomment this to allow the anonymous FTP user to upload files. This only
# has an effect if the above global write enable is activated. Also, you will
# obviously need to create a directory writable by the FTP user.
```




```
(root@kali)-[~/Documents]
# nano /etc/vsftpd.conf

(root@kali)-[~/Documents]
# systemctl restart vsftpd

(root@kali)-[~/Documents]
# systemctl status vsftpd
● vsftpd.service - vsftpd FTP server
   Loaded: loaded (/usr/lib/systemd/system/vsftpd.service; enabled; preset: disabled)
   Active: active (running) since Wed 2026-07-01 05:38:34 EDT; 7s ago
  Invocation: 37af112862924bc3b450546391ddd16b
     Docs: man:vsftpd(8)
   Process: 229985 ExecStartPre=/bin/mkdir -p /run/vsftpd/empty (code=exited, status=0/SUCCESS)
    Main PID: 229988 (vsftpd)
       Tasks: 1 (limit: 2074)
      Memory: 1M (peak: 2.2M)
         CPU: 25ms
    CGroup: /system.slice/vsftpd.service
            └─229988 /usr/sbin/vsftpd /etc/vsftpd.conf

Jul 01 05:38:34 kali systemd[1]: Starting vsftpd.service - vsftpd FTP server ...
Jul 01 05:38:34 kali systemd[1]: Started vsftpd.service - vsftpd FTP server.
```

- Anonymous Login Successful!



```
Command Prompt - ftp 192.168.110.128 X + v

C:\Users\anjus>ftp 192.168.110.128
Connected to 192.168.110.128.
220 (vsFTPd 3.0.5)
200 Always in UTF8 mode.
User (192.168.110.128:(none)): anonymous
331 Please specify the password.
Password:

230 Login successful.
```