

Module - 07

Malware Threats

→ **Malware:** Malware is a malicious software intentionally designed to damage, disrupt, steal information or gain unauthorized access to a computer, system or network.

→ **Type of Malware:**

Malware Types	Meaning	What they do
Trojan	Malware disguised as legitimate software to trick users into installing it.	Pretends to be safe software.
Backdoor	A hidden way to bypass normal authentication and access a system.	Secret entry point into a system.
Rootkit	Malware that hides itself and other malicious programs from detection.	Hides malware from users and antivirus.
Ransomware	Malware that encrypts files or locks a device and demands payment.	Locks or encrypts files for money.
Adware	Software that displays unwanted advertisements.	Shows unwanted advertisements.
Virus	Malware that attaches itself to legitimate files and spreads when they are executed.	Needs a host file and user action to spread.
Worm	Malware that spreads automatically across networks without user interaction.	Spreads automatically without user action.
Spyware	Malware that secretly monitors user activities and collects information.	Secretly collects personal information.
Botnet	A group of infected devices controlled remotely by an attacker.	A group of infected computers controlled remotely.
Crypter	A tool that encrypts or obfuscates malware to avoid antivirus detection.	Hides malware from detection; not malware by itself.

njRAT Tool - Trojan

→njRAT: is a Remote Access Trojan used for remote monitoring and control.

Key Features:

- File system access.
- Keylogging
- Webcam and microphone access
- Remote Desktop viewing
- Persistence mechanisms

→Objective: To demonstrate the process of creating a trojan using njRAT, deploying it to a target system, and establishing remote access for monitoring and control.

→Environment:

Component	Details
Attacker Machine	Windows 11
Target Machine	Windows 10 (VM)
Tool Used	njRAT v0.8d

→ Builder Interface:

[5553] njRAT v0.8d Online[0]

Name	IP	PC	User	Install Date	Country	Operating System	Cam	Virus	Ping	Active Windo
------	----	----	------	--------------	---------	------------------	-----	-------	------	--------------

Builder

Host
127.0.0.1

Port
5553

VicTim Name
HacKed

Size KeyLogs
20

Directory
%TEMP%

ExeName
Explorer.exe

☐ Icon

☐ Randomize Stub

☐ USB Spread Nj8d

☐ Protect Prossess [BSOD]

Build

[Steeings]

[Build]

[Upload Server]

[Victim Color]

[Flag]

[Small]

[About]

→ Configuration:

[5553] njRAT v0.8d Online[0]

Name	IP	PC	User	Install Date	Country	Operating System	Cam	Virus	Ping	Active Windo
------	----	----	------	--------------	---------	------------------	-----	-------	------	--------------

Builder

Host
[REDACTED]

Port
5553

VicTim Name
HacKed

Size KeyLogs
20

Directory
%TEMP%

ExeName
Pokemon.exe

☒ Icon

☐ Randomize Stub

☐ USB Spread Nj8d

☐ Protect Prossess [BSOD]

Build

[Steeings]

[Build]

[Upload Server]

[Victim Color]


[Flag]

[Small]



[About]

Setting	Value	Purpose
Host	192.168.x.x	Attacker machine IP
Port	5553	Listening port for connections
Directory	%TEMP%	Installation directory (temporary folder)
ExeName	Pokemon.exe	Disguised file name
Icon	Randomize Stub	Random icon


→ Sending Trojan to victim machine:




→njRat Interfacce: Victim Connected




→System Verification: Pokemon.exe Running (%Temp%)



→ File System Access: File system navigation



→ Remote Desktop Viewing:



→ Key Observations: Successful Features

Feature	Notes
Trojan generation	Pokemon.exe created
File transfer	Via VMware shared folder
Trojan execution	Running on target
Remote connection	1ms ping
File system access	Full directory browsing
Persistence	Via %TEMP% and USB spread

Lab Environment: VMware Workstation

Tools Used: njRAT v0.8d, Windows 11, Windows 10 VM