FACULTY OF ENGINEERING AND TECHNOLOGY

Department of Computer Science and Engineering **01CE1523 - .NET Technologies**

Experiment 5

AIM: Develop Academic Calendar & Leave Management System using Rich Controls, Session & Cookies

Source: File Name with extension
Code: Output: Screenshot:

GitHub URL:

Login.aspx

```
<%@ Page Language="C#" AutoEventWireup="true" CodeBehind="Login.aspx.cs" Inherits="AcademicCalendarLeaveSystem.Login" %>

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title>Login - Academic Calendar & Leave Management</title> </head>

<body>
  <form id="form1" runat="server">

    <div style="width:400px; margin:100px auto;">
```

```
<h2>Academic Calendar & Leave Management
System</h2>

<hr />

<asp:Label ID="lblUsername"
runat="server"
Text="Username:"></asp:Label>
<br />

<asp:TextBox ID="txtUsername"
runat="server"
   Width="250px"></asp:TextBox>

<asp:RequiredFieldValidator
ID="rfvUsername"
runat="server"
ControlToValidate="txtUsername"
ErrorMessage="Username is required"
ForeColor="Red">
</asp:RequiredFieldValidator>

<br /><br />
```



```
<asp:Label ID="lblPassword"
runat="server"
Text="Password:"></asp:Label>
<br />

<asp:TextBox ID="txtPassword"
runat="server"
   TextMode="Password"
   Width="250px"></asp:TextBox>

<asp:RequiredFieldValidator
ID="rfvPassword"
runat="server"
ControlToValidate="txtPassword"
```

```
        ErrorMessage="Password is required"
        ForeColor="Red">
        </asp:RequiredFieldValidator>

        <br /><br />

        <asp:CheckBox
        ID="chkRemember"
          runat="server"
          Text="Remember Username"
          />

        <br /><br />

        <asp:Button
        ID="btnLogin"
          runat="server"
          Text="Login"
          OnClick="btnLogin_Click"
          />

        <br /><br />

        <asp:Label
        ID="lblMessage"
        runat="server"
        ForeColor="Red">
        </asp:Label>

      </div>

        </for
m>
</body>
</html>
```

Login.apax.c
s using
System;

namespace
AcademicCalendarLeaveSystem {
  public partial class Login :

```
System.Web.UI.Page {
  protected void Page_Load(object sender, EventArgs
  e)
```

```
{
  if
  (!IsPostBack) {
    if (Request.Cookies["Username"] !=
    null) {
txtUsername.Text = Request.Cookies["Username"].Value;
chkRemember.Checked = true; } } }

protected void btnLogin_Click(object sender, EventArgs
e) {
  if (txtUsername.Text == "admin"
  &&
  txtPassword.Text == "1234") {
    Session["Username"] =
    txtUsername.Text;

    if
    (chkRemember.Checked)
    {
      Response.Cookies["Username"].Value =
      txtUsername.Text;
      Response.Cookies["Username"].Expires =
    DateTime.Now.AddDays(7); }
    else {
      Response.Cookies["Username"].Expire
      s =
    DateTime.Now.AddDays(-1); }

  Response.Redirect("Dashboard.aspx");
  } else {

  lblMessage.Text = "Invalid Username or Password!"; } } } }
```

AcdamicCalneder.aspx

```
<%@ Page Language="C#" AutoEventWireup="true"
CodeBehind="AcademicCalendar.aspx.cs"
Inherits="AcademicCalendarLeaveSystem.AcademicCalendar" %>

<!DOCTYPE
html>

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
```

```
<title>Academic
Calendar</title>

<style
>
  body {
    font-family: Arial;
    background-color:
    #f2f2f2;
```

ANJALI TIWARY (92400103199)

```
    }

    .container
    {
    width: 700px; margin:
    40px auto;
    background-color: white;
    padding: 30px; text-align:
    center; border-radius:
    10px; }

    .calendar
    {
       margin: 20px
    auto; }

    .button {
       padding: 10px
20px; } </style> </head>

<body
>

<form id="form1" runat="server">

<div
class="container">

  <h1>ACADEMIC
  CALENDAR</h1>

  <hr />

  <h3>Select a
  Date</h3>

  <asp:Calendar
  ID="Calendar1"
  runat="server" CssClass="calendar"
  OnSelectionChanged="Calendar1_SelectionChanged
  "> </asp:Calendar>
```

```
<br />

<asp:Label
ID="lblSelectedDate"
runat="server"
Font-Bold="true">
</asp:Label>

<br /><br />

<asp:Button
ID="btnBack"
  runat="server" Text="Back to Dashboard"
  CssClass="button" PostBackUrl="~/Dashboard.aspx"
  OnClick="btnBack_Click" />
```

ANJALI TIWARY (92400103199)

```
</div>

</form>

</body>
</html>
```

AcademicCalender.aspx.cs

```
<%@ Page Language="C#" AutoEventWireup="true"
CodeBehind="AcademicCalendar.aspx.cs"
Inherits="AcademicCalendarLeaveSystem.AcademicCalendar" %>

<!DOCTYPE
html>

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
  <title>Academic
  Calendar</title>

  <style
  >
    body {
    font-family: Arial;
    background-color: #f2f2f2; }

    .container
    {
    width: 700px; margin:
    40px auto;
    background-color: white;
    padding: 30px; text-align:
    center; border-radius:
    10px; }

    .calendar
    {
      margin: 20px
    auto; }

    .button {
      padding: 10px
```

```
20px; } </style> </head>

<body
>

<form id="form1" runat="server">

<div
class="container">

  <h1>ACADEMIC
  CALENDAR</h1>

  <hr />

  <h3>Select a
  Date</h3>
```

ANJALI TIWARY (92400103199)

```
  <asp:Calendar
  ID="Calendar1"
  runat="server" CssClass="calendar"
  OnSelectionChanged="Calendar1_SelectionChanged
  "> </asp:Calendar>

  <br />

  <asp:Label
  ID="lblSelectedDate"
  runat="server"
  Font-Bold="true">
  </asp:Label>

  <br /><br />

  <asp:Button
  ID="btnBack"
    runat="server" Text="Back to Dashboard"
    CssClass="button" PostBackUrl="~/Dashboard.aspx"
    OnClick="btnBack_Click" />

</div>

</form>

</body>
</html>
```

LeaveManagenment.aspx <%@ Page Language="C#" AutoEventWireup="true" CodeBehind="LeaveManagement.aspx.cs" Inherits="AcademicCalendarLeaveSystem.LeaveManagement" %>

```
<!DOCTYPE
html>

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
  <title>Leave Application</title>

  <style
```

```
>
  body {
  font-family: Arial;
  background-color: #f2f2f2; }

  .container
  {
  width: 500px; margin:
  70px auto;
  background-color: white;
  padding: 30px;
  border-radius: 10px; }

  h1 {
    text-align:
    center;
```

ANJALI TIWARY (92400103199)

```
    }

    .row {
       margin-bottom:
    20px; }

    .label
    {
    display: inline-block;
    width: 130px;
    font-weight: bold; }

    .textbox
    {
       width: 280px;
     padding: 8px; }

    .button {
       padding: 10px
    25px; }

    .message
    {
       font-weight:
bold; } </style>
</head>

<body
>

<form id="form1" runat="server">

<div
class="container">

  <h1>LEAVE
  APPLICATION</h1>

  <hr />

  <div
class="row">

    <asp:Label
    ID="lblEmployeeName"
    runat="server"
    Text="Employee Name:"
    CssClass="label">
    </asp:Label>

    <asp:TextBox
    ID="txtEmployeeName"
    runat="server"
    CssClass="textbox">
    </asp:TextBox>

</div>


<div
class="row">
```

ANJALI TIWARY (92400103199)

```
  <asp:Label
  ID="lblLeaveDate"
  runat="server"
  Text="Leave Date:"
  CssClass="label">
  </asp:Label>

  <asp:TextBox
  ID="txtLeaveDate"
  runat="server"
  TextMode="Date"
  CssClass="textbox">
  </asp:TextBox>

</div>


<div
class="row">

  <asp:Label
  ID="lblLeaveType"
  runat="server"
  Text="Leave Type:"
  CssClass="label">
  </asp:Label>

  <asp:DropDownList
  ID="ddlLeaveType"
    runat="server">

    <asp:ListItem Text="-- Select Leave Type
    --"
        Value="">
    </asp:ListItem>

    <asp:ListItem Text="Casual
    Leave"
    Value="Casual Leave">
    </asp:ListItem>

    <asp:ListItem Text="Sick
    Leave"
    Value="Sick Leave">
    </asp:ListItem>

    <asp:ListItem Text="Emergency
    Leave"
    Value="Emergency Leave">
    </asp:ListItem>

    <asp:ListItem Text="Other
    Leave"
    Value="Other Leave">
    </asp:ListItem>

  </asp:DropDownList>

</div>


<div
class="row">
```

```
  <asp:Label
  ID="lblReason"
  runat="server"
  Text="Reason:"
  CssClass="label">
  </asp:Label>

  <asp:TextBox
  ID="txtReason"
  runat="server"
  TextMode="MultiLine"
  Rows="4"
  CssClass="textbox">
  </asp:TextBox>

</div>


<div
class="row">

  <asp:CheckBox
  ID="chkRemember"
    runat="server"
    Text="Remember My Name"
    />

</div>


<div
style="text-align:center;">

  <asp:Button
  ID="btnSubmit"
  runat="server" Text="Submit
  Leave" CssClass="button"
  OnClick="btnSubmit_Click">
  </asp:Button>

</div>

<br />

<div
style="text-align:center;">

  <asp:Label
  ID="lblMessage"
  runat="server"
  CssClass="message"
  > </asp:Label>

</div>

</div>

</form>

</body>
</html>
```

LeaveManagenment.aspx.cs

```
using System; using System.Data;

namespace AcademicCalendarLeaveSystem {
  public partial class LeaveManagement : System.Web.UI.Page {
    protected void Page_Load(object sender, EventArgs e) {
      if (Session["Username"] == null) {
      Response.Redirect("Login.aspx");
      return; }

      if (!IsPostBack) {
        if (Request.Cookies["EmployeeName"] != null) {
          txtEmployeeName.Text = Request.Cookies["EmployeeName"].Valu e;

      chkRemember.Checked = true; }
    } }

    protected void btnSubmit_Click(object sender, EventArgs e) {
      if (chkRemember.Checked)
      {
        Response.Cookies["EmployeeName"].Valu e = txtEmployeeName.Tex t;

        Response.Cookies["EmployeeName"].Expire s = DateTime.Now.AddDays(7);
```

```
} else {
    Response.Cookies["EmployeeName"].Expire
    s =
    DateTime.Now.AddDays(-1);
}

lblMessage.Text
=
    "Leave Application Submitted
    Successfully!";

lblMessage.ForeColor
=
    System.Drawing.Color.Gree
    n;

lblMessage.Text
=
    "Leave Application not Submitted !!!"
    + "\"Please try to Later\"";
```

```
        lblMessage.ForeColor =
        System.Drawing.Color.Red;


        } } } Dashboard.aspx <%@ Page Language="C#" AutoEventWireup="true"
CodeBehind="Dashboard.aspx.cs"
Inherits="AcademicCalendarLeaveSystem.Dashboard" %>

<!DOCTYPE
html>

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
  <title>Academic Calendar & Leave Management
  System</title>

  <style
  >
    body {
    font-family: Arial;
    background-color: #f2f2f2; }

    .container
    {
    width: 700px; margin:
    100px auto;
    background-color: white;
    padding: 40px; text-align:
    center; border-radius:
    10px; }

    .button {
width: 220px;
padding: 12px;
margin: 10px; }
</style> </head>

<body
>

<form id="form1" runat="server">
```

```
<div
class="container">

  <h1>Academic Calendar & Leave Management
  System</h1>

  <hr />

  <h2>Welcome</h2
  >

  <br />
```

ANJALI TIWARY (92400103199)

```
  <asp:Button
  ID="btnCalendar"
    runat="server" Text="Academic Calendar"
    CssClass="button"
    PostBackUrl="~/AcademicCalendar.aspx"
    />

  <br />

  <asp:Button
  ID="btnLeave"
    runat="server" Text="Leave Application"
    CssClass="button"
    PostBackUrl="~/LeaveManagement.aspx"
    />

</div>

</form>

</body>
</html>
```

Dashboard.aspx.
cs using System;

```
namespace
AcademicCalendarLeaveSystem {
  public partial class Dashboard :
  System.Web.UI.Page {
protected void Page_Load(object sender, EventArgs e)
{ } } }
```

OUTPUT:

Department of Computer Science and Engineering **01CE1523 - .NET Technologies**

Department of Computer Science and Engineering **01CE1523 - .NET Technologies**

ANJALI TIWARY (92400103199)ANJALI TIWARY

Department of Computer Science and Engineering **01CE1523 - .NET Technologies**