


Day 3 – HTML Forms, Input Types and CSS

1. HTML Form (<form>)


The <form> tag is used to collect information from users. It contains different input fields such as text boxes, radio buttons, checkboxes, and buttons. Forms are commonly used for registration, login, feedback, and contact pages. The <form> tag can send user data to a server using the action and method attributes.

Example:



```

1  <!DOCTYPE html>
2  <html lang="en">
3
4  <head>
5    <meta charset="UTF-8">
6    <meta name="viewport" content="width=device-width, initial-scale=1.0">
7    <title>Form</title>
8  </head>
9
10 <body bgcolor="greenyellow">
11
12   <center>
13
14     <form>
15
16       <h2 style="color:red;">Personal Details</h2>
17
18       Name:
19       <input type="text"><br><br>
20
21       Password:
22       <input type="password"><br><br>
23
24       E-mail id:
25       <input type="email"><br><br>
26
27       Gender:
28       <input type="radio" name="gender"> Male
29       <input type="radio" name="gender"> Female
30     </form>
  
```



The rendered form is displayed on a yellow-green background. It contains three main sections: Personal Details, Educational Qualification, and Address. The Personal Details section includes fields for Name (Anjali Kumari), Password (masked with dots), E-mail id (anjali@gmail.com), Gender (radio buttons for Male and Female, with Female selected), and Contact (123456789). The Educational Qualification section includes a dropdown for Degree (B.Tech), a dropdown for Engineering (CSE), and checkboxes for Hobbies (Playing Chess and Reading Books, with Reading Books checked). The Address section includes a text input field with the placeholder 'afyghb.in.ik'. At the bottom, there is an 'Attach Resume' section with a 'Choose File' button and a 'SUBMIT' button.


2. HTML Input Types (<input>)

The <input> tag is used to create different types of input fields in a form. The type attribute specifies the kind of information the user can enter.

Common Input Types

1. **type="text"**: - Used to enter text such as a name.
2. **type="password"**: - Used to enter a password. The entered characters are hidden.
3. **type="email"**: - Used to enter a valid email address.
4. **type="number"**: - Used to enter numeric values.
5. **type="radio"**: - Allows the user to select only one option from a group.
6. **type="checkbox"**: - Allows the user to select one or more options.
7. **type="date"**: - Used to select a date.
8. **type="file"**: - Used to upload files.
9. **type="submit"**: - Submits the form data.
10. **type="reset"**: - Clears all the entered form data.
11. **type="button"**: - Creates a clickable button.

Example:




The screenshot shows a code editor with the following HTML code:

```

1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Document</title>
7 </head>
8 <body>
9   <input type = "text"><br><br>
10  <input type = "email"><br><br>
11  <input type = "password"><br><br>
12  <input type = "number"><br><br>
13  <input type = "date"><br><br>
14  <input type = "checkbox"><br><br>
15  <input type = "radio"><br><br>
16  <input type = "color"><br><br>
17  <input type = "range"><br><br>
18  <input type = "file"><br><br>
19  <textarea></textarea><br><br>
20  <input type = "submit"><br><br>
21  <input type = "reset"><br><br>
22  <input type = "button"><br>
23 </body>
24 </html>

```

The code is displayed in a dark-themed editor with line numbers. The right sidebar shows a session log and a tip about using the Plan agent.

A screenshot of a web browser window displaying a form. The browser's address bar shows the URL "127.0.0.1:5500/inputtype%2027-06-2026.html". The form contains several input fields: a text field with "Anjali", an email field with "anjali@gmail.com", a password field with "*****", a dropdown menu with "6", a date picker with "dd-mm-yyyy", a checkbox, a radio button, a color picker, a range slider, a file upload button labeled "Choose File" with "No file chosen" below it, a text area, a "Submit" button, a "Reset" button, and a checkbox at the bottom.

3. Introduction to CSS

CSS (Cascading Style Sheets) is used to style HTML web pages. It controls the colors, fonts, spacing, layout, and overall appearance of a website. CSS helps make web pages attractive, responsive, and user-friendly.

3.1 Inline CSS

Inline CSS is written directly inside an HTML element using the style attribute. It is used to apply style to a single element.


3.2 Internal CSS

Internal CSS is written inside the <style> tag within the <head> section of an HTML document. It is used to style a single webpage.

3.3 External CSS

External CSS is written in a separate .css file and linked to the HTML file using the <link> tag. It is the most commonly used method because one CSS file can style multiple web pages.

Example:



```

1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>CSS</title>
7   <link rel="stylesheet" href="style.css">
8   <style>
9     .name {
10       color: red;
11       font-size: 20px;
12     }
13     #name {
14       color: green;
15       font-size: 20px;
16     }
17   </style>
18 </head>
19 <body>
20   <p style="color: blue; font-size: 16px;">This is a paragraph Tag</p>
21   <div class = "name"> Anjali Kumari</div>
22   <div id = "name"> Anjali Kumari</div>
23   <div class = "a"> Anjali Kumari</div>
24 </body>
25 </html>

```



Conclusion

Today, I learned how to create HTML forms and use different input types to collect user information. I practiced creating registration forms using text fields, password fields, email fields, radio buttons, checkboxes, date selectors, file upload options, and submit/reset buttons. I also learned the basics of CSS, including Inline CSS, Internal CSS, and External CSS, and understood how CSS is used to style web pages.