

Day 4 – CSS Float, Background Properties, Box Model, and Border Radius

1. Introduction to CSS

CSS (Cascading Style Sheets) is used to style HTML web pages. It controls the layout, colors, fonts, spacing, and overall appearance of a website. CSS makes web pages attractive and responsive.

2. CSS Float

The float property is used to position an element on the left or right side of its container. It allows text and other elements to wrap around the floated element. The most common values are left, right, and none.


3. CSS Background Image


The background-image property is used to set an image as the background of a webpage or an HTML element. Other background properties help control the size, position, repetition, and scrolling behavior of the image.

Background Properties

1. **background-image** = Sets the background image.
2. **background-size: cover;** = Makes the image cover the entire element.
3. **background-position: center;** = Places the image in the center.
4. **background-repeat: no-repeat;** = Prevents the image from repeating.
5. **background-attachment: fixed;** = Keeps the background image fixed while scrolling.

Example:







4. Task 1 – CSS Box Model

The CSS Box Model describes how every HTML element is displayed as a rectangular box. It consists of four parts:

1. **Content** – The actual text or image.
2. **Padding** – Space between the content and the border.
3. **Border** – A line around the content and padding.
4. **Margin** – Space outside the border.







5. Task 2 – Box Model with Colors

In this task, I created a box and applied different background colors, text colors, and border colors using CSS. I also used padding and margin to improve the appearance of the box.

Example:





6. Task 3 – Different Border Radius Properties

The border-radius property is used to create rounded corners for HTML elements. Different values can be applied to each corner to create unique shapes and attractive designs.

Common Border Radius Properties


1. **border-radius: 10px;** – Applies equal rounded corners.
2. **border-top-left-radius** – Rounds the top-left corner.
3. **border-top-right-radius** – Rounds the top-right corner.
4. **border-bottom-left-radius** – Rounds the bottom-left corner.
5. **border-bottom-right-radius** – Rounds the bottom-right corner.

Example:

The screenshot shows the VS Code editor with the following code:

```

css5 29-06-2026.html X
css5 29-06-2026.html > html > head > style > .box
2  <html>
3  <head>
4    <style>
5      .box {
6        width: 100px;
7        height: 100px;
8        border: 1px solid black;
9        border-radius: 50%;
10     }
11  </style>
12 </head>
13 <body>
14   <h1>Different Border Radius Properties</h1>
15   <div class="container">
16     <div class="left">
17       <div class="box box1"></div>
18       <div class="box box2"></div>
19       <div class="box box3"></div>
20       <div class="box box4"></div>
21       <div class="box box5"></div>
22       <div class="box box6"></div>
23     </div> .left
24     <div class="circle"></div>
25   </div> .container
26 </body>
27 </html>
  
```



Conclusion

Today, I learned about the CSS float property and how it is used to position elements on a webpage. I also learned how to apply background images using different CSS background properties such as background-size, background-position, background-repeat, and background-attachment. In addition, I practiced the CSS Box Model by using content, padding, border, and margin to design layouts. Finally, I created boxes with different colors and applied various border-

radius properties to create rounded corners and improve the overall design of web pages.