


Problem 1: Grade Evaluation System

```
class GradeEvaluationSystem{
    public static void main(String args[]){
        int Maths = 80;
        int Science = 85 ;
        int History = 90 ;

        int Average = (Maths + Science + History) / 3;
        System.out.println("Average marks = " + Average);

        if (Average>=90){
            System.out.println("Grade A");
        }else if (Average>=70&&Average<=89){
            System.out.println("Grade B");
        }else if (Average>=50&&Average<=69){
            System.out.println("Grade B");
        }else if (Average>=30&&Average<=49){
            System.out.println("Grade C");
        }else {
            System.out.println("fail");
        }
    }
}
```

OUTPUT:



```
C:\Users\HP\Desktop>javac GradeEvaluationSystem.java
GradeEvaluationSystem.java:18: error: \';\' expected
        }else (Average<30){
                ^
2 errors

C:\Users\HP\Desktop>java GradeEvaluationSystem
Average marks = 195
Grade A

C:\Users\HP\Desktop>javac GradeEvaluationSystem.java

C:\Users\HP\Desktop>java GradeEvaluationSystem
Average marks = 85
Grade B


C:\Users\HP\Desktop>
```

Problem 2: Leap Year

```
import java.util.Scanner;
class LeapYear{
    public static void main(String args[]){
        Scanner sc = new Scanner(System.in);

        System.out.println("Enter the Year");
        int Year = sc.nextInt();
        if (Year%4==0 && Year%100 != 0 || Year%400 == 0){
            System.out.println(Year + " is a leap year");
        } else
        {
            System.out.println(Year + " is not a leap year");
        }
    }
}
```

OUTPUT:



```
Select Command Prompt
C:\Users\HP\Desktop>javac LeapYear.java
LeapYear.java:7: error: bad operand types for binary operator '&&'
    if (Year % 4 == 0 && Year%100 != 0 || Year%400 == 0){
                        ^
    first type:  boolean
    second type:  int
LeapYear.java:7: error: bad operand type int for unary operator '!'
    if (Year % 4 == 0 && Year%100 != 0 || Year%400 == 0){
                        ^
2 errors

C:\Users\HP\Desktop>javac LeapYear.java

C:\Users\HP\Desktop>java LeapYear
2024 is a leap year

C:\Users\HP\Desktop>javac LeapYear.java

C:\Users\HP\Desktop>java LeapYear
1900
1900 is not a leap year

C:\Users\HP\Desktop>javac LeapYear.java

C:\Users\HP\Desktop>java LeapYear
Enter the Year
2027
2027 is not a leap year

C:\Users\HP\Desktop>
```

Problem 3: Days of the Week

```
import java.util.Scanner;

class DaysOfWeek{
    public static void main(String args[]){

        int DayNumber = 3;

        switch (DayNumber){
            case 1:
                {System.out.println("The Day is Monday");
                } break;
            case 2:
                {System.out.println("The Day is Tuesday");
                } break;
            case 3:
                {System.out.println("The Day is Wednesday");
                } break;
            case 4:
                {System.out.println("The Day is Thrusday");
                } break;
            case 5:
                {System.out.println("The Day is Friday");
                } break;
            case 6:
                {System.out.println("The Day is Saturaday");
                } break;
            case 7:
                {System.out.println("The Day is Sunday");
                } break;
            default:
                {System.out.println("Invalid Day Number");
                }
        }
    }
}
```

OUTPUT:

```
C:\Users\HP\Desktop>javac DaysOfWeek.java
```

```
C:\Users\HP\Desktop>java DaysOfWeek
The Day is Monday
```

```
C:\Users\HP\Desktop>javac DaysOfWeek.java
```


```
C:\Users\HP\Desktop>java DaysOfWeek
The Day is Wednesday
```

```
C:\Users\HP\Desktop>
```

Problem 4: Identify the Values of Uninitialized Variables

```
class UninitializedVariables {  
  
    byte a;  
    short b;  
    int c;  
    long d;  
    float e;  
    double f;  
    char g;  
    boolean h;  
  
    public static void main(String[] args) {  
  
        UninitializedVariables obj = new UninitializedVariables();  
  
        System.out.println("byte: " + obj.a);  
        System.out.println("short: " + obj.b);  
        System.out.println("int: " + obj.c);  
        System.out.println("long: " + obj.d);  
        System.out.println("float: " + obj.e);  
        System.out.println("double: " + obj.f);  
        System.out.println("char: " + obj.g);  
        System.out.println("boolean: " + obj.h);  
    }  
}
```

OUTPUT:



The screenshot shows a Windows Command Prompt window titled "Select Command Prompt". The window displays the following text:

```
UninitializedVariables.java:22: error: cannot find symbol  
        System.out.println("double: " + obj.f);  
                                   ^  
symbol:   variable f  
location: variable obj of type UninitializedVariables  
UninitializedVariables.java:23: error: cannot find symbol  
        System.out.println("char: " + obj.g);  
                                   ^  
symbol:   variable g  
location: variable obj of type UninitializedVariables  
UninitializedVariables.java:24: error: cannot find symbol  
        System.out.println("boolean: " + obj.h);  
                                   ^  
symbol:   variable h  
location: variable obj of type UninitializedVariables  
8 errors  
  
C:\Users\HP\Desktop>javac  UninitializedVariables.java  
  
C:\Users\HP\Desktop>java UninitializedVariables  
byte: 0  
short: 0  
int: 0  
long: 0  
float: 0.0  
double: 0.0  
char:  
boolean: false  
  
C:\Users\HP\Desktop>
```