Deepak Tivais MCA "2A" 207/11013 Rogram import gava io. 4: public class PROGRAM ?

public stable void main (Shing (3 args) dry &

Ste file fil = new file ("One. tet");

Y (: fio exists ()) &

Jo Create New File ();

System. out. printly ("Beloke Feate.")

One. tet + ); Clas system. out. println (" file already east) photosater PI = New Pardwritter (f1); Jok (9nd j=0; jc5; j++)}

pl. printing Deepak Trusoni Dal

one-tat "ij);

Bystem. Out - pointly (" One . txt white succenfer"): I catch (Exception e) System. out. phoths (" an error has accured"); File f2= new of File ("hvo-tet"); \$2. create Mewfib(); System. Out-println ("file already exist) printer P2= new Printuriter [f2) for (Int j=0; j(5; j+1) System out. pholln ('Deepak Fiwasi') hero. tx18) P2. (love C):

System. Oct. phutln ('poo. tol write socieful)

3 centch (Eacefotion e) ?

System out println ('an erron has

Occurred"); 3 gul & printleriter pw = new prinhvriter
("Three txt); Buffered Reader by = new Buffered Reader (new file Reader Luche.tall)

Chere file Reader Luche.tall)

(new file Reader ("trex. fall). String line 1 = brl. Readline (); string line 2 = br 2. recedline (); While (line! ! = nell 11 time 2 ! = null) y ( Pine 1! = next) Prolimer );
Prolimer bol readline(); if ( line 2 : = null) que println(like 2); 31 Line2 = br2 · readlind);

no- flosh (); bil-close (); boz. dose ()? plo, cless(); tile file = now file ("three. tx+); Expersed Reader br3 = new Suffered Reader (file); system.out. prinklin(St); Catch (Exceptione) 343 tem. ocel. println ("error Gocard")