```
Name - Dhana Loranga
Kall No - 2001056
Cours - MCA-B
Student ID - 20712106
 imposed java.io. *;
  ¿ Class FileMerge
   Public Static Void print Data ()
    BufferedReader Br = null;
     Buffered Reader bys = null;
     Buffered Regder by 2 = null;
         br = now Bufford Reader (now tile Reader ("one. Ext"));
          by1 = now fuffer Roader (new Eile Roader (" Iwo. 1xt))",
         by 2 = now Buffer Reader (new tile Reader ("Thouse, *x*));
       3 catch (tileNot.found Exception e) &
              e. print stack Tracel);
     Storing line = null;
        Storing lines = null',
        Stocing Line 2 = will;
          while (line = bx. read line ()) ! = null)
        while (line 1 = by 1. suadline () } = null) {
while (line 2 = by 2. suadline ()) } = null)
        System out println ("content of one text file; "+ line);
system.out. println ("content of two. text file" + lines);
```

```
System. Out. printle ("content of three. 1xt file"+ linez).
(atch (IOException e)
  e. prinstack Tracer();
Public Static void main (String (7 args) throws
JO Exception
  Printwriter pw = now print writer (" House. 1xt").
 Bufford Roader br = now Buffer Roader new file Roader
(" One. *xt));
 String line = br : readline ();
   While ( line ) = null)
   Ppw. Print (line);
    line = br. 949 dline ();
  by = new Bufford Roader (new tile Roader ("Iwo. 1x +));
  line = by, readline ();
while (line 5 = null)
  pw. print (line);
       line = by suadline ();
    Pw. flush ();
   by don ()
 System. out. println ("copied the contains of one. 1xt
  and two. txt into three . txt. file");
```

```
Syctem. Out println ("");

Print DATA ();
```

Copied the contents of one.txt and two.txt into three.txt file

Content of one.txt file : hello world

Content of two.txt file : ---- java program

Content of three.txt file : hello world---- java program