Ans 1

name: Deepak Singh
class: MCA 2A
student ID: 20561002

```
import java.io.*;
import java.util.*;
public class quesOne {
public static void main(String[] args) throws
IOException {
PrintWriter writerThree = new
PrintWriter("file3.tpt");
PrintWriter writerOne = new PrintWriter("file1.tpt");
writerOne.println("line11");
writerOne.println("line21");
writerOne.println("line31");
writerOne.println("line41");
writerOne.println("line51");
writerOne.close();
```

```
PrintWriter writerTwo = new PrintWriter("file2.txt");
writerTwo.println("line1");
writerTwo.println("line2");
writerTwo.println("line3");
writerTwo.println("line4");
writerTwo.println("line5");
writerTwo.close();

BufferedReader br1 = new BufferedReader(new
FileReader("file1.txt"));
BufferedReader br2 = new BufferedReader(new
FileReader("file2.txt"));
```

```
String line1, line2;
while ((line1 = br1.readLine()) != null && (line2 =
br2.readLine()) != null) {
writerThree.println(line1);
writerThree.println(line2);
            }
BufferedReader br = new BufferedReader(new
FileReader("file3.txt"));
String line = br.readLine();

while (line != null) {
writerThree.println(line);
line = br.readLine();
            }
writerThree.flush();
br.close();
writerThree.close();
System.out.println("done");
 }
    }
```


File Edit Selection View Go Run Terminal Help
file3.txt - DeepakSingh_Practical - Visual Studio Code
EXPLORER
quesOne.java 3
file1.txt
file2.txt
file3.txt
OPEN EDITORS
DEEPAKSINGH_PRACTICAL
file1.txt
file2.txt
file3.txt
quesOne.class
quesOne.java 3
three.txt
line11
line1
line21
line2
line31
line3
line41
line4
line51
line5
TERMINAL
DEBUG CONSOLE
OUTPUT
PS D:\java\DeepakSingh_Practical> cd "d:\java\DeepakSingh_Practical\" ; if ($?) { javac quesOne.java } ; if ($?) { java quesOne }
done
PS D:\java\DeepakSingh_Practical>
Code
Java Debug ...
OUTLINE
TIMELINE
JAVA PROJECTS
MAVEN
master*
Run Testcases
tabnine
Ln 11, Col 1
Spaces: 4
UTF-8
CRLF
Plain Text
Type here to search
36°C
ENG
11:57 AM
22-06-21