None-Annah Behal 20711038 MCA2A Java pourticle Are 1 import Javorio +; public staticus il main coming 11 augus mitwriter at = new printeriters ( hume my lpho (Document (Javaprac (File tent)) out prixth (line 1"); out-print In ( line 2 ); out point la l'ilne 3"? aut. println ("ling") ad prith ("line &"); out. close (); met writer Out 2 rew print writer ( home (mrtphal Document (Javac 1 & le 2 det outproten ("line 11"). antiporte ("line") ["! outpritte ("ine 33"); outsprintly (line 55"). Out 2-close ().

print writer pro- new print writer ("home! mrlpha! Dacuments ravepac 1. file 2. text"); Buffered Roaden bot - new buffered Raaden, Incum til Roaden o'1/ home (onra phal Document (5000 porce (tild. text's); buffered Roader 1002 onen Buffered Roader (new file Roader ("Thome in 1 pha 1 Downerst Javapruc (Hile 2. text")); thing (int = brl. read line ();

Thing line 2 = br L. Read line (); while (line !! = null !! rine 2! = neil) ly (line ! = null) | pw. println (line 1); 1 pw: print la (ine 2); line 2 = hr 2. read line (); pw.flush (); brl. Close U br2. (loses) pw.close O;

and file 2, text into 1: 102. tento; 2 Lower Property and a second Here Productions are Rafferdon Alexander bet delling. e Direction of the elevery per print the die es