Page No :
Date :

Ans:
20712066
MCA 2B II Sem
Java programming.

Q 1 ⇒
Ans ⇒

```
import java.io.*;
import java.util.*;

Public class Main
{
    public static void main
        (String [] args)
        throws IO Exception
{

    PrintWriter writerThree =
    new PrintWriter("three.
                txt");

    PrintWriter writerOne =
    new PrintWriter("one.txt");
```

```
WriterOne.println("line1");
WriterOne.println("line2");
WriterOne.println("line3");
WriterOne.println("line4");
WriterOne.println("line5");
WriterOne.close();

PrintWriter writerTwo =
    new PrintWriter("two.txt");

writerTwo.println("line1");
writerTwo.println("line2");
writerTwo.println("line3");
writerTwo.println("line4");
writerTwo.println("line5");
writerTwo.close();

// BufferedReader object for
   file1.txt
BufferedReader bor1 = new
    BufferReader(newFileRea-
    -der("one.txt"));

BufferReaderbor2 = newBuffer-
```

Page No :
Date :

```
-ed Reader(new file Reader
        ("two.txt"));

String line1, line2;
while ((line1 = br1.read
        Line()) != null &&
(line2 = br2.readline
        ()) != null)
{
writer Three.println
        (line1);
writer Three.println
        (line2);
}
Buffer Reader br = new
BufferedReader(new
        File Reader("three.
        txt"));
String line = br.read
        Line();
```

```
while (line != null)
{
    writerThree.println(line);
    line = br.readLine();
}
writerThree.flush();

br.close();
writerThree.close();

System.out.println("done");
}
}
```


onlinegdb.com
OnlineGDB beta
online compiler and debugger for c/c++
code. compile. run. debug. share.
IDE
My Projects
Classroom new
Learn Programming
Programming Questions
We are Hiring
Sign Up
Login
99K
About • FAQ • Blog • Terms of Use • Contact Us
• GDB Tutorial • Credits • Privacy
Connecting...
Run
Debug
Stop
Share
Save
{ } Beautify
Language Java
Main.java
one.txt
three.txt
two.txt
import java.io.*;
import java.util.*;
public class Main
{
public static void main(String[] args) throws IOException
{
PrintWriter writerThree = new PrintWriter("three.txt");
PrintWriter writerOne = new PrintWriter("one.txt");
writerOne.println("line11");
writerOne.println("line21");
writerOne.println("line31");
writerOne.println("line41");
writerOne.println("line51");
writerOne.close();
input
done
...Program finished with exit code 0
Press ENTER to exit console.
Type here to search
11:53
22-06-2021


onlinegdb.com
OnlineGDB beta
online compiler and debugger for c/c++
code. compile. run. debug. share.
IDE
My Projects
Classroom new
Learn Programming
Programming Questions
We are Hiring
Sign Up
Login
99K
About • FAQ • Blog • Terms of Use • Contact Us
• GDB Tutorial • Credits • Privacy
Connecting...
Run
Debug
Stop
Share
Save
{ } Beautify
Language Java
Main.java
one.txt
three.txt
two.txt
47 }
48
49 BufferedReader br = new BufferedReader(new FileReader("three.txt"));
50
51 String line = br.readLine();
52
53 // loop to copy each line of
54 // file2.txt to file3.txt
55 while(line != null)
56 {
57 writerThree.println(line);
58 line = br.readLine();
59 }
60
61 writerThree.flush();
62
63 // closing resources
64 br.close();
65 writerThree.close();
66
67 System.out.println("done");
68 }
69 }
input
done
...Program finished with exit code 0
Press ENTER to exit console.
Type here to search
11:53
22-06-2021


onlinegdb.com
OnlineGDB beta
online compiler and debugger for c/c++
code. compile. run. debug. share.
IDE
My Projects
Classroom new
Learn Programming
Programming Questions
We are Hiring
Sign Up
Login
99K
Run
Debug
Stop
Share
Save
{ } Beautify
Language Java
Main.java
one.txt
three.txt
two.txt
PrintWriter writerTwo = new PrintWriter("two.txt");
writerTwo.println("line1");
writerTwo.println("line2");
writerTwo.println("line3");
writerTwo.println("line4");
writerTwo.println("line5");
writerTwo.close();
// BufferedReader object for file1.txt
BufferedReader br1 = new BufferedReader(new FileReader("one.txt"));
BufferedReader br2 = new BufferedReader(new FileReader("two.txt"));
String line1, line2;
while ((line1=br1.readLine())!=null && (line2=br2.readLine())!=null)
{
writerThree.println(line1);
writerThree.println(line2);
}
BufferedReader br = new BufferedReader(new FileReader("three.txt"));
String line = br.readLine();
input
done
...Program finished with exit code 0
Press ENTER to exit console.
About • FAQ • Blog • Terms of Use • Contact Us
• GDB Tutorial • Credits • Privacy
Connecting...
Type here to search
11:53
22-06-2021


onlinegdb.com
OnlineGDB beta
online compiler and debugger for c/c++
code. compile. run. debug. share.
IDE
My Projects
Classroom new
Learn Programming
Programming Questions
We are Hiring
Sign Up
Login
99K
Run
Debug
Stop
Share
Save
{ } Beautify
Language Java
Main.java
one.txt
three.txt
two.txt
1 line11
2 line21
3 line31
4 line41
5 line51
6
input
done
...Program finished with exit code 0
Press ENTER to exit console.
About • FAQ • Blog • Terms of Use • Contact Us
• GDB Tutorial • Credits • Privacy
Connecting...
Type here to search
11:52