

Lecture 1 Notes: What is the Internet?

Apna College – Web Development Batch (Step-by-Step, Hinglish Explanation)

1) Internet Kya Hai?

- 1 Internet ek **global network of networks** hai – duniya bhar ke computers, phones, servers ek dusre se judhe hote hain.
- 2 Har connected device ka ek unique **IP Address** hota hai (jaise ghar ka address).
- 3 **Client** (aapka laptop/phone) request bhejta hai; **Server** 24x7 online hota hai aur data/service provide karta hai.




Fig. 1 – Clients aur Servers IP address ke saath connected networks.

2) Important Components

Term	Simple Meaning (Hinglish)
Client	User ka device jo request bhejta hai (browser/app).
Server	Powerful computer jo website/files host karta hai, hamesha online.
IP Address	Number format address (e.g., 142.250.190.78) jisse device identify hota hai.
Domain	Human-friendly name (e.g., google.com) jo IP ko represent karta hai.
ISP	Internet Service Provider – Jio/Airtel/BSNL etc. jo internet access deta hai.
DNS	Domain Name System – domain ko IP me translate karta hai (jaise contact list).

3) Request–Response Flow (Step-by-Step)

Example: Browser me **amazon.com** type kiya.

- 1 Aapka **Client** (browser) request banata hai.
- 2 Request pehle aapke **ISP** (Jio/Airtel) ke paas jaati hai.
- 3 ISP ko domain ke corresponding **IP Address** chahiye hota hai, isliye woh **DNS** ko poochta hai.
- 4 **DNS** domain name (amazon.com) ko correct IP address me **resolve** karta hai.

- 5 IP milte hi request actual **Server** tak pahunchti hai.
- 6 Server response (HTML/CSS/JS/images) bhejta hai.
- 7 Aapka browser response ko render karke web page dikhata hai.




Fig. 2 – Client → ISP → DNS → Server → Client ka round trip flow.

4) Easy Analogy (Yaad Rakhne ke liye)

- Domain Name = Contact list me saved naam ("Mummy").
- IP Address = Actual phone number.
- DNS = Contact list jo naam ko number me convert kare.
- Call (Request) = Aapka browser ka request.
- Person picking call (Server) = Website ka server jo jawab bheje.

5) Quick Revision Checklist

- Internet = Network of networks.
- Client vs Server difference clear?
- IP address kyon zaroori?
- DNS kya karta hai?
- ISP ki role?

6) Practice Questions

- 1 DNS ka full form aur role explain kijiye.
- 2 Client aur Server me 3 differences likhiye.
- 3 Domain name ke bina bhi website khul sakti hai? Kaise?
- 4 ISP ka kya kaam hai? Do examples dijiye.
- 5 IP Address aur Domain me relation explain kijiye.

Tip: Practical samajhne ke liye, Windows/Mac me **ping google.com** run karke uska IP dekhiye.

Lecture 2 Notes: What is Web Development?


Step-by-step Hinglish explanation based on your 3 slides.



Slide 1 – Web development = Building websites for the internet.

Simple Definition

Web development ka matlab hai internet par chalne wali websites ya web apps banana. Isme do main parts hote hain: **FrontEnd** (jo user dekhe/operate kare) aur **BackEnd** (server, logic, database). Dono ko saath me karne wale ko **FullStack Developer** kehte hain.




Slide 2 – HTML, CSS, JavaScript ki roles (Dino analogy).

Teen Pillars (Easy Analogy)

- **HTML = Structure:** Page ka skeleton. Headings, paragraphs, images, buttons, forms – sab HTML se bante hain.
- **CSS = Style:** Rang, font, size, spacing, layout, responsive design (mobile/desktop) – sab CSS se hota hai.
- **JavaScript = Behavior:** Page ko zinda banata hai – clicks, form validation, animations, data ko server se lana (APIs).

Browser Page Render Ka HighLevel Flow

- 1 Browser HTML padhta hai aur **DOM tree** banata hai.
- 2 CSS files padhkar **CSSOM** banta hai. DOM + CSSOM milkar **Render Tree**.
- 3 Layout/position calculate hota hai (kabhi 'reflow' bhi kehte hain). Phir pixels screen par **paint** hote hain.
- 4 JavaScript DOM ko change kar sakta hai (text badalna, elements add/remove), isse page dynamic banta hai.



Slide 3 – amazon.in example: request → response → render.

Website Kaise Load Hoti Hai? (amazon.in Example)

- 1 Address bar me **amazon.in** type kiya.
- 2 **DNS** se is domain ka **IP address** milta hai (Lecture 1 concept).
- 3 Browser **HTTP/HTTPS request** Amazon ke **server** ko bhejta hai.
- 4 Server **response** me HTML bhejta hai; HTML me CSS/JS files ki links hoti hain.
- 5 Browser HTML parse karta hai, saath me CSS/JS/image/fonts ko parallel download karta hai.
- 6 CSS apply hoti hai, JS execute hota hai (buttons, search, cart, etc.).
- 7 Final page screen par **render** hota hai; aage ke data (APIs) background me aata rehta hai.

Quick Revision

- Web Dev = FrontEnd + Backend (FullStack = dono).
- HTML structure deta hai, CSS style deta hai, JS behavior deta hai.
- Browser: Request → Server: Response (HTML/CSS/JS) → Browser: Render.

Mini Practice

- Ek index.html banao – heading, paragraph aur ek button add karo.
- CSS me button ko padding, border-radius, margin do.
- JavaScript se button click par alert dikhao ya text change karo.

Lecture 3: HTML Elements & Tags

Lecture 3: HTML Elements & Tags (Detailed Notes)

1. HTML Elements:

- HTML (HyperText Markup Language) is the structure of a webpage.
- An element is a complete unit which defines a piece of content.
- Standard elements browser recognizes:
 - Paragraph: `<p>Content</p>`
 - Heading: `<h1>Heading</h1>`
 - Image: ``

➡■ Elements are building blocks of a website. Each element may contain text, images, or other elements.

2. HTML Tags:

- Tags are the keywords enclosed in angle brackets `<>` used to define HTML elements.
- They usually come in pairs: Opening Tag and Closing Tag.

Example:

`<p>This is a paragraph</p>`

- `<p>` : Opening tag
- `</p>`: Closing tag
- Content: "This is a paragraph"
- Element: Everything from opening to closing tag

■ Analogy: Think of tags as containers, and content as the item inside the container.

3. Important Tags Covered:

- `<h1>`, `<h2>`, ... `<h6>`: Headings, from largest to smallest
 - `<p>`: Paragraph
 - ``: Bold text
 - `<i>`: Italic text
 - ``: Image tag, requires 'src' (source) and 'alt' (description)
-

4. Key Takeaways:

- HTML provides structure, NOT style or behavior.
- Tags are the core syntax of HTML.
- Always close tags properly to avoid rendering issues.

HTML Boilerplate & 'Hello World' – Step-by-Step Notes

Ye PDF us lecture/screenshot par based hai jisme VS Code me basic HTML boilerplate ka code likha hai. `<p>Hello World!</p>` dikh raha tha.

Goal: (1) Har line ka meaning samajhna, (2) VS Code me jaldi se page banana, (3) kuch simple tricks.

Boilerplate kya hota hai?

- Boilerplate = kisi bhi HTML page ka skeleton (basic dhacha).
- 4 blocks yaad rakho: 1) `<!DOCTYPE html>` 2) `<html lang='en'>` 3) `<head>...</head>` 4) `<body>...</body>`.
- `<head>` me browser/SEO/settings jaise meta info hoti hai; `<body>` me user ko dikhai dene wali content hoti hai.

Clean Code (Copy-Paste Ready)

Note: HTML me '{' '}' nahi aate. Agar screenshot me '}' dikha tha to usse hat

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>My Boilerplate Code</title>
  </head>
  <body>
    <p>Hello World!</p>
  </body>
</html>
```

<head> ke andar kya aur kyon?

- `<!DOCTYPE html>` – Browser ko bolta hai ki document HTML5 hai.
- `<html lang='en'>` – Root element + page ki language (accessibility/SEO ke liye).
- `<meta charset='UTF-8'>` – Unicode support; sabhi languages/emoji sahi dikhene ke liye.
- `<meta http-equiv='X-UA-Compatible' content='IE=edge'>` – Old IE me latest rendering mode (legacy/optional).
- `<meta name='viewport' content='width=device-width, initial-scale=1.0'>` – Mobile layout ke liye.
- `<title>My Boilerplate Code</title>` – Browser tab ka title.

<body> & Content

- `<body>` wo jagah hai jahan user-visible cheezen aati hain (headings, paragraphs, buttons).
- `<p>Hello World!</p>` – ek simple paragraph. `<p>` open aur `</p>` close tag hai.
- Rule: open tag ka close tag zaroori (jaise `<p>...</p>`, `<html>...</html>`, `<body>...</body>`, `<head>...</head>`).

VS Code me jaldi se page kaise banayein

- File > New File > save karein 'Classroom.html' ke naam se.
- Emmet shortcut: HTML file me '!' type karke Tab dabayein – pura boilerplate ban jaye.
- <title> change karein aur body me <p>Hello World!</p> add karein.
- Run karne ke tareeke:
 - Live Server extension (recommended): file par right-click > Open with Live Server
 - Ya seedha file ko double-click karke browser me khol lein.

Memory Tricks (Mnemonics)


- Skeleton chant: 'Doctype → html-lang → head → body'.
- Head order hint: 'C C V T' = Charset, (X-UA) Compatible, Viewport, Title.
- 20-sec recall: blank file me bina dekhe in 4 lines ko likhne ki practice ka
- Flash-cards: ek card par tag ka naam, doosre par uska kaam; daily 2-3 min s
- Muscle memory: har nayi file me '!' + Tab, phir body me 1 naya <p> message

Common Mistakes + Final Checklist

- Galat: HTML me '{' ya '}' use karna – ye CSS/JS ke liye hote hain.
- Bhool: </head>, </body>, </html> jaise closing tags miss ho jana.
- Viewport meta chhod dena – mobile view toot sakta hai.
- File ko .html extension se save na karna.
- Quick Checklist:
 - Doctype ✓ html lang ✓
 - head: charset ✓ compat ✓ viewport ✓ title ✓
 - body: visible content ✓ tags correctly closed ✓

Lecture Screenshot (Reference)

Neeche diya gaya image sirf reference ke liye hai – code likhte time clean version karein.



```
< previous next >
Classroom.html X
Users > shradhakhapra > WebClassroom > Classroom.html > html > body
1 <!DOCTYPE html>
2 <html lang="en">
3   <head>
4     <meta charset="UTF-8">
5     <meta http-equiv="X-UA-Compatible" content="IE=edge">
6     <meta name="viewport" content="width=device-width, initial-scale=1.0">
7     <title>My Boilerplate Code</title>
8   </head>
9   <body>
10    <p>Hello World!</p>
11  </body>
12 </html>
```

anjalipal2 @gmail.com
APNA COLLEGE

HTML Basics - Easy Learning Notes

HTML Attributes

Attributes are used to add more information to HTML tags. They are always written in the form of `name="value"`. Example: `<html lang="en">` specifies that the page language is English.

Anchor Element (<a>)

The `<a>` tag is used to add links to your page. The 'href' attribute specifies the link. Example: `Google`. Links can be absolute (internet) or relative (within your project).

Image Element ()

The `` tag is used to add images. Attributes include 'src' for the image source and 'alt' for alternate text. Example: ``. The source can be a relative URL (local file) or absolute URL (online image).

 Tag

The `
` tag is used to insert line breaks in text, moving content to the next line.

Bold, Italic & Underline Tags

These tags are used to highlight text. `` makes text bold, `<i>` italicizes text, and `<u>` underlines text. Example: `Bold`, `<i>Italic</i>`, `<u>Underline</u>`.

Comments in HTML

Comments are parts of code that are not displayed in the browser. They help developers write notes. Example: `<!-- This is an HTML Comment -->`.

HTML is Not Case Sensitive

HTML tags are not case sensitive. `<html>` is the same as `<HTML>`. This means you can use uppercase or lowercase, but it's good practice to use lowercase consistently.