


**B.M.S. COLLEGE OF ENGINEERING**  
Basavanagudi, Bengaluru- 560019  
**DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING**



**LAB REPORT**

On

***Object Oriented Java Programming***  
**(23CS3PCOOJ)**

Submitted By:

**ANJAN C**

**1BM22CS044**

*In partial fulfilment of*  
**BACHELOR OF ENGINEERING**  
In  
**COMPUTER SCIENCE AND ENGINEERING**  
2023-24

Faculty-In-Charge

**Swathi Sridharan**

**Assistant Professor**

**Department of Computer Science and Engineering**

SL. NO	DATE	TOPIC	PageNo
1	22/12/23	Quadratic Equation	1
2	29/12/23	Student SGPA Calculator	3
3	12/01/24	Book Problem	6
4	12/01/24	Shapes	9
5	19/01/24	Bank Problem	12
6	02/02/24	Student External And Internal Marks	18
7	16/02/24	Exception Handling	22
8	16/02/24	Threads	25
9	23/02/24	Swing and AWT	28

## **LAB-1: QUADRATIC EQUATION**

Develop a Java program that prints all real solutions to the quadratic equation  $ax^2+bx+c=0$ . Read in a, b, c and use the quadratic formula. If the discriminate  $b^2-4ac$  is negative, display a message stating that there are no real solutions.

```
import java.util.Scanner;

public class Lab2_1{

    public static void main(String[] args){

        System.out.println("Anjan C ");

        System.out.println("1BM22CS044\n\n");

        Scanner s= new Scanner(System.in);

        System.out.println("Enter the coefficient");

        int a=s.nextInt();

        int b=s.nextInt();

        int c=s.nextInt();

        if(a==0){

            System.out.println("Enter valid value of a");

        }

        else{

            int d=b*b-4*a*c;

            if(d>0){

                System.out.println("Roots are real and distinct");

                float r1= (float)((-b+Math.sqrt(d))/(2*a));

                float r2= (float)((-b-Math.sqrt(d))/(2*a));

                System.out.println(r1);

                System.out.println(r2);

            }

            else if(d<0){

                System.out.println("Roots are imaginary");

            }

        }

    }

}
```

```

    }
    else{
        System.out.println("Roots real and equal");
        float r=(float)-b/(2*a);
        System.out.println(r);
    }
}
}
}

```

#### OUTPUT :

```

C:\Users\Admin\Desktop\1BM22CS044>javac Lab2_1.java

C:\Users\Admin\Desktop\1BM22CS044>java Lab2_1
Anjan C
1BM22CS044

Enter the coefficient
1 1 1
Roots are imaginary

C:\Users\Admin\Desktop\1BM22CS044>java Lab2_1
Anjan C
1BM22CS044

Enter the coefficient
1 4 4
Roots real and equal
-2.0

C:\Users\Admin\Desktop\1BM22CS044>java Lab2_1
Anjan C
1BM22CS044

Enter the coefficient
1 -5 6
Roots are real and distinct
3.0
2.0

```

## **LAB-2: STUDENT SGPA CALCULATION**

Develop a Java program to create a class Student with members usn, name, an array credits and an array marks. Include methods to accept and display details and a method to calculate SGPA of a student.

```
import java.util.Scanner;

public class Student {
    String usn;
    String name;
    private static int credit[] = {4,4,3,3,3,1,1,1};
    private int numOfSub = 8;
    int marks[] = new int [numOfSub];
    Scanner s = new Scanner(System.in)
    Student()
    {
        System.out.println("Enter your details below to calculate your SGPA\n");
        get_details();
        set_marks();
        display();
    }

    public void get_details()
    {
        System.out.println("Enter your USN:");
        usn = s.next();
        System.out.println("Enter your name:");
        name = s.next();
    }
}
```

```

public void set_marks()
{
    System.out.println("Enter your marks in order");
    for(int i=0;i<numOfSub;++i)
    {
        marks[i] = s.nextInt();
    }
}

```

```

public double sgpa()
{
    double sgpa=0,temp=0;
    for(int i=0;i<numOfSub;++i)
    {
        if(marks[i]>=40) {
            if(marks[i]==100)
            {
                temp += credit[i] * ((int) (marks[i] / 10) );
            }
            else
            {
                temp += credit[i] * ((int) (marks[i] / 10)+1 );
            }
        }
        else
        {
            temp+= 0;
        }
    }
}

```

```

    }

    sgpa= temp/20;

    return sgpa;

}

public void display()
{
    System.out.println("Name: "+name);
    System.out.println("USN: "+usn);
    System.out.println("SGPA: "+sgpa());
}

public static void main(String[] args) {
    System.out.println("Anjan C ");
    System.out.println("1BM22CS044\n\n");
    Student s1 = new Student();
}

```

### OUTPUT :

```

C:\Users\Admin\Desktop\1BM22CS044>javac Student.java

C:\Users\Admin\Desktop\1BM22CS044>java Student
Anjan C
1BM22CS044

Enter your details below to calculate your SGPA

Enter your USN:
1BM22CS044
Enter your name:
Anjan
Enter your marks in order
10
20
30
40
50
60
70
80
Name: Anjan
USN: 1BM22CS044
SGPA: 2.85

```

### **LAB-3: BOOK DETAILS**

Create a class Book which contains four members: name, author, price, num\_pages. Include a constructor to set the values for the members. Include methods to set and get the details of the objects. Include a toString( ) method that could display the complete details of the book. Develop a Java program to create n book objects.

```
import java.util.Scanner;

class book
{
    String name;
    String author;
    float price;
    int num_pages;

    void set_details()
    {
        Scanner sc=new Scanner(System.in);
        System.out.println("enter bookname,author,price,num_pages");
        name=sc.next();
        author=sc.next();
        price=sc.nextFloat();
        num_pages=sc.nextInt();
    }

    void get_details()
    {
        String details=toString();
        System.out.println(details);
    }
}
```



```

public String toString()
{
    return "the book "+name+" was written by "+author+" it consists of "+num_pages+"
pages and costs around "+price;
}

public static void main(String []args)
{
    System.out.println("Anjan C ");
    System.out.println("1BM22CS044\n\n");
    Scanner s=new Scanner(System.in);
    System.out.println("enter no of books you want to generate");
    int n=s.nextInt();
    book b[]=new book[n];
    for(int i=0;i<n;i++)
    {
        b[i]=new book();
        b[i].set_details();
    }
    System.out.println("book details");
    System.out.println();
    for(int i=0;i<n;i++)
    {
        b[i].get_details();
    }
}
}

```

## OUTPUT :

```
C:\Users\Admin\Desktop\1BM22CS044>javac book.java
C:\Users\Admin\Desktop\1BM22CS044>java book
Anjan C
1BM22CS044

enter no of books you want to generate
2
enter bookname,author,price,num_pages
ABC
XYZ
123
200
enter bookname,author,price,num_pages
PQR
LMN
150
200
book details

the book ABC was written by XYZ it consists of 200 pages and costs around 123.0
the book PQR was written by LMN it consists of 200 pages and costs around 150.0
```

## **LAB-4: AREA CALCULATION**

Develop a Java program to create an abstract class named Shape that contains two integers and an empty method named printArea( ). Provide three classes named Rectangle, Triangle and Circle such that each one of the classes extends the class Shape. Each one of the classes contain only the method printArea( ) that prints the area of the given shape.

```
import java.util.Scanner;

abstract class Shape{
    int a,b;
    abstract void printArea();
}

class Rectangle extends Shape{
    Rectangle(int l,int br){
        a=l;
        b=br;
    }
    void printArea(){
        int area=a*b;
        System.out.println("Area of rectangle: "+area);
    }
}

class Triangle extends Shape{
    Triangle(int ba,int h){
        a=ba;
        b=h;
    }
    void printArea(){
        double area = 0.5*a*b;
```

```

        System.out.println("Area of the triangle: "+area);
    }
}

class Circle extends Shape{

    Circle(int r){
        a=r;
    }

    void printArea(){
        double area=3.14*a*a;

        System.out.println("Area of Circle: "+area);
    }
}

class area {

    public static void main(String[] args) {

        System.out.println("Anjan C ");

        System.out.println("1BM22CS044\n\n");

        Scanner in=new Scanner(System.in);

        System.out.println("Enter length and breadth of a rectangle:");

        Rectangle rec=new Rectangle(in.nextInt(), in.nextInt());

        rec.printArea();

        System.out.println("Enter base and height of a triangle: ");

        Triangle tri = new Triangle(in.nextInt(), in.nextInt());

        tri.printArea();

        System.out.println("Enter the radius of a circle:");

        Circle cir = new Circle(in.nextInt());

        cir.printArea();
    }
}

```

**OUTPUT :**

```
C:\Users\Admin\Desktop\1BM22CS044>javac area.java
C:\Users\Admin\Desktop\1BM22CS044>java area
Anjan C
1BM22CS044

Enter length and breadth of a rectangle:
10
15
Area of rectangle: 150
Enter base and height of a triangle:
2
6
Area of the triangle: 6.0
Enter the radius of a circle:
4
Area of Circle: 50.24
```

## **LAB-5: BANK ACCOUNT DETAILS**

Develop a Java program to create a class Bank that maintains two kinds of account for its customers, one called savings account and the other current account. The savings account provides compound interest and withdrawal facilities but no cheque book facility. The current account provides cheque book facility but no interest. Current account holders should also maintain a minimum balance and if the balance falls below this level, a service charge is imposed. Create a class Account that stores customer name, account number and type of account. From this derive the classes Cur-acct and Sav-acct to make them more specific to their requirements. Include the necessary methods in order to achieve the following tasks:

- a) Accept deposit from customer and update the balance.
- b) Display the balance.
- c) Compute and deposit interest
- d) Permit withdrawal and update the balance

Check for the minimum balance, impose penalty if necessary and update the balance.

```
import java.util.Scanner;
```

```
class Account {  
    String customerName;  
    long accno;  
    String accountType;  
    double balance;  
    public Account(String customerName, long accno, String accountType) {  
        this.customerName = customerName;  
        this.accno = accno;  
        this.accountType = accountType;  
        this.balance = 0.0;  
    }  
}
```

```

    }

    public void displayBalance() {
        System.out.println("Account Number: " + accno);
        System.out.println("Customer Name: " + customerName);
        System.out.println("Account Type: " + accountType);
        System.out.println("Balance: $" + balance);
    }
}

class CurAcct extends Account {
    double minBalance;
    double serviceCharge;
    public CurAcct(String customerName, long accno) {
        super(customerName, accno, "Current");
        this.minBalance = 500.0; // Set minimum balance
        this.serviceCharge = 50.0; // Set service charge
    }
    public void withdraw(double amount) {
        if (balance - amount >= minBalance) {
            balance -= amount;
            System.out.println("Withdrawal successful. Current Balance: $" + balance);
        } else {
            System.out.println("Insufficient funds. Withdrawal not allowed.");
        }
    }
    public void imposeServiceCharge() {
        if (balance < minBalance) {
            balance -= serviceCharge;
            System.out.println("Service charge imposed. Current Balance: Rs." + balance);
        }
    }
}

```

```

    }
}

class SavAcct extends Account {
    double interestRate;

    public SavAcct(String customerName, long accno) {
        super(customerName, accno, "Savings");
        this.interestRate = 0.05;
    }

    public void depositInterest() {
        double interest = balance * interestRate;
        balance += interest;
        System.out.println("Interest deposited. Current Balance: $" + balance);
    }

    public void compoundInterest(double initialAmount, int term) {
        double compoundInterest = initialAmount * Math.pow((1 + interestRate), term) -
        initialAmount;
        balance += compoundInterest;
        System.out.println("Compound Interest deposited. Current Balance: Rs." + balance);
    }
}

public class Bank {
    public static void main(String[] args) {
        System.out.println("Anjan C ");
        System.out.println("1BM22CS044\n\n");
        Scanner scanner = new Scanner(System.in);
        System.out.println("Choose account type:");
        System.out.println("1. Current");
    }
}

```



```

System.out.println("2. Savings");
System.out.print("Enter choice (1 or 2): ");
int choice = scanner.nextInt();
System.out.print("Enter customer name: ");
String customerName = scanner.next();
System.out.print("Enter account number: ");
long accno = scanner.nextLong();
if (choice == 1) {
    CurAcct curAccount = new CurAcct(customerName, accno);
    System.out.print("Enter initial balance: $");
    double initialBalance = scanner.nextDouble();
    curAccount.balance = initialBalance;
    System.out.print("Enter withdrawal amount: $");
    double withdrawalAmount = scanner.nextDouble();
    curAccount.withdraw(withdrawalAmount);
    curAccount.imposeServiceCharge();
    curAccount.displayBalance();
}
else if (choice == 2) {
    SavAcct savAccount = new SavAcct(customerName, accno);
    System.out.print("Enter initial balance: $");
    double initialBalance = scanner.nextDouble();
    savAccount.balance = initialBalance;
    System.out.print("Enter withdrawal amount: $");
    double withdrawalAmount = scanner.nextDouble();
    savAccount.balance -= withdrawalAmount;
    System.out.println("Withdrawal successful. Current Balance: $" +
savAccount.balance);
    System.out.print("Enter interest rate: ");
    double interestRate = scanner.nextDouble();

```

```
savAccount.interestRate = interestRate;

System.out.print("Enter term (in years) for compound interest calculation: ");

int term = scanner.nextInt();

savAccount.compoundInterest(initialBalance, term);

savAccount.displayBalance();

}

else {

    System.out.println("Invalid choice");

}

}

}
```

## OUTPUT :

```
C:\Users\Admin\Desktop\1BM22CS044>javac Bank.java
```

```
C:\Users\Admin\Desktop\1BM22CS044>java Bank
```

```
Anjan C
```

```
1BM22CS044
```

```
Choose account type:
```

```
1. Current
```

```
2. Savings
```

```
Enter choice (1 or 2): 1
```

```
Enter customer name: Anjan
```

```
Enter account number: 123
```

```
Enter initial balance: $20000
```

```
Enter withdrawal amount: $1000
```

```
Withdrawal successful. Current Balance: $19000.0
```

```
Account Number: 123
```

```
Customer Name: Anjan
```

```
Account Type: Current
```

```
Balance: $19000.0
```

```
C:\Users\Admin\Desktop\1BM22CS044>java Bank
```

```
Anjan C
```

```
1BM22CS044
```

```
Choose account type:
```

```
1. Current
```

```
2. Savings
```

```
Enter choice (1 or 2): 2
```

```
Enter customer name: Anjan
```

```
Enter account number: 123
```

```
Enter initial balance: $20000
```

```
Enter withdrawal amount: $1000
```

```
Withdrawal successful. Current Balance: $19000.0
```

```
Enter interest rate: 0.1
```

```
Enter term (in years) for compound interest calculation: 5
```

```
Compound Interest deposited. Current Balance: Rs.31210.200000000001
```

```
Account Number: 123
```

```
Customer Name: Anjan
```

```
Account Type: Savings
```

```
Balance: $31210.200000000001
```

## **LAB-6: CALCULATION OF MARKS**

Create a package CIE which has two classes- Student and Internals. The class Personal has members like usn, name, sem. The class internals has an array that stores the internal marks scored in five courses of the current semester of the student. Create another package SEE which has the class External which is a derived class of Student. This class has an array that stores the SEE marks scored in five courses of the current semester of the student. Import the two packages in a file that declares the final marks of n students in all five courses.

```
//CIE PACKAGE

package CIE;

import java.util.*;

public class Student
{
    public int sem;
    public String usn;
    public String name;

    public void accept()
    {
        Scanner scan = new Scanner(System.in);
        System.out.println("Enter usn,name,sem:\n");
        usn=scan.nextLine();
        name=scan.nextLine();
        sem=scan.nextInt();
    }
}
```

```
//Internals.java
```

```
package CIE;
```

```
public class Internal {
```

```
    public int im[] = new int[5];
```

```
}
```

```
//SEE PACKAGE
```

```
package SEE;
```

```
import CIE.Student;
```

```
public class External extends Student {
```

```
    public int sm[] = new int[5];
```

```
}
```

```
//FinalMarks.java
```

```
import java.util.*;
```

```
import SEE.*;
```

```
import CIE.*;
```

```
public class FinalMarks
```

```
{
```

```
    public static void main(String args[])
```

```
    {
```

```
        System.out.println("Anjan C ");
```

```
        System.out.println("1BM22CS044\n\n");
```

```
        int fm[]=new int[5];
```

```
        Scanner sc= new Scanner(System.in);
```

```
        System.out.println("Enter n: ");
```

```
        int n=sc.nextInt();
```

```
        SEE.External st[]=new SEE.External[n];
```

```
        CIE.Internal s[]=new CIE.Internal[n];
```

```

for(int i=0; i<n; i++)
{
    st[i]=new SEE.External();
    s[i]=new CIE.Internal();
    System.out.println("Enter details "+(i+1));
    st[i].accept();
    for(int j=0; j<5; j++)
    {
        System.out.println("Enter im and sm of sub "+(j+1));
        s[i].im[j]=sc.nextInt();
        st[i].sm[j]=sc.nextInt();
        fm[j]=s[i].im[j]+st[i].sm[j];
    }
    System.out.println("Final marks of "+st[i].name);
    for(int k=0; k<5; k++)
    {
        System.out.println("Course "+(k+1)+" = "+fm[k]);
    }
}
}

```

**OUTPUT :**

```
C:\Users\Admin\Desktop\1BM22CS044\Program_6>javac FinalMarks.java

C:\Users\Admin\Desktop\1BM22CS044\Program_6>java FinalMarks
Anjan.C
1BM22CS044

Enter n:
1
Enter details 1
Enter usn,name,sem:

Anjan
1BM22CS044
3
Enter im and sm of sub 1
90
85
Enter im and sm of sub 2
88
92
Enter im and sm of sub 3
94
90
Enter im and sm of sub 4
89
92
Enter im and sm of sub 5
88
87
Final marks of 1BM22CS044
Course 1 = 175
Course 2 = 180
Course 3 = 184
Course 4 = 181
Course 5 = 175
```

## **LAB-7: EXCEPTION HANDLING**

Write a program that demonstrates handling of exceptions in inheritance tree. Create a base class called “Father” and derived class called “Son” which extends the base class. In Father class, implement a constructor which takes the age and throws the exception WrongAge( ) when the input age<0. In Son class, implement a constructor that takes both father and son’s age and throws an exception if son’s age is >=father’s age.

```
import java.lang.*;
import java.util.Scanner;

class WrongAge extends Exception {
    public WrongAge(String message) {
        super(message);
    }
}

class Father {
    int fatherAge;

    public Father(int fatherAge) throws WrongAge {
        if (fatherAge < 0) {
            throw new WrongAge("Age cannot be negative");
        }
        this.fatherAge = fatherAge;
    }
}

class Son extends Father {
    int sonAge;

    public Son(int fatherAge, int sonAge) throws WrongAge {
        super(fatherAge);
        if (sonAge >= fatherAge) {
            throw new WrongAge("Son's age must be less than Father's age");
        }
    }
}
```



```

    }
    this.sonAge = sonAge;
}
}

Class FatherSon{
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        System.out.println("Anjan C ");
        System.out.println("1BM22CS044\n\n");
        System.out.println("Enter father's age and son's age: ");
        int fa=sc.nextInt();
        int sa=sc.nextInt();
        try {
            Son s = new Son(fa, sa);
            System.out.println("Father's age: " + s.fatherAge);
            System.out.println("Son's age: " + s.sonAge);
        }
        catch (WrongAge e) {
            System.out.println("Error: " + e.getMessage());
        }
    }
}

```

**OUTPUT :**

```
C:\Users\Admin\Desktop\1BM22CS044>javac FatherSon.java
```

```
C:\Users\Admin\Desktop\1BM22CS044>java FatherSon
```

```
Anjan C
```

```
1BM22CS044
```

```
Enter father's age and son's age:
```

```
30
```

```
8
```

```
Father's age: 30
```

```
Son's age: 8
```

```
C:\Users\Admin\Desktop\1BM22CS044>
```

## **LAB-8: MULTI THREADING**

Write a program which creates two threads, one thread displaying “BMS College of Engineering” once every ten seconds and another displaying “CSE” once every two seconds.

```
class A extends Thread
{
    int t1,time;
    A(){
        t1=10000;
        time=21000;
    }
    public void run()
    {
        while(t1<=time)
        {
            System.out.println("BMS COLLEGE OF ENGINEERING");
            try {
                sleep(10000);
            } catch(Exception e) {
                System.out.println("error");
            }
            t1+=10000;
        }
    }
}

class B extends Thread{
    int t2,time;
    B(){
        time=21000;
        t2=2000;
    }
}
```

```

    }

    public void run()
    {
        while(t2<=time)
        {
            System.out.println("CSE");
            try{
                sleep(2000);
            }
            catch(Exception e)
            {
                System.out.println("error");
            }
            t2+=2000;
        }
    }
}

class Thsleep
{
    public static void main(String args[])
    {
        System.out.println("Anjan C");
        System.out.println("1BM22CS044 \n\n");
        A a=new A();
        B b=new B();
        a.start();
        b.start();
    }
}

```

**OUTPUT :**

```
C:\Users\Admin\Desktop\1BM22CS044>javac Thsleep.java
```

```
C:\Users\Admin\Desktop\1BM22CS044>java Thsleep
```

```
Anjan C
```

```
1BM22CS044
```

```
BMS COLLEGE OF ENGINEERING
```

```
CSE
```

```
CSE
```

```
CSE
```

```
CSE
```

```
CSE
```

```
BMS COLLEGE OF ENGINEERING
```

```
CSE
```

```
CSE
```

```
CSE
```

```
CSE
```

```
CSE
```

## **LAB-9: SWING AND AWT**

Write a program that creates a user interface to perform integer divisions. The user enters two numbers in the text fields, Num1 and Num2. The division of Num1 and Num2 is displayed in the Result field when the Divide button is clicked. If Num1 or Num2 were not an integer, the program would throw a `NumberFormatException`. If Num2 were Zero, the program would throw an `ArithmeticException`. Display the exception in a message dialog box.

```
import javax.swing.*;
import java.awt.*;
import java.awt.event.*;

class SwingDemo {
    SwingDemo() {
        // create JFrame container
        JFrame jfrm = new JFrame("Divider App");
        jfrm.setSize(275, 150);
        jfrm.setLayout(new FlowLayout());
        // to terminate on close
        jfrm.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
        // text label
        JLabel jlab = new JLabel("Enter the divider and dividend:");
        // add text field for both numbers
        JTextField ajtf = new JTextField(8);
        JTextField bjtf = new JTextField(8);
        // calc button
        JButton button = new JButton("Calculate");
        // labels
        JLabel err = new JLabel();
        JLabel alab = new JLabel();
        JLabel blab = new JLabel();
        JLabel anslab = new JLabel();
    }
}
```

```

// add in order :)
jfrm.add(err); // to display error bois
jfrm.add(jlab);
jfrm.add(ajtf);
jfrm.add(bjtf);
jfrm.add(button);
jfrm.add(alab);
jfrm.add(blab);
jfrm.add(anslab);
ActionListener l = new ActionListener() {
    public void actionPerformed(ActionEvent evt) {
        System.out.println("Action event from a text field");
    }
};
ajtf.addActionListener(l);
bjtf.addActionListener(l);
button.addActionListener(new ActionListener() {
    public void actionPerformed(ActionEvent evt) {
        try {
            int a = Integer.parseInt(ajtf.getText());
            int b = Integer.parseInt(bjtf.getText());
            int ans = a / b;
            alab.setText("\nA = " + a);
            blab.setText("\nB = " + b);
            anslab.setText("\nAns = " + ans);
        } catch (NumberFormatException e) {
            alab.setText("");
            blab.setText("");
            anslab.setText("");
        }
    }
});

```

```

        err.setText("Enter Only Integers!");
    } catch (ArithmeticException e) {
        alab.setText("");
        blab.setText("");
        anslab.setText("");
        err.setText("B should be NON zero!");
    }
}

});

// display frame
jfrm.setVisible(true);
}

public static void main(String args[]) {
    // create frame on event dispatching thread
    SwingUtilities.invokeLater(new Runnable() {
        public void run() {
            new SwingDemo();
        }
    });
}
}

```

**OUTPUT :**




```
C:\Users\Admin\Desktop\1BM22CS044>javac SwingDemo.java
```

```
C:\Users\Admin\Desktop\1BM22CS044>java SwingDemo
```

```
Anjan C
```

```
1BM22CS044
```



Divider App

Enter the divider and dividend:

10 5

Calculate A=10 B=5 Ans=2