

```
FreeBSD/JACKP: /usr/bin/pad
pad(1)                                User Commands                                pad(1)

NAME
    pad - print name of current/working directory

SYNOPSIS
    pad [OPTION] ...

DESCRIPTION
    Print the full filename of the current working directory.

    -l, --logical
        use PdD free environment, even if it contains symlinks

    -p, --physical
        avoid all symlinks

    -h, --help
        help display this help and exit

    -v, --version
        output version information and exit

    If no option is specified, -p is assumed.

    NOTE: your shell may have its own version of pad, which usually supersedes the version described here. Please refer to your shell's documentation for details about the options it supports.

AUTHOR
    Written by Ido Meyerling.

REPORTING BUGS
    Get conexttils online help: <https://www.gnu.org/software/conexttils/>
    Report any translation bugs to <https://translationproject.org/team/>

COPYRIGHT
    Copyright © 2020 Free Software Foundation, Inc. - license GPLv4+. GNU GPL version 3 or later <https://gnu.org/licenses/gpl.html>.
    This is free software; you are free to change and redistribute it. There is NO WARRANTY, to the extent permitted by law.

SEE ALSO
    getcwd(1)

Full documentation: <https://www.gnu.org/software/conexttils/pad/>
or available locally via: info "(conexttils) pad invocation"

GNU conexttils 0.72                                February 2022                                pad(1)
Manual page pad(1); line 1/44 (END); [press ? for help or q to quit]
```

root@DESKTOP-IN48RLH: ~

LS(1)

User Commands

LS(1)

NAME

ls - list directory contents

SYNOPSIS

ls [OPTION]... [FILE]...

DESCRIPTION

List information about the FILES (the current directory by default). Sort entries alphabetically if none of -eftuvSUX nor --sort is specified.

Mandatory arguments to long options are mandatory for short options too.

-a, --all
do not ignore entries starting with .

-A, --almost-all
do not list implied . and ..

--author
with -l, print the author of each file

-b, --escape
print C-style escapes for nongraphic characters

--block-size=SIZE
with -l, scale sizes by SIZE when printing them; e.g., '--block-size-M'; see SIZE format below

-B, --ignore-backups
do not list implied entries ending with ~

-c with -lt: sort by, and show, ctime (time of last modification of file status information); with -l: show ctime and sort by name; otherwise: sort by ctime, newest first

-C list entries by columns

--color[=WHEN]
colorize the output; WHEN can be 'always' (default if omitted), 'auto', or 'never'; more info below

-d, --directory
list directories themselves, not their contents

-D, --dired
generate output designed for Emacs' dired mode

-f do not sort, enable -aU, disable -ls --color

-F, --classify
append indicator (one of */>@|) to entries

Manual page ls(1) line 1/211 21% (press h for help or q to quit)

23:32
28-09-2022

root@DESKTOP-IN48RLH: ~

```
-F, --classify
    append indicator (one of */>@|) to entries

--file-type
    likewise, except do not append '*'

--format=WORD
    across -x, commas -m, horizontal -x, long -l, single-column -l, verbose -l, vertical -C

--full-time
    like -l --time-style=full-iso

-g
    like -l, but do not list owner

--group-directories-first
    group directories before files;

    can be augmented with a --sort option, but any use of --sort=none (-U) disables grouping

-G, --no-group
    in a long listing, don't print group names

-h, --human-readable
    with -l and -s, print sizes like 1K 234M 2G etc.

--si
    likewise, but use powers of 1000 not 1024

-H, --dereference-command-line
    follow symbolic links listed on the command line

--dereference-command-line-symlink-to-dir
    follow each command line symbolic link

    that points to a directory

--hide=PATTERN
    do not list implied entries matching shell PATTERN (overridden by -a or -A)

--hyperlink[=WHEN]
    hyperlink file names; WHEN can be 'always' (default if omitted), 'auto', or 'never'

--indicator-style=WORD
    append indicator with style WORD to entry names: none (default), slash (-p), file-type (--file-type), classify (-F)

-i, --inode
    print the index number of each file

-I, --ignore=PATTERN
```

Manual page ls(1) line 46/211 42% (press h for help or q to quit)

23:32
28-09-2022

root@DESKTOP-IN48RLH: ~

```
-I, --ignore=PATTERN
    do not list implied entries matching shell PATTERN

-k, --kibibytes
    default to 1024-byte blocks for disk usage; used only with -s and per directory totals

-l    use a long listing format

-L, --dereference
    when showing file information for a symbolic link, show information for the file the link references rather than for the link itself

-m    fill width with a comma separated list of entries

-n, --numeric-uid-gid
    like -l, but list numeric user and group IDs

-N, --literal
    print entry names without quoting

-o    like -l, but do not list group information

-p, --indicator-style=slash
    append / indicator to directories

-q, --hide-control-chars
    print ? instead of nongraphic characters

--show-control-chars
    show nongraphic characters as-is (the default, unless program is 'ls' and output is a terminal)

-Q, --quote-name
    enclose entry names in double quotes

--quoting-style=WORD
    use quoting style WORD for entry names: literal, locale, shell, shell-always, shell-escape, shell-escape-always, c, escape (overrides QUOTING_STYLE environment variable)

-r, --reverse
    reverse order while sorting

-R, --recursive
    list subdirectories recursively

-s, --size
    print the allocated size of each file, in blocks

-S    sort by file size, largest first

--sort=WORD
```

Manual page ls(1) line 93/211 62% (press h for help or q to quit)

23:32
28-09-2022

root@DESKTOP-IN48RLH:~

```
--sort=WORD
  sort by WORD instead of name: none (-U), size (-S), time (-t), version (-v), extension (-X)

--time=WORD
  change the default of using modification times; access time (-u): atime, access, use; change time (-c): ctime, status; birth time: birth, creation;
  with -l, WORD determines which time to show; with --sort=time, sort by WORD (newest first)

--time-style=TIME_STYLE
  time/date format with -l; see TIME_STYLE below

-t      sort by time, newest first; see --time

-T, --tabsize=COLS
  assume tab stops at each COLS instead of 8

-u      with -lt: sort by, and show, access time; with -l: show access time and sort by name; otherwise: sort by access time, newest first

-U      do not sort; list entries in directory order

-v      natural sort of (version) numbers within text

-w, --width=COLS
  set output width to COLS. 0 means no limit

-x      list entries by lines instead of by columns

-X      sort alphabetically by entry extension

-Z, --context
  print any security context of each file

-l      list one file per line. Avoid '\n' with -q or -b

--help display this help and exit

--version
  output version information and exit

The SIZE argument is an integer and optional unit (example: 10K is 10*1024). Units are K,M,G,T,P,E,Z,Y (powers of 1024) or KB,MB,... (powers of 1000). Binary prefixes can be used, too: KiB=K, MiB=M, and so on.

The TIME_STYLE argument can be full-iso, long-iso, iso, locale, or +FORMAT. FORMAT is interpreted like in date(1). If FORMAT is FORMAT1<newline>FORMAT2, then FORMAT1 applies to non-recent files and FORMAT2 to recent files. TIME_STYLE prefixed with 'posix-' takes effect only outside the POSIX locale. Also the TIME_STYLE environment variable sets the default style to use.

Using color to distinguish file types is disabled both by default and with --color=never. With --color=auto, ls emits color codes only when standard output is connected to a terminal. The LS_COLORS environment variable can change the settings. Use the dircolors command to set it.
```

Exit status:
Manual page ls(1) line 141/211 89% (press h for help or q to quit)

23:32
28-09-2022

```
root@DESKTOP-IN48RLH:~  
-w, --width=COLS  
    set output width to COLS. 0 means no limit  
-x  
    list entries by lines instead of by columns  
-X  
    sort alphabetically by entry extension  
-Z, --context  
    print any security context of each file  
-l  
    list one file per line. Avoid '\n' with -q or -b  
--help display this help and exit  
--version  
    output version information and exit  
  
The SIZE argument is an integer and optional unit (example: 10K is 10*1024). Units are K,M,G,T,P,E,Z,Y (powers of 1024) or KB,MB,... (powers of 1000). Binary prefixes can be used, too: KiB=K, MiB=M, and so on.  
  
The TIME_STYLE argument can be full-iso, long-iso, iso, locale, or +FORMAT. FORMAT is interpreted like in date(1). If FORMAT is FORMAT1<newline>FORMAT2, then FORMAT1 applies to non-recent files and FORMAT2 to recent files. TIME_STYLE prefixed with 'posix-' takes effect only outside the POSIX locale. Also the TIME_STYLE environment variable sets the default style to use.  
  
Using color to distinguish file types is disabled both by default and with --color=never. With --color=auto, ls emits color codes only when standard output is connected to a terminal. The LS_COLORS environment variable can change the settings. Use the dircolors command to set it.  
  
Exit status:  
0      if OK,  
1      if minor problems (e.g., cannot access subdirectory),  
2      if serious trouble (e.g., cannot access command-line argument).  
  
AUTHOR  
Written by Richard M. Stallman and David MacKenzie.  
  
REPORTING BUGS  
GNU coreutils online help: <https://www.gnu.org/software/coreutils/>  
Report any translation bugs to <https://translationproject.org/team/>  
  
COPYRIGHT  
Copyright © 2020 Free Software Foundation, Inc. License GPLv3+: GNU GPL version 3 or later <https://gnu.org/licenses/gpl.html>.  
This is free software: you are free to change and redistribute it. There is NO WARRANTY, to the extent permitted by law.  
  
SEE ALSO  
Full documentation <https://www.gnu.org/software/coreutils/ls>  
or available locally via: info '(coreutils) ls invocation'  
  
GNU coreutils 8.32  
Manual page ls(1) line 163/211 (END) (press h for help or q to quit) February 2022 LS(1)
```

root@DESKTOP-IN48RLH: ~

NAME
mkdir - make directories

SYNOPSIS
mkdir [OPTION]... DIRECTORY...

DESCRIPTION
Create the DIRECTORY(ies), if they do not already exist.

Mandatory arguments to long options are mandatory for short options too.

-m, --mode=MODE
set file mode (as in chmod), not a=rwx - umask

-p, --parents
no error if existing, make parent directories as needed

-v, --verbose
print a message for each created directory

-Z
set SELinux security context of each created directory to the default type

--context[=CTX]
like -Z, or if CTX is specified then set the SELinux or SMACK security context to CTX

--help display this help and exit

--version
output version information and exit

AUTHOR
Written by David MacKenzie.

REPORTING BUGS
GNU coreutils online help: <<https://www.gnu.org/software/coreutils/>>
Report any translation bugs to <<https://translationproject.org/team/>>

COPYRIGHT
Copyright © 2020 Free Software Foundation, Inc. License GPLv3+: GNU GPL version 3 or later <<https://gnu.org/licenses/gpl.html>>.
This is free software: you are free to change and redistribute it. There is NO WARRANTY, to the extent permitted by law.

SEE ALSO
mkdir(2)

Full documentation <<https://www.gnu.org/software/coreutils/mkdir>>
or available locally via: info '(coreutils) mkdir invocation'

GNU coreutils 8.32
Manual page mkdir(1) line 2/50 (END) (press h for help or q to quit)

February 2022

Mkdir(1)



23:35
28-09-2022

```
root@DESKTOP-IN48RLH: ~
RMDIR(1)

NAME
    rmdir - remove empty directories

SYNOPSIS
    rmdir [OPTION]... DIRECTORY...

DESCRIPTION
    Remove the DIRECTORY(ies), if they are empty.

    --ignore-fail-on-non-empty
        ignore each failure that is solely because a directory
        is non-empty

    -p, --parents
        remove DIRECTORY and its ancestors; e.g., 'rmdir -p a/b/c' is similar to 'rmdir a/b/c a/b a'

    -v, --verbose
        output a diagnostic for every directory processed

    --help display this help and exit

    --version
        output version information and exit

AUTHOR
    Written by David MacKenzie.

REPORTING BUGS
    GNU coreutils online help: <https://www.gnu.org/software/coreutils/>
    Report any translation bugs to <https://translationproject.org/team/>

COPYRIGHT
    Copyright © 2020 Free Software Foundation, Inc. License GPLv3+: GNU GPL version 3 or later <https://gnu.org/licenses/gpl.html>.
    This is free software: you are free to change and redistribute it. There is NO WARRANTY, to the extent permitted by law.

SEE ALSO
    rmdir(2)

    Full documentation <https://www.gnu.org/software/coreutils/rmdir>
    or available locally via: info '(coreutils) rmdir invocation'

GNU coreutils 8.32
Manual page rmdir(1) line 1/46 (END) (press h for help or q to quit)
```



```
root@DESKTOP-IN48RLH: ~  
never follow symbolic links in SOURCE  
-p      same as --preserve=mode,ownership,timestamps  
--preserve=[ATTR_LIST]  
    preserve the specified attributes (default: mode,ownership,timestamps), if possible additional attributes: context, links, xattr, all  
--no-preserve=ATTR_LIST  
    don't preserve the specified attributes  
--parents  
    use full source file name under DIRECTORY  
-R, -r, --recursive  
    copy directories recursively  
--reflink[=WHEN]  
    control clone/COW copies. See below  
--remove-destination  
    remove each existing destination file before attempting to open it (contrast with --force)  
--sparse=WHEN  
    control creation of sparse files. See below  
--strip-trailing-slashes  
    remove any trailing slashes from each SOURCE argument  
-s, --symbolic-link  
    make symbolic links instead of copying  
-S, --suffix=SUFFIX  
    override the usual backup suffix  
-t, --target-directory=DIRECTORY  
    copy all SOURCE arguments into DIRECTORY  
-T, --no-target-directory  
    treat DEST as a normal file  
-u, --update  
    copy only when the SOURCE file is newer than the destination file or when the destination file is missing  
-v, --verbose  
    explain what is being done  
-x, --one-file-system  
    stay on this file system  
Manual page cp(1) line 50 (press h for help or q to quit)
```

```
root@DESKTOP-IN48RLH: ~  
-Z      set SELinux security context of destination file to default type  
  
--context[=CTX]  
      like -Z, or if CTX is specified then set the SELinux or SMACK security context to CTX  
  
--help display this help and exit  
  
--version  
      output version information and exit  
  
By default, sparse SOURCE files are detected by a crude heuristic and the corresponding DEST file is made sparse as well. That is the behavior selected by --sparse=auto. Specify --sparse=always to create a sparse DEST file whenever the SOURCE file contains a long enough sequence of zero bytes. Use --sparse=never to inhibit creation of sparse files.  
  
When --reflink=always is specified, perform a lightweight copy, where the data blocks are copied only when modified. If this is not possible the copy fails, or if --reflink=auto is specified, fall back to a standard copy. Use --reflink=never to ensure a standard copy is performed.  
  
The backup suffix is '~', unless set with --suffix or SIMPLE_BACKUP_SUFFIX. The version control method may be selected via the --backup option or through the VERSION_CONTROL environment variable. Here are the values:  
  
none, off  
      never make backups (even if --backup is given)  
  
numbered, t  
      make numbered backups  
  
existing, nil  
      numbered if numbered backups exist, simple otherwise  
  
simple, never  
      always make simple backups  
  
As a special case, cp makes a backup of SOURCE when the force and backup options are given and SOURCE and DEST are the same name for an existing, regular file.  
  
AUTHOR  
      Written by Torbjorn Granlund, David MacKenzie, and Jim Meyering.  
  
REPORTING BUGS  
      GNU coreutils online help: <https://www.gnu.org/software/coreutils/>  
      Report any translation bugs to <https://translationproject.org/team/>  
  
COPYRIGHT  
      Copyright © 2020 Free Software Foundation, Inc. License GPLv3+: GNU GPL version 3 or later <https://gnu.org/licenses/gpl.html>.  
      This is free software: you are free to change and redistribute it. There is NO WARRANTY, to the extent permitted by law.  
  
SEE ALSO  
      Full documentation <https://www.gnu.org/software/coreutils/cp>  
      or available locally via: info '(coreutils) cp invocation'  
  
GNU coreutils 8.32  
Manual page cp(1) line 99 (press h for help or q to quit)  
February 2022  
CP(1)
```

```
root@DESKTOP-IN48RLH: ~  
never follow symbolic links in SOURCE  
-p      same as --preserve=mode,ownership,timestamps  
--preserve=[ATTR_LIST]  
    preserve the specified attributes (default: mode,ownership,timestamps), if possible additional attributes: context, links, xattr, all  
--no-preserve=ATTR_LIST  
    don't preserve the specified attributes  
--parents  
    use full source file name under DIRECTORY  
-R, -r, --recursive  
    copy directories recursively  
--reflink[=WHEN]  
    control clone/Cow copies. See below  
--remove-destination  
    remove each existing destination file before attempting to open it (contrast with --force)  
--sparse=WHEN  
    control creation of sparse files. See below  
--strip-trailing-slashes  
    remove any trailing slashes from each SOURCE argument  
-s, --symbolic-link  
    make symbolic links instead of copying  
-S, --suffix=SUFFIX  
    override the usual backup suffix  
-t, --target-directory=DIRECTORY  
    copy all SOURCE arguments into DIRECTORY  
-T, --no-target-directory  
    treat DEST as a normal file  
-u, --update  
    copy only when the SOURCE file is newer than the destination file or when the destination file is missing  
-v, --verbose  
    explain what is being done  
-x, --one-file-system  
    stay on this file system  
Manual page cp(1) line 50 (press h for help or q to quit)
```