SQL ASSIGNMENT 1

```
-- DDL COMMANDS

-- DATABASE CREATION FOR EMPLOYEE:


CREATE DATABASE Employee;

USE Employee;


-- 1.TABLE CREATION FOR DEPARTMENTS,EMPLOYEE,LOCATION:


CREATE TABLE departments (

department_id INT PRIMARY KEY,

department_name VARCHAR (100)

);


CREATE TABLE location (

location_id INT PRIMARY KEY,

location VARCHAR (30)

);
```

```
CREATE TABLE employees (
  employee_id INT PRIMARY KEY,
  employee_name VARCHAR (50),
  gender ENUM('M','F'),
  age INT,
  hire_date DATE,
  designation VARCHAR (100),
  department_id INT,
  location_id INT,
  salary DECIMAL (10,2)
  );

SELECT * FROM departments;
SELECT * FROM location;
SELECT * FROM employees;
-- Insert values Eg;
INSERT INTO departments(department_id,department_name) values(1,'CS');
INSERT INTO departments(department_id,department_name) values
(2,'Electronics');
INSERT INTO location(location_id,location) values(201,'Kannur');
INSERT INTO
employees(employee_id,employee_name,gender,age,hire_date,desi
```

```
gnation,department_id,location_id,salary) values
(101,'Anu','M',25,'2025-09-10','IT Analyst',1,201,30000);



-- 2.TABLE ALTERATION:


# Add new column email

ALTER TABLE employees ADD email VARCHAR (100);


# Modify designation data type for wider range values

ALTER TABLE employees MODIFY designation VARCHAR(150);


# Drop age column

ALTER TABLE employees  DROP COLUMN age;


# Rename hire_date to date_of_joining

ALTER TABLE employees RENAME COLUMN hire_date TO
date_of_joining;


-- 3. TABLE RENAMING:


# Rename departments table to departments_info
```

```
RENAME TABLE departments TO Departments_Info;

SELECT * FROM Departments_Info;


# Rename locations table to locations

RENAME TABLE location TO locations;

SELECT * FROM locations;




-- 4. TABLE TRUNCATION:


TRUNCATE TABLE employees;


-- 5. DATABASE & TABLE DROPPING:


DROP TABLE employees;

DROP DATABASE employee;

------------------------------
```

```
-- CONSTRAINTS:

# 1. Database Recreation
DROP DATABASE IF EXISTS employee;
CREATE DATABASE employee;
USE employee;

# 2. Departments Table:
CREATE TABLE departments(
department_id INT PRIMARY KEY,
department_name VARCHAR(100) NOT NULL UNIQUE
);
# 3. Location Table:
CREATE TABLE location(
location_id INT AUTO_INCREMENT PRIMARY KEY,
location VARCHAR(30) NOT NULL UNIQUE
);

# 4. Employees Table:
CREATE TABLE employees (
employee_id INT PRIMARY KEY,
```

```
employee_name VARCHAR (50) NOT NULL,
gender ENUM('M','F'),
age INT CHECK(age>=18),
hire_date DATE DEFAULT(current_date()),
designation VARCHAR (100),
department_id INT,
location_id INT,
salary DECIMAL (10,2),
FOREIGN KEY(department_id)
REFERENCES departments(department_id),
FOREIGN KEY(location_id)
REFERENCES location(location_id));
```