| SUBJECT | TIME                     |  |  |
|---------|--------------------------|--|--|
| BIOLOGY | 10.30 A.M. TO 11.50 A.M. |  |  |

| 1 | MAXIMUM MARKS | TOTAL DURATION | MAXIMUM TIME FOR ANSWERING |
|---|---------------|----------------|----------------------------|
|   | 60            | 80 MINUTES     | 70 MINUTES                 |

| MENTION YOUR | QUESTION BOOKLET DETAILS |               |  |
|--------------|--------------------------|---------------|--|
| CET NUMBER   | VERSION CODE             | SERIAL NUMBER |  |
|              | A - 1                    | 416449        |  |
|              | 12                       | 410445        |  |

#### DO's:

- 1. Check whether the CET No. has been entered and shaded in the respective circles on the OMR answer sheet.
- This Question Booklet is issued to you by the invigilator after the 2<sup>nd</sup> Bell i.e., after 10.30 a.m.
- 3. The Serial Number of this question booklet should be entered on the OMR answer sheet.
- The Version Code of this question booklet should be entered on the OMR answer sheet and the respective circles should also be shaded completely.
- 5. Compulsorily sign at the bottom portion of the OMR answer sheet in the space provided.

#### DON'TS:

- THE TIMING MARKS PRINTED ON THE OMR ANSWER SHEET SHOULD NOT BE DAMAGED.
   MUTILATED/SPOILED.
- Until the 3<sup>rd</sup> Bell is rung at 10.40 a.m.:
  - Do not remove the seal / staple present on the right hand side of this question booklet.
  - · Do not look inside this question booklet.
  - Do not start answering on the OMR answer sheet.

#### INSTRUCTIONS TO CANDIDATES

- 1. This question booklet contains 60 questions and each question will have four different options / choices.
- After the 3<sup>rd</sup> Bell is rung at 10.40 a.m., remove the seal / staple present on the right hand side of this question booklet and start answering on the OMR answer sheet.
- 3. During the subsequent 70 minutes:
  - Read each question carefully.
  - Choose the correct answer from out of the four available options / choices given under each question.
  - Completely darken/shade the relevant circle with a BLUE OR BLACK INK BALL POINT PEN against the
    question number on the OMR answer sheet.

# CORRECT METHOD OF SHADING THE CIRCLE ON THE OMR SHEET IS SHOWN BELOW:



- Please note that even a minute unintended ink dot on the OMR sheet will also be recognised and recorded by the scanner. Therefore, avoid multiple markings of any kind on the OMR answer sheet.
- Use the space provided on each page of the question booklet for Rough work AND do not use the OMR answer sheet for the same.
- After the last bell is rung at 11.50 a.m., stop writing on the OMR answer sheet and affix your LEFT HAND THUMB IMPRESSION on the OMR answer sheet as per the instructions.
- 7. Hand over the OMR ANSWER SHEET to the room invigilator as it is.
- After separating and retaining the top sheet (KEA Copy), the invigilator will return the bottom sheet replica (Candidate's copy) to you to carry home for self-evaluation.
- 9. Preserve the replica of the OMR answer sheet for a minimum period of One year.

| 1. | Which of   | the following hormones does not naturally occur in plants?   |
|----|------------|--|
|    | (1)        | IAA (2) GA   |
|    | (3)        | ABA (4) 2, 4 – D   |
| 2. |            | uantity of fluid is filtered every day by the nephrons in the kidneys. Only about s excreted as urine. The remaining 99% of the filtrate   |
|    | (1)        | is lost as sweat and an additional and a supply a s |
|    | (2)        | is stored in the urinary bladder   |
|    | (3)        | is reabsorbed into the blood   |
|    | (4)        | gets collected in the renal pelvis   |
|    |            |  |
| 3. | When DN    | IA replication starts  |
|    | (1)        | The hydrogen bonds between the nucleotides of two strands break.   |
|    | (2)        | The phosphodiester bonds between the adjacent nucleotides break.   |
|    | (3)        | The bonds between the nitrogen base and deoxyribose sugar break.   |
|    | (4)        | The leading strand produces okazaki fragments.   |
|    |            |  |
| 4. | Fleshy fru | nits with stony endocarp are called  |
|    | (1)        | Berries (2) Pomes and the second of the seco |
|    | (3)        | Drupes (4) Capsules  |
|    |            | makes and Miller will be a first of the many start of the control of the little of the |
| 5. | Which stat | ement about photosynthesis is false?   |
|    | (1)        | Photosynthesis is a redox process in which water is oxidised and carbon dioxide is reduced.  |
|    | (2)        | The enzymes required for carbon fixation are located only in the grana of chloroplasts.  |
|    | (3)        | In green plants, both PS I and PS II are required for the formation of NADPH + H <sup>+</sup> .  |
|    | (4)        | The electron carriers involved in photophosphorylation are located on the thylakoid membranes  |
|    |            |  |

| 6.        | Darwinisi                 | n explains all the follo   | wing except                 |                 |  |
|-----------|---------------------------|--|-----------------------------|-----------------|--|
|           | (1)                       | Organisms tend to pr   | oduce more                  | number          | of offspring than can survive  |
|           | (2)                       | Offspring with bette<br>environment                                  | r traits that               | overcom         | ne competition are best suited for the   |
|           | (3)                       | Variations are inheri  | ted from pare               | ents to of      | fspring through genes  |
|           | (4)                       | Within each species,   | there are var               | riations        |  |
| 7.        |                           | ains of a plant whose a  |                             |                 | to get callus by tissue culture method.  |
|           | (1)                       | 21   | (2)                         | 14              |  |
|           | (3)                       | 56   | (4)                         | 28              |  |
|           |                           |  | n'n may so                  |                 |  |
| 8.        | flowers. A                | allele for red colour of   | f flower is d               | ominant.        | ed with a pure plant producing white<br>After selfing the plants of first filial<br>lowers in the progeny would be |
|           | (1)                       | $\frac{1}{4}$  | (2)                         | $\frac{1}{3}$   |  |
|           | (3)                       | 1/2  | (4)                         | 3               |  |
|           |                           | 2  |                             | 4               |  |
| 9.        | Which of                  | •  |                             | 300             | of prothrombin to thrombin in an   |
| 9.        | Which of undamage         | the following preven   |                             | iversion        | of prothrombin to thrombin in an   |
| 9.        | Which of undamage         | the following prevent  | ents the cor                | iversion        | boplastin  |
|           | Which of undamage (1) (3) | the following preve<br>d blood vessel?<br>Calcium ions<br>Fibrinogen | (2)<br>(4)                  | Throm<br>Hepari | boplastin<br>n   |
| 9.<br>10. | Which of undamage (1) (3) | the following preve<br>d blood vessel?<br>Calcium ions               | (2)<br>(4)<br>by urea, uric | Throm<br>Hepari | boplastin<br>n   |

C. They are all equally toxic

D. They are produced in the kidneys

(1) A and D


(2) A, C and D

(3) A only

(4) A and C

- 11. A RBC and a plant cell (with thick cell wall) are placed in distilled water. The solute concentration is the same in both the cells. What changes would be observed in them? The RBC would increase in size and burst while the plant cell would remain (1) about the same size. The plant cell would increase in size and burst while the RBC would remain (2)about the same size. Both plant cell and RBC would decrease in size and collapse. (3) Both plant cell and RBC would not undergo any change. (4) Which of the following hormones does not contain a polypeptide? (1) Oxytocin (2) Insulin (3) Antidiuretic hormone (4) Prostaglandin 13. Ribose sugar is present in (1) RNA only RNA polymerase and ATP RNA and ATP (3) RNA polymerase, RNA and ATP
- 14. Most of the endangered species are the victims of
  - (1) Habitat destruction
  - (2) Over-hunting
  - (3) Acid rain
  - (4) Competition with introduced species

- 15. Damage to thymus in a child may lead to
  - (1) a reduction in the haemoglobin content in blood
  - (2) a reduction in the amount of plasma proteins
  - (3) loss of antibody mediated immunity
  - (4) loss of cell mediated immunity
- 16. The diagram of the section of a maize grain is given below. Identify the parts labelled A, B, C and D.



- (1) A Cotyledon, B Coleoptile, C Scutellum, D Epithelium
- (2) A Endosperm, B Coleoptile, C Scutellum, D Epithelium
- (3) A Endosperm, B Coleorrhiza, C Scutellum, D Epithelium
- (4) A Endosperm, B Coleoptile, C Scutellum, D Aleurone layer
- 17. Examples for lateral meristems are
  - (1) Fascicular cambium and procambium
  - (2) Procambium and dermatogen
  - (3) Fascicular cambium and cork cambium
  - (4) Phellogen and procambium

| 18. | Vitelloge         | enesis occurs during the formation of  |
|-----|-------------------|--|
|     | (1)               |  |
|     | (2)               | Ootid in the fallopian tube  |
|     | (3)               |  |
|     | (4)               | Primary oocyte in the Graafian follicle  |
| 19. |                   | ium is capable of withstanding extreme heat, dryness and toxic chemicals. This that it is probably able to form  |
|     | (1)               | Endospores   |
|     | (2)               | Endotoxins   |
|     | (3)               | Endogenous buds  |
|     | (4)               | A thick peptidoglycan wall   |
| 20. | In the ab (1) (3) |  |
| 21. | The grea          | test threat to genetic diversity in agricultural crops is  |
|     | (1)               | and the first profit in the mass, and the measure of the mass in the mass in the second second and the second seco |
|     | (2)               | val unit of disparity of a color of the color of the   |
|     | (3)               |  |
|     | (4)               | extensive use of insecticides and pesticides   |
|     |                   |  |
| 22. | Nosema            | bombycis which causes pebrine in silk worms is a   |
|     | (1)               | Virus (2) Bacterium  |
|     | (3)               | Protozoan (4) Fungus   |

- 23. Palaeontologists unearthed a human skull during excavation. A small fragment of the scalp tissue was still attached to it. Only little DNA could be extracted from it. If the genes of the ancient man need to be analysed, the best way of getting sufficient amount of DNA from this extract is
  - (1) Subjecting the DNA to polymerase chain reaction
  - (2) Subjecting the DNA to gel electrophoresis
  - (3) Treating the DNA with restriction endonucleases
  - (4) Hybridising the DNA with a DNA probe
- 24. Which of the following would be in insignificant amount in xylem sap?
  - (1) Nitrates

(2) Phosphates

(3) Water

- (4) Sugar
- 25. If the person shows the production of interferons in his body, chances are that he is suffering from
  - (1) Malaria

(2) Measles

(3) Tetanus

- (4) Anthrax
- 26. The RER in the cell synthesised a protein which would be later used in building the plasma membrane. But it is observed that the protein in the membrane is slightly different from the protein made in the RER. The protein was probably modified in another cell organelle. Identify that organelle in the given diagram.



(1) A

(2) B

(3) C

(4) D

Space For Rough Work

| 27. | The respi | ratory quotient duri   | ng cellular res | piration wo  | uld depend or    |   |    |
|-----|-----------|--|-----------------|--------------|------------------|---|----|
|     | (1)       | the nature of the  | substrate       |              |                  |   |    |
|     | (2)       | the amount of car  | bon dioxide re  | eleased      |                  |   |    |
|     | (3)       | the amount of ox   | ygen utilised   |              |                  |   |    |
|     | (4)       | the nature of enzy   |                 |              |                  |   |    |
| 28. | Which of  | the following is no  | t a green house | e gas ?      |                  |   |    |
|     | (1)       | Carbon monoxide  | e (2            | ) Methan     | e                |   |    |
|     | (3)       | Oxygen   | (4              | ) Water v    | apour            |   |    |
| 29. | mothers   |  |                 |              |                  | were colour blind a<br>bility of their daught |    |
|     | (1)       | 75 %   | (2              | ) 0%         |                  |   |    |
|     | (3)       | 25 %   | (4              | ) 50 %       |                  |   |    |
| 30. | An anim   | al which has both ex   | coskeletal and  | endoskeleta  | al structures is | S.,   |    |
|     | (1)       | Tortoise   | (2              | ) Frog       |                  |   |    |
|     | (3)       | Jelly fish   | (4              | ) Fresh w    |                  |   |    |
| 31. |           | in a primary sperm<br>he total number of o   |                 |              | •                | meiotic division. Wermatocyte?                | ha |
|     | (1)       | 8  | (2              | ) 16         |                  |   |    |
|     | (3)       | 24   | (4              | ) 32         |                  |   |    |
|     |           |  |                 |              |                  |   |    |
| 32. | Identify  | the group which inc  | ludes animals   | all of which | give birth to    | young ones directly.                          |    |
|     | (1)       | Platypus, Penguii  | n, Bat, Hippop  | otamus       |                  |   |    |
|     | (2)       | Shrew, Bat, Kiwi   | , Cat           |              |                  |   |    |
|     | (3)       | Lion, Whale, Ost   | rich, Bat       |              |                  |   |    |
|     | (4)       | Dolphin, Kangaro   | oo, Bat, Cat    |              |                  |   |    |
|     |           | The second secon |                 |              |                  |   |    |

### 33. Compare the statements A and B:

Statement A: Blood sugar level falls rapidly after hepatectomy.

Statement B: The glycogen of the liver is the principal source of blood sugar.

### Select the correct description:

- (1) Statement A is correct and B is wrong.
- (2) Statement A is wrong and B is correct.
- (3) Both the statements A and B are correct and B is not the reason for A.
- (4) Both the statements A and B are correct and B is the reason for A.

### 34. What is/are true about heart wood?

- It does not help in water conduction.
- It is also called alburnum.
- C. It is dark in colour but very soft.
- D. It has tracheary elements which are filled with tannin, resin, etc.
  - (1) A and D
- (2) B and D

(3) A, B and C

(4) B, C and D

### 35. Compare the statements A and B.

Statement A: Auxins promote apical dominance by suppressing the activity of lateral buds.

Statement B: In moriculture, periodic pruning of shoot tips is done to make mulberry plants bushy.

## Select the correct description:

- (1) Statement A is correct and B is wrong.
- (2) Statement A is wrong and B is correct.
- (3) Both the statements A and B are correct and A is not the reason for B.
- (4) Both the statements A and B are correct and A is the reason for B.

# 36. Bryophytes resemble algae in the following aspects:

- Differentiation of plant body into root, stem and leaves and autotrophic nutrition.
- (2) Thallus like plant body, presence of roots and autotrophic nutrition.
- (3) Thallus like plant body, lack of vascular tissues and autotrophic nutrition.
- (4) Filamentous body, presence of vascular tissues and autotrophic nutrition.

### 37. Compare the statements A and B.

Statement A: A monocistronic mRNA can produce several types of polypeptide chains.

Statement B: The terminator codon is present on the mRNA.

### Select the correct description:

- (1) Statement A is correct and B is wrong.
- (2) Statement A is wrong and B is correct.
- (3) Both the statements A and B are correct.
- (4) Both the statements A and B are wrong.

### 38. Stoma opens when

- (1) Guard cells swell by endosmosis due to influx of hydrogen ions (protons)
- (2) Guard cells swell by endosmosis due to efflux of potassium ions.
- (3) Guard cells swell due to a decrease in their water potential.
- (4) Guard cells swell due to an increase in their water potential.

## 39. Which of the following is properly matched?

- (1) Echinodermata Asteroidea Star fish
- (2) Arthropoda Insecta Spider
- (3) Mollusca Cephalopoda Unio
- (4) Platyhelminthes Trematoda Planaria

| 40. |             |  |            | ng from an abnormally low body temperature,                 |
|-----|-------------|--|------------|---|
|     |             | Pons   |            | scan would probably show a tumor in  Cerebellum             |
|     | (3)         | Hypothalamus                                       | (4)        |   |
|     | (3)         | Trypotnaramus                                      | (4)        | militaria in territorial della                              |
| 41. | Identify th | ne incorrect statement wi                          | th respect | to Calvin cycle.  |
|     | (1)         |  |            | oound formed is phosphoglycerate.                           |
|     | (2)         | 18 molecules of ATP ar                             | e synthesi | sed during carbon fixation.                                 |
|     | (3)         |  |            | eaction is used to reduce diphosphoglycerate.               |
|     | (4)         | The carboxylation of R                             |            |   |
|     | Th          | bish as because to con-                            | co CID or  | an murcugato) receive que petro el la colo                  |
| 42. |             | s which are known to cau                           |            | A class of viruses  |
|     | (1)         |  |            |   |
|     | (3)         | Fungi  | (4)        | Protein particles   |
| 43. | In crop in  | provement programmes,                              | virus-free | clones can be obtained through                              |
|     | (1)         |  |            | Embryo culture  |
|     | (3)         | Shoot apex culture                                 |            | Grafting  |
| 44. |             | is suffering from free<br>of eyes and watery eyes. |            | sodes of nasal discharge, nasal congestion, the symptoms of |
|     | (1)         | Bronchitis   | (2)        | Rhinitis Harris to the sea mela A the                       |
|     |             | Bronchial carcinoma                                |            |   |
|     |             |  |            |   |
| 45. |             | ortant events in the hum<br>in a proper sequence.  | an female  | reproductive cycle are given below. Arrange                 |
|     |             |  | vth of cor | pus luteum, C - Growth of the follicle and                  |

oogenesis, D - Ovulation, E - Sudden increase in the levels of LH

(1) 
$$A \rightarrow C \rightarrow E \rightarrow D \rightarrow B$$

$$(1) \quad A \rightarrow C \rightarrow E \rightarrow D \rightarrow B \qquad (2) \quad A \rightarrow D \rightarrow C \rightarrow E \rightarrow B$$

(3) 
$$B \rightarrow A \rightarrow C \rightarrow D \rightarrow E$$


$$(4) \quad C \to A \to D \to B \to E$$

Space For Rough Work

11

| 46. | Compare the statements A and B.                          |   |       |   |  |  |  |  |
|-----|--|---|-------|---|--|--|--|--|
|     | Statement A: Ranikhet disease is the disease of poultry. |   |       |   |  |  |  |  |
|     | Statemen   | t B: It is caused by a virus.                                   |       |   |  |  |  |  |
|     | Select th  | e correct description :   |       |   |  |  |  |  |
|     | (1) Statement A is correct and B is wrong.               |   |       |   |  |  |  |  |
|     | (2) Statement A is wrong and B is correct.               |   |       |   |  |  |  |  |
|     | (3) Both the statements A and B are wrong.               |   |       |   |  |  |  |  |
|     | (4)  | Both the statements A and I                                     | B are | correct.  |  |  |  |  |
|     |  |   |       |   |  |  |  |  |
| 47. |  | ring produced from a marriagow, the possible genotypes of       |       | re only O or A blood groups. Of the genotypes arents would be |  |  |  |  |
|     | (1)  | I <sup>O</sup> I <sup>O</sup> and I <sup>O</sup> I <sup>O</sup> | (2)   | IAIA and IOIO   |  |  |  |  |
|     | (3)  | IAIO and IOIO   | (4)   | IAIA and IAIO   |  |  |  |  |
|     |  |   |       |   |  |  |  |  |
| 48. | A dorsal h   | norn is present on the  | of m  | ulberry silk worm (caterpillar).                              |  |  |  |  |
|     | (1)  | 8 <sup>th</sup> abdominal segment                               | (2)   | 5 <sup>th</sup> abdominal segment                             |  |  |  |  |
|     | (3)  | 2 <sup>nd</sup> thoracic segment                                | (4)   | Head  |  |  |  |  |
| 49. |  | has an androecium with m  |       | elphous stamens, monothecous and reniform ation.              |  |  |  |  |
|     | The plant  | could be  |       |   |  |  |  |  |
|     | (1)  | Vinca   | (2)   | Nerium  |  |  |  |  |
|     | (3)  | Hibiscus  | (4)   | Rauwolfia   |  |  |  |  |
|     |  |   |       |   |  |  |  |  |
| 50. | Transpirat   | ion facilitates   |       |   |  |  |  |  |
|     | (1)  |   |       | Absorption of water by roots                                  |  |  |  |  |
|     | (1)  | Opening of stomata  | (2)   | Absorption of water by foots                                  |  |  |  |  |

The cross section of the body of an invertebrate is given below. Identify the animal which has this body plan.



- (1) Round worm
- (2) Planaria

(3) Earthworm

- (4) Cockroach
- 52. In an experiment demonstrating the evolution of oxygen in Hydrilla, Sodium bicarbonate is added to water in the experimental set-up. What would happen if all other conditions are favourable?
  - Amount of oxygen evolved increases as the availability of carbon dioxide increases.
  - (2) Amount of oxygen evolved decreases as the availability of carbon dioxide increases.
  - (3) Amount of oxygen evolved increases as carbon dioxide in water is absorbed by sodium bicarbonate.
  - (4) Amount of oxygen evolved decreases as carbon dioxide in water is absorbed by sodium bicarbonate.
- 53. Which substance is in higher concentration in blood than in glomerular filtrate?
  - (1) Glucose

- (2) Urea
- (3) Plasma proteins
- (4) Water
- 54. All the following are included under in situ conservation except
  - (1) Biosphere reserve
- (2) National park

(3) Sanctuary

(4) Botanical garden

55. Match the compounds given in column-I with the number of carbon atoms present in them which are listed under column-II. Choose the answer which gives the correct combination of alphabets of the two columns.

|    | Column – I   | Column – II                      |
|----|--|----------------------------------|
| A. | Oxaloacetate p.  | 6 – C compound                   |
| B. | Phosphoglyceraldehyde q.   | 5 – C compound                   |
| C. | Isocitrate r.  | 4 – C compound                   |
| D. | α-Ketoglutarate s.   | 3 - C compound                   |
|    | A Committee of the comm | 2 - C compound                   |
|    | (1) $A = r, B = s, C = p, D = q$   | (2) $A = r, B = t, C = p, D = q$ |
|    | (3) $A = q, B = s, C = p, D = t$   | (4) $A = s, B = t, C = q, D = r$ |

- 56. Identify the correctly matched pair/pairs of the germ layers and their derivatives :
  - A. Ectoderm Epidermis
  - B. Endoderm Dermis
  - C. Mesoderm Muscles
  - D. Mesoderm Notochord
  - E. Endoderm Enamel of teeth
    - (1) A, B, C and E only
- (2) A and D only
- (3) A and B only
- (4) A, C and D only
- 57. Identify the correct statement:
  - (1) The age of the plant can be determined by its height.
  - (2) Healing of damaged tissue is because of the activity of sclerenchyma cells.
  - (3) Grafting is difficult in monocot plants as they have scattered vascular bundles.
  - (4) Because of marked climatic variations, plants growing near the sea shore do not produce annual rings.

- 58. Blood stains are found at the site of a murder. If DNA profiling technique is to be used for identifying the criminal, which of the following is ideal for use?
  - (1) Erythrocytes
- (2) Leucocytes

(3) Platelets

(4) Serum

- 59. During endocytosis,
  - (1) the cell digests itself
  - (2) the cell engulfs and internalises materials using its membrane
  - (3) the cell enables the extracellular digestion of large molecules
  - (4) the cell divides its cytoplasm during mitosis
- **60.** Match the names of the economically important plants (or their products) listed in Column-I with the families to which they belong given in column-II. Choose the answer which gives the correct combination of alphabets of the two columns:

|    | Column – I |     |    | Column - II   |
|----|------------|-----|----|---------------|
| A. | Sunflower  |     | p. | Acanthaceae   |
| В. | Tulsi      |     | q. | Compositae    |
| C. | Coffee     |     | r. | Labiatae      |
| D. | Vasaka     |     | s. | Rubiaceae     |
|    |            | e e | t. | Euphorbiaceae |
|    |            |     |    |               |

- (1) A = q, B = r, C = s, D = p
- (2) A = q, B = s, C = p, D = t
- (3) A = s, B = r, C = p, D = q
- (4) A = r, B = t, C = s, D = q