Report Praktikum

Pemrograman Web 1

Modul 7: Bootstrap

(Dosen Pengampu: Yati Nurhayati, S.Kom., M.Kom.)



Nama : Anjar Tejakusumah

NIM : 20230810128

Kelas : **TINFC-2023-04**

Program Studi Teknik Informatika
Fakultas Ilmu Komputer
Universitas Kuningan
2024

Praktikum

1. Download Bootstrap di:

https://getbootstrap.com/docs/5.3/getting-started/introduction/

2. Praktikum 1

Code:

Hasil

Setelah di run, maka akan tampil kata Hello, word!

← → C ① 127.0.0.1:3000/Modul%207/bootstrap/M7-1.html

Hello, world!

3. Praktikum 2

Code HTML:

```
!DOCTYPE html>
<html lang="en">
 <head>
   <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0" />
   <title>Bootstrap demo</title>
   <link rel="stylesheet" href="css/bootstrap.min.css" />
   <link href="css/style.css" rel="stylesheet" />
 </head>
 <body>
   <!--navbar-->
   <nav class="navbar navbar-expand-lg navbar-dark bg-primary">
     <div class="container-fluid">
       <a class="navbar-brand" href="#">FAKULTAS ILMU KOMPUTER</a>
       <button
         class="navbar-toggler"
         type="button"
         data-bs-toggle="collapse"
```

```
data-bs-target="#navbarSupportedContent"
        aria-controls="navbarSupportedContent"
        aria-expanded="false"
        aria-label="Toggle navigation"
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse"</pre>
id="navbarSupportedContent">
        <a class="nav-link active" aria-current="page" href="#"</pre>
             >Beranda</a
         <a class="nav-link" href="#">Profil</a>
         class="nav-link dropdown-toggle"
             href="#"
            role="button"
            data-bs-toggle="dropdown"
             aria-expanded="false"
             Fasilitas
           </a>
           <a class="dropdown-item" href="#">Action</a>
             <a class="dropdown-item" href="#">Another
action</a>
             <hr class="dropdown-divider" />
            <
              <a class="dropdown-item" href="#">Something else
here</a>
             <a class="nav-link">PMB</a>
         </div>
     </div>
   </nav>
   <!--end navbar-->
   <!--jumbotron-->
   <div class="jumbotron jumbotron-fluid">
    <div class="container"></div>
   </div>
   <!--end jumbotron-->
   <!--konten-->
```

```
<form class="row g-3">
      <div class="col-md-6">
        <label for="inputEmail4" class="form-label">Email</label>
        <input type="email" class="form-control" id="inputEmail4" />
      </div>
      <div class="col-md-6">
        <label for="inputPassword4" class="form-label">Password</label>
        <input type="password" class="form-control" id="inputPassword4"</pre>
      </div>
      <div class="col-12">
        <label for="inputAddress" class="form-label">Address</label>
        <input</pre>
          type="text"
          class="form-control"
         id="inputAddress'
         placeholder="1234 Main St"
      </div>
      <div class="col-12">
        <label for="inputAddress2" class="form-label">Address 2</label>
        <input</pre>
          type="text"
          class="form-control"
         id="inputAddress2"
          placeholder="Apartment, studio, or floor"
      </div>
      <div class="col-md-6">
        <label for="inputCity" class="form-label">City</label>
        <input type="text" class="form-control" id="inputCity" />
      </div>
      <div class="col-md-4">
       <label for="inputState" class="form-label">State</label>
        <select id="inputState" class="form-select">
          <option selected>Choose...</option>
          <option>...</option>
        </select>
      </div>
      <div class="col-md-2">
        <label for="inputZip" class="form-label">Zip</label>
        <input type="text" class="form-control" id="inputZip" />
      </div>
      <div class="col-12">
        <div class="form-check">
          <input class="form-check-input" type="checkbox"</pre>
id="gridCheck" />
          <label class="form-check-label" for="gridCheck"> Check me out
</label>
        </div>
      </div>
      <div class="col-12">
        <button type="submit" class="btn btn-primary">Sign in</button>
    </form>
```

Code CSS:

```
.nav-link {
  font-family: impact;
  font-size: 24px;
  text-transform: uppercase;
  margin-right: 30px;
}
.nav-link:hover {
  color: rgb(182, 215, 243);
}
.jumbotron {
  background-image: url("../../Images/cover.jpg");
  background-size: cover;
  height: 500px;
}
@media (min-width: 992px) {
  .nav-link {
    font-size: 28px;
    margin-right: 40px;
  }
}
```

Hasil

Kode tersebut menggunakan **Bootstrap** untuk membuat tata letak responsif yang mencakup navbar, jumbotron, form, dan footer. Navbar dilengkapi dengan menu dropdown, sementara jumbotron menampilkan gambar latar yang diatur melalui CSS. Formulir menggunakan grid system untuk memastikan tata letak responsif. Custom CSS diterapkan untuk memperbesar font menu (nav-link), menambahkan efek hover, dan mengatur gambar latar pada jumbotron. Media query digunakan untuk meningkatkan ukuran font pada layar besar, contohnya seperti dibawah.

