

19.Wireshark sniffer for network Traffic and analysis


1.NTP




2.ICMP




3.DNS


File Machine View Input Devices Help
Capturing from eth0
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
dns
No. Time Source Destination Protocol Length Info
16115 198.586345919 10.0.2.15 172.21.100.1 DNS 70 Standard query 0xf0f9 A google.com
16116 198.595731625 172.21.100.1 10.0.2.15 DNS 86 Standard query response 0xf0f9 A google.com A 142
16117 198.596065513 10.0.2.15 172.21.100.1 DNS 70 Standard query 0xb962 AAAA google.com
16118 198.599351498 172.21.100.1 10.0.2.15 DNS 98 Standard query response 0xb962 AAAA google.com AA
Frame 16115: Packet, 70 bytes on wire (560 bits), 70 bytes captured (560
Ethernet II, Src: PCSSystemtec_8a:35:d2 (08:00:27:8a:35:d2), Dst: 52:54:
Internet Protocol Version 4, Src: 10.0.2.15, Dst: 172.21.100.1
User Datagram Protocol, Src Port: 50290, Dst Port: 53
Domain Name System (query)
Domain Name System: Protocol
Packets: 16120 · Displayed: 4 (0.0%)

4.HTTP


File Machine View Input Devices Help
Capturing from eth0
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
http
Packet list
Display filter
http
Options: Narrow & Wide
Case sensitive
Backwards
Multiple occurrences
No. Time Source Destination Protocol Length Info
10610 107.490180692 103.147.151.222 10.0.2.15 TCP 1494 80 → 58318 [ACK] Seq=5990381 Ack=1 Win=65535 Len=
12246 123.909490084 103.147.151.222 10.0.2.15 TCP 1494 80 → 58318 [ACK] Seq=6904341 Ack=1 Win=65535 Len=
12386 125.226546467 103.147.151.222 10.0.2.15 TCP 1494 80 → 58318 [ACK] Seq=6983181 Ack=1 Win=65535 Len=
13317 134.647780539 103.147.151.222 10.0.2.15 TCP 1494 80 → 58318 [ACK] Seq=7526301 Ack=1 Win=65535 Len=
13751 139.240086030 103.147.151.222 10.0.2.15 TCP 1494 80 → 58318 [ACK] Seq=7768661 Ack=1 Win=65535 Len=
14300 143.415175699 103.147.151.222 10.0.2.15 TCP 1494 80 → 58318 [ACK] Seq=8075261 Ack=1 Win=65535 Len=
14610 145.797541542 103.147.151.222 10.0.2.15 TCP 74 80 → 58318 [PSH, ACK] Seq=8273801 Ack=1 Win=65535
15517 153.577064914 103.147.151.222 10.0.2.15 TCP 1494 80 → 58318 [ACK] Seq=8792121 Ack=1 Win=65535 Len=
16142 358.154385256 10.0.2.15 34.223.124.45 HTTP 130 GET / HTTP/1.1
16151 358.393341123 34.223.124.45 10.0.2.15 HTTP 1395 HTTP/1.1 200 OK (text/html)
Frame 16142: Packet, 130 bytes on wire (1040 bits), 130 bytes captured (
Ethernet II, Src: PCSSystemtec_8a:35:d2 (08:00:27:8a:35:d2), Dst: 52:54:
Internet Protocol Version 4, Src: 10.0.2.15, Dst: 34.223.124.45
Transmission Control Protocol, Src Port: 53118, Dst Port: 80, Seq: 1, Ack
Hypertext Transfer Protocol
Hypertext Transfer Protocol: Protocol
Packets: 16162 · Displayed: 19 (0.1%)

5.TLS


File Machine View Input Devices Help
Capturing from eth0
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
tls
Packet list
Display filter
http
Options: Narrow & Wide
Case sensitive
Backwards
Multiple occurrences
No. Time Source Destination Protocol Length Info
16172 487.054408078 10.0.2.15 142.251.150.119 TLSv1.3 1754 Client Hello (SNI=www.google.com)
16175 487.101964123 142.251.150.119 10.0.2.15 TLSv1.3 1466 Server Hello, Change Cipher Spec
16179 487.102197683 142.251.150.119 10.0.2.15 TLSv1.3 1096 Application Data
16181 487.105621727 10.0.2.15 142.251.150.119 TLSv1.3 134 Change Cipher Spec, Application Data
16182 487.105757271 10.0.2.15 142.251.150.119 TLSv1.3 185 Application Data
16185 487.105849017 10.0.2.15 142.251.150.119 TLSv1.3 102 Application Data
16187 487.127633328 142.251.150.119 10.0.2.15 TLSv1.3 704 Application Data, Application Data
16188 487.128143189 10.0.2.15 142.251.150.119 TLSv1.3 85 Application Data
16190 487.133567119 142.251.150.119 10.0.2.15 TLSv1.3 85 Application Data
16192 487.335846894 142.251.150.119 10.0.2.15 TLSv1.3 1151 Application Data
Frame 16172: Packet, 1754 bytes on wire (14032 bits), 1754 bytes capture
Ethernet II, Src: PCSSystemtec_8a:35:d2 (08:00:27:8a:35:d2), Dst: 52:54:
Internet Protocol Version 4, Src: 10.0.2.15, Dst: 142.251.150.119
Transmission Control Protocol, Src Port: 60580, Dst Port: 443, Seq: 1, A
Transport Layer Security
0000 52 54 00 12 35 00 08 00 27 8a 35 d2 08 00 45
0010 06 cc 17 85 40 00 40 06 eb 25 0a 00 02 0f 8e
0020 96 77 ec a4 01 bb 95 7a ca 3a 08 5e 94 02 50
0030 fa f0 38 40 00 00 16 03 01 06 9f 01 00 06 9b
0040 03 90 43 e8 ad 4d e6 7d e6 88 3b e7 4d c5 20
0050 ed 8b 54 7a 4f ff 11 41 9c 84 79 6e 36 cf 84
0060 c8 20 79 cb a7 8a bc 14 e4 c2 db 85 90 0e 98
0070 e3 b2 22 90 b3 5c 5f 82 7c 9d a3 e2 85 5b 1f
0080 c2 80 00 b4 13 02 13 03 13 01 c0 2c c0 30 00
0090 00 9f cc a9 cc a8 cc aa c0 ad c0 9f c0 5d c0
00a0 c0 57 c0 53 00 a7 c0 2b c0 2f 00 a2 00 9e c0
00b0 c0 9e c0 5c c0 60 c0 56 c0 52 00 a6 c0 af c0
Transport Layer Security: Protocol
Packets: 16205 · Displayed: 13 (0.1%)