# **Project Report**

on

### RaktSetu

Submitted in partial fulfillment of completion of the course

# Advanced Diploma in IT, Networking and Cloud Computing Submitted by:

ANJU KUMARI, PAYAL, MUSKAN & VINITA RAWAT







### **Year 2023**



# **ACKNOWLEDGEMENT**

We take this occasion to thank God, almighty for blessing us with his grace and taking our endeavour to a successful culmination. We extend our sincere and heartfelt thanks to our esteemed guidance of MS. Deepika Singh, MS. Mala Mishra & MS. Ankita Shukla for their support, course coordinator Mr. D.A.Guruvulu, valuable suggestions and guidance. We extend our sincere thanks to our respected Head of the division Smt. Shashi Mathur [JD NSTI(W) NOIDA], for allowing us to use the facilities available. We would like to thank the other faculty members also, at this occasion. Last but not the least, we would like to thank our friends and family for the support and encouragement they have given us during the course of our work.

### ADVANCE DIPLOMA IN IT NETWORKING & CLOUD COMPUTING

ADIT TRADE IN NSTI (W) NOIDA

The Advanced Diploma in IT and Cloud Computing program offered by NSTI (W) Noida in collaboration with Edunet Foundation is a comprehensive course designed to equip students with advanced skills in information technology and cloud computing. This program covers a wide range of topics, including computer networking, database management, virtualization, cloud technologies, and cybersecurity. Students will gain hands-on experience through practical labs, workshops, and real-world projects, enabling them to excel in the rapidly evolving IT industry. Upon completion of the program, graduates will have a strong foundation in both IT fundamentals and cloud computing, making them highly sought-after professionals in the field.

# **Project Requirements**

Project Name	RAKTSETU	
Language Used	PYTHON & DJANGO	
Editor	visual Studio code, Jupyter notebook, REPL	
User Interface Design	HTML, AJAX,JQUERY,JAVASCRIPT	
Web Browser	Mozilla, Google Chrome, IE8, OPERA	

# **Tables of Content**

SNO	TOPIC	Page No
1.	PROBLEM STATEMENT	5
2.	PROCESS MODEL	7
3.	SOFTWARE REQUIREMENTS SPECIFICATION	9
4.	CONTEXT LEVEL DIAGRAM	12
5.	PROJECT MODULE	13
6.	SOFTWARE TOOLS USED	14-15
7.	SAMPLE SCREENSHOTS	16-21
8.	SOURCE CODE	22-127
9.	CONCLUSION	128
10.	REFRENCES	129

### PROBLEM STATEMENT

The "Raktsetu" project is dedicated to addressing critical challenges within the domain of blood donation. While specific details may vary, blood donation projects typically tackle several common problem areas. They often confront the recurring issue of blood shortages, striving to ensure a consistent and ample blood supply to meet the demands of patients and healthcare facilities, especially during emergencies. These initiatives also concentrate on raising public awareness regarding the significance of blood donation, as many individuals remain uninformed about the life-saving impact of their contributions. Accessibility is another concern, with some regions lacking proper infrastructure for donation centers, making it difficult for potential donors to contribute. Safety and a reliable supply are paramount, necessitating strict adherence to safety standards for blood collection, storage, and distribution. Furthermore, recruitment and retention of donors are challenges that these projects aim to overcome, enticing new donors and maintaining the commitment of previous ones. Managing a well-balanced inventory of different blood types and establishing effective emergency response systems are additional facets of their comprehensive efforts to ensure the availability of safe, compatible blood for patients in need. To gain a deeper understanding of the "Raktsetu" project's specific problem statement and objectives, it is advisable to visit their official website or engage with the organization directly for detailed information.

### Benefits of implementing Raktsetu

- Increased Blood Supply: Effective implementation of a blood donation project can lead to a steady and sufficient supply of blood, ensuring that medical facilities have access to the blood they need for various medical procedures, including surgeries, trauma care, and the treatment of medical conditions.
- Lives Saved: By facilitating a consistent blood supply, such projects directly contribute to saving lives. Blood is crucial in emergency situations, for patients with certain medical conditions, and for surgeries, making it an essential resource in healthcare.
- Public Awareness: Blood donation projects often involve public awareness campaigns, which can educate people about the importance of donating blood. This increased awareness can lead to more voluntary donors and a larger donor pool.
- 4. **Community Engagement:** Blood donation projects often bring communities together for a common cause. They can foster a sense of unity and civic responsibility, as community members join hands to help those in need.
- 5. **Emergency Response:** These projects can establish systems for rapid response during emergencies, ensuring that blood is readily available for disaster relief, accidents, and other crisis situations.
- 6. **Improved Health Services:** A reliable blood supply improves the overall quality of healthcare services in a region. It allows medical professionals to carry out essential treatments and procedures without interruption.

- 7. **Reduced Blood Shortages:** By addressing the issue of blood shortages, these projects can reduce the stress on healthcare systems and reduce the negative impact on patients who may face delays in their treatments.
- 8. **Enhanced Blood Safety:** Blood donation projects often emphasize safety standards, including screening and testing of donated blood, reducing the risk of transmitting diseases through transfusions.
- 9. **Data Collection and Management:** Blood donation projects can implement data management systems to track donor information, blood types, and inventory levels, which aids in efficient resource allocation and management.
- 10. **Community Health Education:** These projects often serve as platforms for educating the public about healthy lifestyles, regular health check-ups, and other aspects of public health.

## PROCESS MODEL

RAKTSETU follows INCREMENTAL MODEL because initially software requirements are reasonably well defined but the overall scope of development effort is a purely linear process. There may be other requirements of the user which will be known later. So, those requirements can the implemented and delivered in the following next increments. Our project is a short term project of 3 months and 3 weeks only and staffing available is also low (4 persons).

## INTRODUCTION

- 1.1 PURPOSE
- 1.2 SCOPE
- 1.3 DEFINITIONS, ACRONYMS, and ABBREVIATIONS
- 1.4 REFERENCES
- 1.5 OVERVIEW

### 1.1 PURPOSE

The primary purpose of a blood donation project like "Raktsetu" is to save lives by ensuring a consistent and reliable supply of blood for medical treatments, surgeries, trauma care, and emergency situations. This initiative addresses the persistent issue of blood shortages by actively engaging donors and raising public awareness about the critical role of blood donation in healthcare. It aims to foster a sense of community engagement, uniting individuals in a shared mission to help those in need. Additionally, the project prioritizes efficient emergency response systems, safety, and quality standards in blood collection and processing, as well as the long-term sustainability and growth of its services. Through community health education and data-driven decision-making, "Raktsetu" serves as a vital platform for promoting overall health awareness while recognizing and appreciating the contributions of donors and volunteers.

### 1.2 SCOPE

The scope for a blood donation project like "Raktsetu" is extensive and far-reaching. Its primary objective is to save lives by ensuring a consistent and reliable supply of blood for critical medical procedures, from surgeries to emergency treatments. Beyond this, "Raktsetu" has the potential to elevate overall community health by serving as a platform for health education and awareness, promoting healthy lifestyles and fostering a sense of collective responsibility for public well-being. Efficient emergency response systems are integral to its scope, guaranteeing that blood is readily available in times of crises. The project's influence extends to raising public awareness, expanding its donor base, and reinforcing the safety and quality of donated blood, instilling confidence in both donors and healthcare systems. Data collection and analysis drive ongoing improvement, and

community engagement cultivates a culture of regular donation and a shared commitment to a healthier, more resilient community. Moreover, the project can achieve long-term sustainability, ensuring that its benefits continue to expand and positively impact individuals and the broader community.

### **1.3 OVERVIEW**

"Raktsetu" is a comprehensive blood donation project with a primary goal of saving lives by establishing a reliable and stable supply of blood for medical procedures and emergencies. It not only addresses blood shortages but also plays a pivotal role in enhancing overall community health by educating the public about healthy lifestyles and fostering a sense of collective responsibility for well-being. This initiative encompasses efficient emergency response systems, vital for timely interventions during crises, while raising awareness and expanding the donor pool to meet the demands of healthcare. Safety and quality standards in blood collection and processing are paramount, ensuring public trust. Data-driven decision-making propels ongoing improvement, and community engagement cultivates a culture of regular donation. "Raktsetu" looks beyond short-term gains and strives for long-term sustainability, ensuring a lasting impact on the health and well-being of individuals and communities it serves.

## **Advantages**

- Saves lives through a stable blood supply.
- Enhances healthcare services and emergency response.
- Promotes community health awareness and healthy lifestyles.
- Raises public awareness and expands the donor pool.
- Fosters community engagement and unity.
- Ensures safety and quality in blood collection and processing.
- Utilizes data for continuous improvement.
- Recognizes and appreciates donors and volunteers.
- Strives for long-term sustainability, ensuring lasting impact.

# **Disadvantages**

- Resource Dependence: Reliance on funding and volunteer support can be inconsistent.
- Challenges in Recruitment: Difficulty in recruiting and retaining regular donors.
- Logistical Complexities: Managing the collection, processing, and distribution of blood can be complex.
- Safety Risks: Despite strict standards, there's a minimal inherent risk of infection transmission.
- Public Misconceptions: Some may hold misconceptions or fear around blood donation, limiting participation.
- Limited Coverage: Rural or remote areas may have limited access to donation centers.

# SOFTWARE REQUIREMENT SPECIFICATION

## 2.1 Product Perspective

The product perspective for a blood donation project like "Raktsetu" revolves around its position within the healthcare system and the community. It serves as a critical link between donors and patients, ensuring a reliable supply of blood for medical procedures. From a broader perspective, it operates as a community health initiative, educating the public about the importance of blood donation and promoting overall well-being. Furthermore, it interfaces with healthcare facilities and emergency response systems, acting as a lifeline during crises. In essence, "Raktsetu" is an indispensable component of public health, bridging the gap between those willing to give and those in need.

# 2.1.1 System Interfaces

### **User Interfaces**

- Donor registration and scheduling tools.
- Mobile apps for donors.
- Kiosks at donation centers.
- Blood drive management systems.
- Administrative dashboards.
- Communication channels.
- Public awareness websites.
- Emergency response coordination.
- Data analytics platforms.
- Volunteer recruitment systems.
- Community feedback mechanisms.

### **Hardware Interfaces**

- Laptop/Desktop PC-Purpose of this is to give information when Patients ask information about doctors, medicine available lab tests etc. To perform such Action, it need very efficient computer otherwise due to that reason patients have to wait for a long time to get what they ask for.
- Laser Printer (B/W) This device is for printing patients' info etc.

## **Software Interfaces**

- JDK 1.8 Java is fast, secure, and reliable. From laptops to data centers, game consoles to scientific supercomputers, cell phones to the Internet, MySQL server - Database connectivity and management
- OS Windows 7/8/8.1- Very user friendly and common OS
- JRE 1.8 JAVA Runtime Environment for run Java Application and System.

# 2.1.2 System Specification

# 2.1.2.1 H/W Requirement

- Core i5 processor 4GB Ram.
- 20GB of hard disk space in terminal machines
- 1TB hard disk space in Server Machine

# 2.1.2.2 S/W Requirement

- Windows 7 or above operating system
- JRE 1.8
- MySQL server

### 2.1.3 Communication Interfaces

- NIC (Network Interface Card) It is a computer hardware component that allows a computer to connect to a network. NICs may be used for both wired and wireless connections.
- CAT 5 network cable- for high signal integrity
- TCP/IP protocol- Internet service provider to access and share information over the Internet
- Ethernet Communications Interface- Ethernet is a frame-based computer network technology for local area networks (LANs)
- Ubiquitous, easy to set up and easy to use. Low cost and high data transmission rate.

### 2.2 Product functions

- Donor registration and scheduling.
- Managing donor health information.
- Blood drive coordination.
- Donor communication and engagement.
- Inventory tracking and management.
- Emergency response facilitation.
- Data analytics for efficiency.
- Public awareness and education.
- Volunteer recruitment and management.
- Feedback collection for improvement

# **CONTEXT LEVEL DIAGRAM**

Computer Software Application System is a web application for the hospital which manages doctors and patients. In this project, we use Python and Django database. The entire project mainly consists of 3 modules, which are

- Home
- About Us
- Services & PLAN
- BOOKING
- REPORT
- SIGN UP & SIGN IN
- Our Team

# Project(admin) module:

- Home: In this section, we went in home page of site.
- · About Us: In this section, we provide information about the hospital's history, mission,
- and leadership.
- Services & PLAN: In this section, we provide a comprehensive overview of the healthcare services offered by the hospital.
- Our Services: In this section, we provide OUR PREMIUM SERVICES.
- Pricing Plan: In this section, we provide OUR PRICING PLAN

## **SOFTWARE TOOLS USED**

The whole Project is divided in two parts the front end and the back end.

### Front end

The front end is designed using of html, css, Java script

HTML- HTML or Hyper Text Mark-up Language is the main mark-up language for creating web pages and other information that can be displayed in a web browser.HTML is written in the form of HTML elements consisting of tags enclosed in angle brackets (like <html>), within the web page content. HTML tags most commonly come in pairs like <h1> and </h1>, although some tags represent empty elements and so are unpaired, for example <image>. The first tag in a pair is the start tag, and the second tag is the end tag (they are also called opening tags and closing tags). In between these tags web designers can add text, further tags, comments and other types of text-based content. The purpose of a web browser is to read HTML documents and compose them into visible or audible web pages. The browser does not display the HTML tags, but uses the tags to interpret the content of the page.HTML elements form the building blocks of all websites. HTML allows images and objects to be embedded and can be used to create interactive forms. It provides a means to create structured documents by denoting structural semantics for text such as headings, paragraphs, lists, links, quotes and other items. It can embed scripts written in languages such as JavaScript which affect the behavior of HTML web pages.

CSS- Cascading Style Sheets (CSS) is a style sheet language used for describing the look and formatting of a document written in a mark-up language. While most often used to style web pages and interfaces written in HTML and XHTML, the language can be applied to any kind of XML document, including plain XML, SVG and XUL. CSS is a cornerstone specification of the web and almost all web pages' use CSS style sheets to describe their presentation.CSS is designed primarily to enable the separation of document content from document presentation, including elements such as the layout, colors, and fonts. This separation can improve content accessibility, provide more flexibility and control in the specification of presentation characteristics, enable multiple pages to share formatting, and reduce complexity and repetition in the structural content (such as by allowing for table less web design).CSS can also allow the same mark-up page to be presented in different styles for different rendering methods, such as on-screen, in print, by voice (when read out by a speech-based browser or screen reader) and on Braille-based, tactile devices. It can also be used to allow the web page to display differently depending on the screen size or device on which it is being viewed. While the author of a document typically links that document to a CSS file, readers can use a different style sheet, perhaps one on their own computer, to override the one the author has specified. However, if the author or the reader did not link the document to a specific style sheet the default style of the browser will be applied.CSS specifies a priority scheme to determine which style rules apply if more than one rule matches

against a particular element. In this so-called cascade, priorities or weights are calculated and assigned to rules, so that the results are predictable.

JAVA SCRIPT- JavaScript (JS) is a dynamic computer programming language. It is most commonly used as part of web browsers, whose implementations allow client-side scripts to interact with the user, control the browser, communicate asynchronously, and alter the document content that is displayed. It is also being used in server-side programming, game development and the creation of desktop and mobile applications. JavaScript is a prototypebased scripting language with dynamic typing and has first- class functions. Its syntax was influenced by C. JavaScript copies many names and naming conventions from Java, but the two languages are otherwise unrelated and have very different semantics. The key design principles within JavaScript are taken from the Self and Scheme programming languages. It is a multi- paradigm language, supporting object-oriented, imperative, and functional programming styles. The application of JavaScript to use outside of web pages—for example, in PDF documents, site-specific browsers, and desktop widgets—is also significant. Newer and faster JavaScript VMs and platforms built upon them (notably Node.js) have also increased the popularity of JavaScript for server-side web applications. On the client side, JavaScript was traditionally implemented as an interpreted language but just-in-time compilation is now performed by recent (post-2012) browsers.


### Back end

MySQL is an open-source relational database management system (RDBMS) known for its speed, reliability, and ease of use. It uses structured query language (SQL) to interact with the database and finds extensive use in various applications, including data storage, web development, data analysis, content management systems, e-commerce, and enterprise-levelapplications.

PHP (Hypertext Pre-processor) is a server-side scripting language designed for web development. It is a widely-used, open-source scripting language that can be embedded within HTML to create dynamic web pages and web applications. PHP is executed on the web server, generating dynamic content that is sent to the client's web browser.

# SAMPLE SCREENSHOTS RAKTSETU

# **HOME**



### **About Us**

### About Us

# RaktSetu

"To bridge the gap between those in need and the life-saving gift of blood"

our mission is twofold: to promote blood donation and provide vital medical services to those who require them. We firmly believe that access to safe blood and essential medical care is a fundamental right, and we are committed to making it a reality for all.

- Best In Industry
- Emergency Services
- 24/7 Customer Support

Learn More





# Joining Hands for Change

Join us on this life-saving journey. Explore the various ways you can get involved with Raktsetu, from donating blood to volunteering your time and expertise. Together, we can create a world where no one goes without the medical care and support they deserve. Thank you for being a part of Raktsetu. Together, we can create a world where every heartbeat counts, and every life is valued.

Blog

### **SERVICES & PLAN**

### Our Services

### **Premium Services**

### **Blood Donation**

"Blood is essential for transporting oxygen

### READ MORE

### Sample collection

### READ MORE

### **Organ Donation**

\*Organ donation is an opportunity to help others. People who are on an organ waiting list typically have end-stage organ desease that significantly impacts their quality of tille and may be near the end of their tille. Receiving an organ can become a lifter-changing event for these people. It can also help a family work through the grinving process and deal with their loss by knowing their loved one is helping save the lives of others.\*

### READ MORE

### **Routine Health Test**

"It has been observed that people of the working-age group (30-60 yrs) are at a high risk of lifestyle diseases. Unhealthy lifestyle changes, heredilary health diseases, and lack of sleep can cause many health problems ranging from minor to severe concerns. Getting a full-body check-up that includes tests for diabetes, chelesterol. Blood Pressure, heart disease can save your extra bucks in the long run."

### READ MORE

### Test Report

"Test results may help make a diagnosis in symptomatic patients (diagnostic testing) or identify occult disease in asymptomatic patients (screening). If the tests were appropriately ordered on the basis of the clinical presentation, any results should assist in ruling in or out possible diagnoses."

### customer help

"Our lab provide all type support means our staff guied you how to fill the form as well as they will also help regarding any type of imformatin means related to test, facilities for the patient who donate blood as well as organ"

### READ MORE

### Pricing Plan

# **Choose the Best Price**



- ✓ GENERAL individual TEST
- ✓ THYROID & DIEBETIC TEST
- X LIVER TEST + Common blood test
- X WHOLE BODY TEST



- ✓ GENERAL individual TEST
- ✓ THYROID & DIEBETIC TEST
- LIVER TEST + Common blood test (CBC)
  - X WHOLE BODY TEST

- GENERAL individual TEST
- ✓ THYROID & DIEBETIC TEST
- ✓ LIVER TEST + Common blood test (CBC)
  - ✓ WHOLE BODY TEST

Signup Now

Signup Now

### **BOOKING**



### Donors

These are individuals who willingly give their blood. Donors can be anyone who meets the eligibility criteria set by blood donation centers, including factors like age, health, and weight.

READ MORE

### Save Lives


The primary reason for blood donation is to save lives. Donated blood is essential for medical procedures, emergency situations, and various medical conditions where transfusions are required to support

READ MORE

### **Through Donation**

These are dedicated facilities specifically designed for blood collection and processing. Blood donation centers are usually equipped with trained staff, sterile equipment, and a safe environment for

READ MORE



Planning To Donate Blood

# Book Your Appointment Here

"The power to save lives is in your veins. Share a little, care a little - donate blood."

key points about the process

#### Registration

You'll start by providing some basic information and ID. This takes just a few minutes

### Medical Screening

A quick check of your blood pressure, pulse, and temperature. Answer a few health-related questions.

### Donation

Dalanda a shale A shadla annulla sallasha bland consults around 10 15 minutes

127.0.0.1:8000/appointment

### **OUR TEAM**






For Blood Donor


# Appreciation


Join us on this life-saving journey. Explore the various ways you can get involved with Raktsetu, from donating blood to volunteering your time and expertise. Together, we can create a world where no one goes without the medical care and support they deserve. Thank you for being a part of Raktsetu. Together, we can create a world where every heartbeat counts, and every life is valued.


This certificate will provides you further assurance that if you need anywhere ,anytime blood and organ we will provide you our best service as sune as possible.

### **REPORT**









# **SOURCE CODE:**

# BloodProject/templates/BloodProject/INDEX.HTML

```
<!DOCTYPE html>
[% load static %}
   <meta charset="utf-8">
   <title>Rakt Setu</title>
   ink
   <link href="lib/flaticon/font/flaticon.css" rel="stylesheet">
   <link href="{% static 'css/style.css' %}" rel="stylesheet">
</head>
                <h1 class="m-0 display-5 text-capitalize font-italic text-
white"><span class="text-primary">Rakt</span>Setu</h1>
                    <a href="{% url 'BloodProject:index' %}" class="nav-item nav-
link active">Home</a>
link">Blog</a>
                    <a href="{% url 'BloodProject:about' %}" class="nav-item nav-</pre>
```

```
link">About Us</a>
                   <a class="nav-link dropdown-toggle" href="#" role="button" data-bs-</pre>
toggle="dropdown" aria-expanded="false">
           Welcome {{request.user}}
         </a>
                   <a href="{% url 'BloodProject:login' %}" class="nav-item nav-</pre>
link">login</a>
               <a href="{% url 'BloodProject:signup' %}" class="nav-item nav-</pre>
link">sign up</a>
                   {% endif %}
           </div>
       <div id="header-carousel" class="carousel slide" data-ride="carousel">
               <div class="carousel-item active">
alt="Image">
                           <h1 class="display-3 text-white mb-3">₹वर्त SETU</h1>
                           <h5 class="text-white mb-3 d-none d-sm-block">"Blood
donors are the bridge between despair and hope. "</h5>
class="btn btn-lg btn-primary mt-3 mt-md-4 px-4">Book Appointment</a>
                       </div>
                   </div>
```

```
<div class="row py-5">
               <h1 class="display-4 mb-4"><span class="text-
primary">Rakt</span><span class="text-secondary">Setu</span></h1>
               <h5 class="text-muted mb-3">"To bridge the gap between those in need
3"></i>Emergency Services</h5>
3"></i>24/7 Customer Support</h5>
           </div>
                   </div>
Hands</span> for Change</h1>
```

```
your time and expertise. Together, we can create a world where no one goes without
Together, we can create a world where every heartbeat counts, and every life is
valued.
            </div>
        <a href="{% url 'BloodProject:blog' %}" class="btn btn-lq btn-secondary mt-3"
mt-md-4 px-4">Blog</a>
            <div class="col-lg-4 col-md-12 mb-5">
                <h1 class="mb-3 display-5 text-capitalize text-white"><span</pre>
class="text-primary">रक्त</span>SETU</h1>
contributes to saving lives, supporting medical treatments, and ensuring the
availability of a stable and sufficient blood supply for emergencies and medical
procedures. It's a simple yet powerful way for individuals to make a positive impact
            </div>
            <div class="col-lg-8 col-md-12">
                <div class="row">
                    <div class="col-md-4 mb-5">
                        <h5 class="text-primary mb-4">Get In Touch</h5>
                          <i class="fa fa-map-marker-alt mr-2"></i>NEW
DELHI, INDIA
                        <i class="fa fa-phone-alt mr-2"></i>+918929222023
2"></i>Raktsetu111@gmail.com
                            <a class="btn btn-outline-light rounded-circle text-</pre>
twitter"></i></a>
facebook-f"></i></a>
                            <a class="btn btn-outline-light rounded-circle text-</pre>
center mr-2 px-0" style="width: 36px; height: 36px;" href="#"><i class="fab fa-
                            <a class="btn btn-outline-light rounded-circle text-</pre>
center mr-2 px-0" style="width: 36px; height: 36px;" href="#"><i class="fab fa-
instagram"></i></a>
                        </div>
                    </div>
                    <div class="col-md-4 mb-5">
                        <h5 class="text-primary mb-4">Popular Links</h5>
                            <a class="text-white mb-2" href="#"><i class="fa fa-</pre>
'BloodProject:service' %}"><i class="fa fa-angle-right mr-2"></i>Services</a>
                      <a class="text-white mb-2" href="{% url</pre>
```

```
<a class="text-white mb-2" href="{% url 'BloodProject:blog'</pre>
s}"><i class="fa fa-angle-right mr-2"></i>About Us</a>
                       <a class="text-white mb-2" href="{% url 'BloodProject:login'</pre>
%}"><i class="fa fa-angle-right mr-2"></i>login</a>
                             <a class="text-white mb-2" href="{% url</pre>
'BloodProject:signup' %}"><i class="fa fa-angle-right mr-2"></i>Signup</a>
                         <h5 class="text-primary mb-4">FEEDBACK</h5>
                             <div class="form-group">
                                 <input type="text" class="form-control border-0"</pre>
placeholder="Your Name" required="required" />
                                 <input type="email" class="form-control border-0"</pre>
placeholder="Your Email" required="required" />
                             </div>
placeholder="Feedback" required="required" />
                             </div>
                              <div>
                                 <button onclick="showAlert()"class="btn btn-lq btn-</pre>
primary btn-block border-0" type="submit">Submit Now</button>
                             </div>
                         </form>
        <div class="row">
                 </div>
```

# **BloodProject/statics/style.css**

```
*,
*::before,
*::after {
  box-sizing: border-box;
}

html {
  font-family: sans-serif;
  line-height: 1.15;
  -webkit-text-size-adjust: 100%;
  -webkit-tap-highlight-color: rgba(0, 0, 0, 0);
}

article, aside, figcaption, figure, footer, header, hgroup, main, nav, section {
  display: block;
}

body {
  margin: 0;
  font-family: "Nunito Sans", sans-serif;
  font-size: lrem;
```

```
font-weight: 400;
 background-color: rgb(255, 255, 255);
hr {
h1, h2, h3, h4, h5, h6 {
 margin-top: 0;
  margin-bottom: 0.5rem;
p {
 margin-top: 0;
ul,
dl {
 margin-top: 0;
ol ol,
ul ul,
ol ul,
ul ol {
 margin-bottom: 0;
dt {
dd {
  margin-left: 0;
b,
strong {
small {
```

```
line-height: 0;
sub {
sup {
a {
 color: #ED6436;
 text-decoration: none;
 background-color: transparent;
a:hover {
a:not([href]):not([class]) {
  text-decoration: none;
a:not([href]):not([class]):hover {
 color: inherit;
  text-decoration: none;
svg {
table {
caption {
 padding-top: 0.75rem;
 padding-bottom: 0.75rem;
  caption-side: bottom;
```

```
select,
optgroup,
textarea {
 margin: 0;
button,
button,
select {
  text-transform: none;
 cursor: pointer;
button,
[type="button"],
[type="reset"],
[type="submit"] {
  -webkit-appearance: button;
button:not(:disabled),
[type="button"]:not(:disabled),
[type="reset"]:not(:disabled),
[type="submit"]:not(:disabled) {
  cursor: pointer;
button::-moz-focus-inner,
[type="button"]::-moz-focus-inner,
[type="reset"]::-moz-focus-inner,
[type="submit"]::-moz-focus-inner {
input[type="radio"],
input[type="checkbox"]
```

```
box-sizing: border-box;
textarea {
 overflow: auto;
  resize: vertical;
fieldset {
 padding: 0;
 margin: 0;
 border: 0;
legend {
 display: block;
 max-width: 100%;
 margin-bottom: .5rem;
 white-space: normal;
h1, h2, h3, h4, h5, h6,
 line-height: 1.2;
h1, .h1 {
h2, .h2 {
h4, .h4 {
h5, .h5 {
 font-size: 1.25rem;
h6, .h6 {
```

```
.display-1 {
.display-4 {
hr {
 margin-top: 1rem;
 margin-bottom: 1rem;
 border-top: 1px solid rgba(0, 0, 0, 0.1);
small,
 font-size: 80%;
mark,
.img-fluid {
```

```
.img-thumbnail {
 border-radius: 0.25rem;
 max-width: 100%;
  margin-bottom: 0.5rem;
  line-height: 1;
.figure-caption {
 font-size: 90%;
  color: #6c757d;
 color: #e83e8c;
 padding: 0.2rem 0.4rem;
  font-size: 87.5%;
pre {
pre code {
  font-size: inherit;
  color: inherit;
  word-break: normal;
```

```
.pre-scrollable {
 overflow-y: scroll;
.container,
.container-fluid,
.container-sm,
.container-md,
 padding-right: 15px;
 padding-left: 15px;
 margin-right: auto;
 margin-left: auto;
@media (min-width: 1200px) {
 display: flex;
 margin-left: -15px;
.col-1, .col-2, .col-3, .col-4, .col-5, .col-6, .col-7, .col-8, .col-9, .col-10,
.col-11, .col-12, .col,
.col-lg-7, .col-lg-8, .col-lg-9, .col-lg-10, .col-lg-11, .col-lg-12, .col-lg,
.col-lg-auto, .col-xl-1, .col-xl-2, .col-xl-3, .col-xl-4, .col-xl-5, .col-xl-6,
.col-xl-auto {
 position: relative;
 padding-right: 15px;
 padding-left: 15px;
 flex-basis: 0;
 flex-grow: 1;
 max-width: 100%;
```

```
max-width: 100%;
.row-cols-2 > * {
 flex: 0 0 50%;
 max-width: 33.33333%;
 flex: 0 0 20%;
 max-width: 20%;
 flex: 0 0 16.66667%;
flex: 0 0 auto;
 max-width: 100%;
 flex: 0 0 16.66667%;
 flex: 0 0 33.33333%;
 max-width: 33.33333%;
```

```
max-width: 41.66667%;
max-width: 50%;
max-width: 66.66667%;
flex: 0 0 75%;
flex: 0 0 100%;
order: 13;
```

```
.order-2 {
order: 3;
.order-6 {
.order-10 {
order: 10;
margin-left: 16.66667%;
 margin-left: 25%;
```

```
margin-left: 41.66667%;
.offset-6 {
margin-left: 50%;
 margin-left: 66.66667%;
.offset-9 {
margin-left: 75%;
 margin-left: 83.33333%;
 margin-left: 91.66667%;
   flex-grow: 1;
   max-width: 100%;
   flex: 0 0 50%;
   max-width: 50%;
   max-width: 20%;
```

```
flex: 0 0 16.66667%;
.col-md-auto {
 flex: 0 0 auto;
 max-width: 16.66667%;
 flex: 0 0 25%;
.col-md-4 {
.col-md-5 {
 flex: 0 0 41.66667%;
 max-width: 50%;
 flex: 0 0 58.33333%;
 max-width: 58.33333%;
 flex: 0 0 66.66667%;
 max-width: 66.66667%;
 flex: 0 0 75%;
 flex: 0 0 83.33333%;
.col-md-12 {
 flex: 0 0 100%;
```

```
order: -1;
 order: 0;
.order-md-7 {
.order-md-9 {
 order: 9;
 margin-left: 8.33333%;
.offset-md-3 {
```

```
margin-left: 25%;
.offset-md-4 {
 margin-left: 33.33333%;
.offset-md-5 {
 margin-left: 41.66667%;
 margin-left: 50%;
 margin-left: 58.33333%;
 margin-left: 66.66667%;
 margin-left: 75%;
 margin-left: 83.33333%;
 margin-left: 91.66667%;
 max-width: 100%;
 max-width: 100%;
.row-cols-lg-2 > * {
 flex: 0 0 50%;
 max-width: 50%;
 flex: 0 0 25%;
.row-cols-lg-5 > * {
.row-cols-lg-6 > * {
```

```
flex: 0 0 8.33333%;
 max-width: 8.33333%;
.col-lg-2 {
.col-lg-5 {
 max-width: 41.66667%;
 max-width: 50%;
.col-lg-8 {
 flex: 0 0 66.66667%;
 max-width: 66.66667%;
.col-lg-9 {
.col-lg-10 {
 flex: 0 0 83.33333%;
.col-lg-12 {
.order-lg-first {
order: -1;
```

```
.order-lg-last {
.order-lg-0 {
 order: 0;
.order-lg-4 {
.order-lg-5 {
 order: 9;
.order-lg-12 {
.offset-lg-0 {
.offset-lg-2 {
 margin-left: 16.66667%;
 margin-left: 25%;
 margin-left: 33.33333%;
```

```
margin-left: 41.66667%;
 .offset-lq-6 {
   margin-left: 50%;
 .offset-lq-7 {
   margin-left: 58.33333%;
 .offset-lg-8 {
   margin-left: 66.66667%;
 .offset-lg-9 {
   margin-left: 75%;
   margin-left: 83.33333%;
   margin-left: 91.66667%;
@media (max-width: 575.98px) {
 .table-responsive-sm {
   display: block;
   overflow-x: auto;
   border: 0;
.form-control {
 display: block;
 padding: 0.375rem 0.75rem;
 background-color: #fff;
 background-clip: padding-box;
 background-color: transparent;
 border: 0;
```

```
.form-control:-moz-focusring {
 color: transparent;
 text-shadow: 0 0 0 #495057;
.form-control:focus {
 color: #495057;
 background-color: #fff;
 border-color: #f7beab;
 outline: 0;
.form-control:disabled, .form-control[readonly] {
 background-color: #e9ecef;
select.form-control:focus::-ms-value {
 background-color: #fff;
 display: block;
.col-form-label {
 padding-top: calc(0.375rem + 1px);
 padding-bottom: calc(0.375rem + 1px);
 margin-bottom: 0;
 line-height: 1.5;
.col-form-label-lg {
 padding-top: calc(0.5rem + 1px);
 padding-bottom: calc(0.5rem + 1px);
 padding-top: calc(0.25rem + 1px);
 padding-bottom: calc(0.25rem + 1px);
 font-size: 0.875rem;
 line-height: 1.5;
.form-control-plaintext {
```

```
width: 100%;
 margin-bottom: 0;
 font-size: 1rem;
 background-color: transparent;
 border: solid transparent;
 padding-right: 0;
 padding-left: 0;
.form-control-sm {
 font-size: 0.875rem;
 line-height: 1.5;
 border-radius: 0.2rem;
 padding: 0.5rem 1rem;
select.form-control[size], select.form-control[multiple] {
textarea.form-control {
.form-group {
 margin-bottom: 1rem;
 display: block;
 margin-top: 0.25rem;
 margin-right: -5px;
 margin-left: -5px;
```

```
padding-right: 5px;
 padding-left: 5px;
.form-check {
 padding-left: 1.25rem;
.form-check-input {
 position: absolute;
 margin-top: 0.3rem;
 color: #6c757d;
.form-check-label {
 margin-bottom: 0;
 padding-left: 0;
 margin-right: 0.75rem;
 margin-top: 0;
 margin-right: 0.3125rem;
 margin-left: 0;
.form-inline {
 display: flex;
.btn {
 display: inline-block;
 text-align: center;
```

```
user-select: none;
 font-size: 1rem;
 line-height: 1.5;
 border-radius: 0.25rem;
 text-decoration: none;
.btn:not(:disabled):not(.disabled) {
fieldset:disabled a.btn {
 pointer-events: none;
.btn-primary {
 color: #fff;
 background-color: #ED6436;
 border-color: #ED6436;
.btn-primary:hover {
 color: #fff;
 background-color: #e84a15;
 border-color: #dc4614;
.btn-primary:focus, .btn-primary.focus {
 color: #fff;
 background-color: #e84a15;
 border-color: #dc4614;
btn-primary.disabled, .btn-primary:disabled {
```

```
color: #fff;
  background-color: #ED6436;
  border-color: #ED6436;
.btn-primary:not(:disabled):not(.disabled):active, .btn-
primary:not(:disabled):not(.disabled).active,
.show > .btn-primary.dropdown-toggle {
 color: #fff;
 background-color: #dc4614;
 border-color: #d14213;
.btn-primary:not(:disabled):not(.disabled):active:focus, .btn-
primary:not(:disabled):not(.disabled).active:focus,
.show > .btn-primary.dropdown-toggle:focus {
 box-shadow: 0 0 0 0.2rem rgba(240, 123, 84, 0.5);
.btn-secondary {
 color: #212529;
 background-color: #65C178;
 border-color: #65C178;
.btn-secondary:hover {
 color: #fff;
 background-color: #4ab660;
.btn-secondary:focus, .btn-secondary.focus {
 color: #fff;
 background-color: #4ab660;
 border-color: #46ad5b;
 box-shadow: 0 0 0 0.2rem rgba(91, 170, 108, 0.5);
 color: #212529;
 background-color: #65C178;
 border-color: #65C178;
.btn-secondary:not(:disabled):not(.disabled):active, .btn-
secondary:not(:disabled):not(.disabled).active,
.show > .btn-secondary.dropdown-toggle {
 color: #fff;
 background-color: #46ad5b;
 border-color: #42a456;
.btn-secondary:not(:disabled):not(.disabled):active:focus, .btn-
secondary:not(:disabled):not(.disabled).active:focus,
.show > .btn-secondary.dropdown-toggle:focus {
 box-shadow: 0 0 0 0.2rem rgba(91, 170, 108, 0.5);
.btn-success {
```

```
color: #fff;
  background-color: #28a745;
  border-color: #28a745;
.btn-success:hover {
 color: #fff;
 background-color: #218838;
 border-color: #1e7e34;
 color: #fff;
 background-color: #218838;
 box-shadow: 0 0 0 0.2rem rgba(72, 180, 97, 0.5);
 color: #fff;
 background-color: #28a745;
 border-color: #28a745;
.show > .btn-success.dropdown-toggle {
 color: #fff;
 background-color: #1e7e34;
 border-color: #1c7430;
.btn-success:not(:disabled):not(.disabled):active:focus, .btn-
success:not(:disabled):not(.disabled).active:focus,
.show > .btn-success.dropdown-toggle:focus {
 box-shadow: 0 0 0 0.2rem rgba(72, 180, 97, 0.5);
.btn-info {
 color: #fff;
 background-color: #17a2b8;
 border-color: #17a2b8;
.btn-info:hover {
 border-color: #117a8b;
 color: #fff;
 background-color: #138496;
 border-color: #117a8b;
```

```
color: #fff;
 background-color: #17a2b8;
 border-color: #17a2b8;
.show > .btn-info.dropdown-toggle {
 color: #fff;
 background-color: #117a8b;
 border-color: #10707f;
.btn-info:not(:disabled):not(.disabled):active:focus, .btn-
.show > .btn-info.dropdown-toggle:focus {
.btn-warning {
 background-color: #ffc107;
 border-color: #ffc107;
 border-color: #d39e00;
.btn-warning:focus, .btn-warning.focus {
 color: #212529;
 background-color: #e0a800;
 background-color: #ffc107;
 border-color: #ffc107;
.show > .btn-warning.dropdown-toggle {
 background-color: #d39e00;
.show > .btn-warning.dropdown-toggle:focus {
```

```
.btn-danger {
 background-color: #dc3545;
 border-color: #dc3545;
.btn-danger:focus, .btn-danger.focus {
 color: #fff;
 border-color: #bd2130;
.btn-danger.disabled, .btn-danger:disabled {
 color: #fff;
 border-color: #dc3545;
.show > .btn-danger.dropdown-toggle {
 background-color: #bd2130;
 border-color: #b21f2d;
.btn-danger:not(:disabled):not(.disabled):active:focus, .btn-
.show > .btn-danger.dropdown-toggle:focus {
 border-color: #F2F2F4;
 background-color: #dddde2;
 border-color: #d6d6dd;
```

```
color: #212529;
 background-color: #dddde2;
 border-color: #d6d6dd;
 box-shadow: 0 0 0 0.2rem rgba(211, 211, 214, 0.5);
 background-color: #F2F2F4;
 border-color: #F2F2F4;
.show > .btn-light.dropdown-toggle {
 background-color: #d6d6dd;
 border-color: #cfcfd7;
light:not(:disabled):not(.disabled).active:focus,
.show > .btn-light.dropdown-toggle:focus {
 box-shadow: 0 0 0 0.2rem rgba(211, 211, 214, 0.5);
.btn-dark {
 border-color: #181818;
.btn-dark:hover {
 color: #fff;
 background-color: #050505;
 border-color: black;
 color: #fff;
 background-color: #050505;
 box-shadow: 0 0 0 0.2rem rgba(59, 59, 59, 0.5);
 color: #fff;
.btn-dark:not(:disabled):not(.disabled):active, .btn-
dark:not(:disabled):not(.disabled).active,
.show > .btn-dark.dropdown-toggle {
 background-color: black;
 border-color: black;
```

```
.btn-dark:not(:disabled):not(.disabled):active:focus, .btn-
dark:not(:disabled):not(.disabled).active:focus,
.show > .btn-dark.dropdown-toggle:focus {
 box-shadow: 0 0 0 0.2rem rgba(59, 59, 59, 0.5);
.btn-outline-primary {
 color: #ED6436;
 border-color: #ED6436;
.btn-outline-primary:hover {
 color: #fff;
 border-color: #ED6436;
.btn-outline-primary:focus, .btn-outline-primary.focus {
.btn-outline-primary.disabled, .btn-outline-primary:disabled {
 color: #ED6436;
 background-color: transparent;
.btn-outline-primary:not(:disabled):not(.disabled):active, .btn-outline-
.show > .btn-outline-primary.dropdown-toggle {
 color: #fff;
 border-color: #ED6436;
.btn-outline-primary:not(:disabled):not(.disabled):active:focus, .btn-outline-
primary:not(:disabled):not(.disabled).active:focus,
.show > .btn-outline-primary.dropdown-toggle:focus {
.btn-outline-secondary {
 color: #65C178;
 border-color: #65C178;
 color: #212529;
 background-color: #65C178;
.btn-outline-secondary:focus, .btn-outline-secondary.focus {
 box-shadow: 0 0 0 0.2rem rgba(101, 193, 120, 0.5);
```

```
color: #65C178;
 background-color: transparent;
.btn-outline-secondary:not(:disabled):not(.disabled):active, .btn-outline-
secondary:not(:disabled):not(.disabled).active,
.show > .btn-outline-secondary.dropdown-toggle {
 border-color: #65C178;
.btn-outline-secondary:not(:disabled):not(.disabled):active:focus, .btn-outline-
secondary:not(:disabled):not(.disabled).active:focus,
.show > .btn-outline-secondary.dropdown-toggle:focus {
.btn-outline-success {
 color: #28a745;
 border-color: #28a745;
.btn-outline-success:hover {
 color: #fff;
 border-color: #28a745;
.btn-outline-success:focus, .btn-outline-success.focus {
 box-shadow: 0 0 0 0.2rem rgba(40, 167, 69, 0.5);
.btn-outline-success.disabled, .btn-outline-success:disabled {
 color: #28a745;
.btn-outline-success:not(:disabled):not(.disabled):active, .btn-outline-
success:not(:disabled):not(.disabled).active,
.show > .btn-outline-success.dropdown-toggle {
 color: #fff;
 border-color: #28a745;
.show > .btn-outline-success.dropdown-toggle:focus {
 box-shadow: 0 0 0 0.2rem rgba(40, 167, 69, 0.5);
.btn-outline-info {
 color: #17a2b8;
 border-color: #17a2b8;
```

```
.btn-outline-info:hover {
 color: #fff;
 background-color: #17a2b8;
 border-color: #17a2b8;
 box-shadow: 0 0 0 0.2rem rgba(23, 162, 184, 0.5);
 color: #17a2b8;
.btn-outline-info:not(:disabled):not(.disabled):active, .btn-outline-
info:not(:disabled):not(.disabled).active,
.show > .btn-outline-info.dropdown-toggle {
 color: #fff;
 background-color: #17a2b8;
 border-color: #17a2b8;
.btn-outline-info:not(:disabled):not(.disabled):active:focus, .btn-outline-
.show > .btn-outline-info.dropdown-toggle:focus {
.btn-outline-warning {
 color: #ffc107;
 border-color: #ffc107;
.btn-outline-warning:hover {
 color: #212529;
 background-color: #ffc107;
 border-color: #ffc107;
 box-shadow: 0 0 0 0.2rem rgba(255, 193, 7, 0.5);
 color: #ffc107;
warning:not(:disabled):not(.disabled).active,
.show > .btn-outline-warning.dropdown-toggle {
```

```
background-color: #ffc107;
 border-color: #ffc107;
.btn-outline-warning:not(:disabled):not(.disabled):active:focus, .btn-outline-
warning:not(:disabled):not(.disabled).active:focus,
.show > .btn-outline-warning.dropdown-toggle:focus {
 box-shadow: 0 0 0 0.2rem rgba(255, 193, 7, 0.5);
.btn-outline-danger {
 color: #dc3545;
 border-color: #dc3545;
.btn-outline-danger:hover {
 color: #fff;
 background-color: #dc3545;
 border-color: #dc3545;
 box-shadow: 0 0 0 0.2rem rgba(220, 53, 69, 0.5);
.btn-outline-danger.disabled, .btn-outline-danger:disabled {
 color: #dc3545;
danger:not(:disabled):not(.disabled).active,
.show > .btn-outline-danger.dropdown-toggle {
 color: #fff;
 background-color: #dc3545;
.btn-outline-danger:not(:disabled):not(.disabled):active:focus, .btn-outline-
.show > .btn-outline-danger.dropdown-toggle:focus {
 box-shadow: 0 0 0 0.2rem rgba(220, 53, 69, 0.5);
.btn-outline-light {
 border-color: #F2F2F4;
 background-color: #F2F2F4;
 border-color: #F2F2F4;
```

```
color: #F2F2F4;
.btn-outline-light:not(:disabled):not(.disabled):active, .btn-outline-
light:not(:disabled):not(.disabled).active,
.show > .btn-outline-light.dropdown-toggle {
 background-color: #F2F2F4;
 border-color: #F2F2F4;
.show > .btn-outline-light.dropdown-toggle:focus {
 box-shadow: 0 0 0 0.2rem rgba(242, 242, 244, 0.5);
.btn-outline-dark {
 color: #181818;
 border-color: #181818;
.btn-outline-dark:hover {
 color: #fff;
 background-color: #181818;
 border-color: #181818;
 box-shadow: 0 0 0 0.2rem rgba(24, 24, 24, 0.5);
.btn-outline-dark.disabled, .btn-outline-dark:disabled {
 color: #181818;
.btn-outline-dark:not(:disabled):not(.disabled):active, .btn-outline-
dark:not(:disabled):not(.disabled).active,
.show > .btn-outline-dark.dropdown-toggle {
 color: #fff;
 background-color: #181818;
 border-color: #181818;
.btn-outline-dark:not(:disabled):not(.disabled):active:focus, .btn-outline-
.show > .btn-outline-dark.dropdown-toggle:focus {
btn-link {
```

```
color: #ED6436;
 text-decoration: none;
.btn-link:hover {
 color: #c53f12;
 text-decoration: underline;
 pointer-events: none;
 line-height: 1.5;
 border-radius: 0.3rem;
 border-radius: 0.2rem;
.btn-block {
 display: block;
 margin-top: 0.5rem;
input[type="button"].btn-block {
@media (prefers-reduced-motion: reduce) {
 .fade {
```

```
display: none;
.collapsing {
 position: relative;
@media (prefers-reduced-motion: reduce) {
 .collapsing {
.dropup,
.dropdown,
.dropleft {
 position: relative;
.dropdown-toggle {
 white-space: nowrap;
.dropdown-toggle::after {
 display: inline-block;
 margin-left: 0.255em;
 border-right: 0.3em solid transparent;
.dropdown-toggle:empty::after {
 margin-left: 0;
.dropdown-menu {
 display: none;
 min-width: 10rem;
```

```
margin: 0.125rem 0 0;
 list-style: none;
 background-color: #fff;
 background-clip: padding-box;
 border: 1px solid rgba(0, 0, 0, 0.15);
 border-radius: 0.25rem;
.dropdown-menu-left {
 right: auto;
 left: 0;
.dropdown-menu-right {
 left: auto;
 .dropdown-menu-sm-left {
   left: 0;
 .dropdown-menu-sm-right {
 .dropdown-menu-md-left {
   left: 0;
 .dropdown-menu-md-right {
   left: auto;
 .dropdown-menu-lg-left {
   left: 0;
 .dropdown-menu-lg-right {
   left: auto;
 .dropdown-menu-xl-left {
   left: 0;
```

```
.dropdown-menu-xl-right {
   right: 0;
.dropup .dropdown-menu {
 margin-top: 0;
 margin-bottom: 0.125rem;
.dropup .dropdown-toggle::after {
 display: inline-block;
 border-top: 0;
 border-left: 0.3em solid transparent;
.dropup .dropdown-toggle:empty::after {
 margin-left: 0;
.dropright .dropdown-menu {
left: 100%;
 margin-top: 0;
 margin-left: 0.125rem;
.dropright .dropdown-toggle::after {
 margin-left: 0.255em;
 vertical-align: 0.255em;
 border-top: 0.3em solid transparent;
 border-right: 0;
 border-bottom: 0.3em solid transparent;
 border-left: 0.3em solid;
.dropright .dropdown-toggle:empty::after {
 margin-left: 0;
.dropright .dropdown-toggle::after {
vertical-align: 0;
```

```
.dropleft .dropdown-menu {
 left: auto;
 margin-top: 0;
 margin-right: 0.125rem;
.dropleft .dropdown-toggle::after {
 margin-left: 0.255em;
.dropleft .dropdown-toggle::after {
.dropleft .dropdown-toggle::before {
 display: inline-block;
 margin-right: 0.255em;
 border-top: 0.3em solid transparent;
.dropleft .dropdown-toggle:empty::after {
 margin-left: 0;
.dropleft .dropdown-toggle::before {
 vertical-align: 0;
.dropdown-menu[x-placement^="top"], .dropdown-menu[x-placement^="right"], .dropdown-
menu[x-placement^="bottom"], .dropdown-menu[x-placement^="left"] {
.dropdown-divider {
 margin: 0.5rem 0;
 border-top: 1px solid #e9ecef;
.dropdown-item {
 display: block;
 padding: 0.25rem 1.5rem;
 font-weight: 400;
```

```
text-align: inherit;
 background-color: transparent;
.dropdown-item:hover, .dropdown-item:focus {
 text-decoration: none;
.dropdown-item.active, .dropdown-item:active {
 color: #fff;
 text-decoration: none;
.dropdown-item.disabled, .dropdown-item:disabled {
color: #6c757d;
.dropdown-menu.show {
 display: block;
.dropdown-header {
 margin-bottom: 0;
 color: #6c757d;
 white-space: nowrap;
.dropdown-item-text {
 color: #212529;
.btn-group,
position: relative;
 position: relative;
 flex: 1 1 auto;
```

```
z-index: 1;
.btn-toolbar {
 display: flex;
 flex-wrap: wrap;
 width: auto;
 margin-left: -1px;
.btn-group > .btn:not(:last-child):not(.dropdown-toggle),
 border-top-right-radius: 0;
 border-bottom-right-radius: 0;
 border-top-left-radius: 0;
 border-bottom-left-radius: 0;
.dropdown-toggle-split {
 padding-right: 0.5625rem;
 padding-left: 0.5625rem;
.dropdown-toggle-split::after,
.dropup .dropdown-toggle-split::after,
.dropright .dropdown-toggle-split::after {
 margin-left: 0;
.dropleft .dropdown-toggle-split::before {
 margin-right: 0;
.btn-sm + .dropdown-toggle-split, .btn-group-sm > .btn + .dropdown-toggle-split {
 padding-right: 0.375rem;
 padding-left: 0.375rem;
```

```
.btn-lq + .dropdown-toggle-split, .btn-group-lg > .btn + .dropdown-toggle-split {
 padding-right: 0.75rem;
 padding-left: 0.75rem;
.btn-group-vertical {
 flex-direction: column;
 align-items: flex-start;
.btn-group-vertical > .btn,
.btn-group-vertical > .btn:not(:first-child),
.btn-group-vertical > .btn-group:not(:first-child) {
 margin-top: -1px;
.btn-group-vertical > .btn:not(:last-child):not(.dropdown-toggle),
.btn-group-vertical > .btn-group:not(:last-child) > .btn {
 border-bottom-right-radius: 0;
 border-bottom-left-radius: 0;
 border-top-left-radius: 0;
 border-top-right-radius: 0;
.btn-group-toggle > .btn,
.btn-group-toggle > .btn-group > .btn {
 margin-bottom: 0;
.btn-group-toggle > .btn input[type="radio"],
.btn-group-toggle > .btn input[type="checkbox"],
.btn-group-toggle > .btn-group > .btn input[type="radio"],
.btn-group-toggle > .btn-group > .btn input[type="checkbox"] {
 position: absolute;
 display: flex;
 flex-wrap: wrap;
 align-items: stretch;
```

```
width: 100%;
.input-group > .form-control-plaintext,
.input-group > .custom-select,
.input-group > .custom-file {
 position: relative;
  flex: 1 1 auto;
 min-width: 0;
 margin-bottom: 0;
.input-group > .form-control + .form-control,
.input-group > .form-control + .custom-select,
.input-group > .form-control + .custom-file,
.input-group > .form-control-plaintext + .form-control,
.input-group > .form-control-plaintext + .custom-file,
.input-group > .custom-select + .form-control,
.input-group > .custom-select + .custom-select,
.input-group > .custom-select + .custom-file,
.input-group > .custom-file + .form-control,
.input-group > .custom-file + .custom-select,
.input-group > .custom-file + .custom-file {
 margin-left: -1px;
.input-group > .custom-select:focus,
.input-group > .custom-file .custom-file-input:focus ~ .custom-file-label {
.input-group > .custom-file .custom-file-input:focus {
.input-group > .form-control:not(:last-child),
.input-group > .custom-select:not(:last-child) {
 border-top-right-radius: 0;
 border-bottom-right-radius: 0;
.input-group > .form-control:not(:first-child),
border-top-left-radius: 0;
 border-bottom-left-radius: 0;
.input-group > .custom-file {
 display: flex;
 align-items: center;
.input-group > .custom-file:not(:last-child) .custom-file-label::after {
border-top-right-radius: 0;
```

```
border-bottom-right-radius: 0;
 border-top-left-radius: 0;
 border-bottom-left-radius: 0;
.input-group-prepend,
.input-group-append {
.input-group-prepend .btn,
.input-group-append .btn {
 position: relative;
.input-group-prepend .btn:focus,
.input-group-append .btn:focus {
 z-index: 3;
.input-group-prepend .btn + .btn,
.input-group-prepend .btn + .input-group-text,
.input-group-prepend .input-group-text + .input-group-text,
.input-group-prepend .input-group-text + .btn,
.input-group-append .btn + .btn,
.input-group-append .input-group-text + .btn {
margin-left: -1px;
.input-group-prepend {
 margin-right: -1px;
.input-group-append {
 margin-left: -1px;
.input-group-text {
 display: flex;
 padding: 0.375rem 0.75rem;
 margin-bottom: 0;
 color: #495057;
 text-align: center;
 white-space: nowrap;
```

```
background-color: #e9ecef;
 border: 1px solid #ced4da;
.input-group-text input[type="radio"],
.input-group-text input[type="checkbox"] {
 margin-top: 0;
.input-group-lg > .form-control:not(textarea),
.input-group-lg > .form-control,
.input-group-lg > .custom-select,
.input-group-lg > .input-group-prepend > .input-group-text,
.input-group-lg > .input-group-append > .input-group-text,
.input-group-lg > .input-group-prepend > .btn,
.input-group-lg > .input-group-append > .btn {
 padding: 0.5rem 1rem;
 font-size: 1.25rem;
 line-height: 1.5;
 border-radius: 0.3rem;
.input-group-sm > .form-control:not(textarea),
.input-group-sm > .form-control,
.input-group-sm > .custom-select,
.input-group-sm > .input-group-prepend > .input-group-text,
.input-group-sm > .input-group-append > .input-group-text,
.input-group-sm > .input-group-append > .btn {
 font-size: 0.875rem;
 line-height: 1.5;
.input-group-sm > .custom-select {
 padding-right: 1.75rem;
.input-group > .input-group-prepend > .btn,
.input-group > .input-group-prepend > .input-group-text,
.input-group > .input-group-append:not(:last-child) > .btn,
.input-group > .input-group-append:not(:last-child) > .input-group-text,
.input-group > .input-group-append:last-child > .btn:not(:last-child):not(.dropdown-
.input-group > .input-group-append:last-child > .input-group-text:not(:last-child) {
 border-top-right-radius: 0;
 border-bottom-right-radius: 0;
```

```
.input-group > .input-group-append > .btn,
.input-group > .input-group-append > .input-group-text,
.input-group > .input-group-prepend:not(:first-child) > .btn,
.input-group > .input-group-prepend:not(:first-child) > .input-group-text,
.input-group > .input-group-prepend:first-child > .btn:not(:first-child),
.input-group > .input-group-prepend:first-child > .input-group-text:not(:first-
child) {
 border-top-left-radius: 0;
 border-bottom-left-radius: 0;
 position: relative;
 display: block;
 min-height: 1.5rem;
 padding-left: 1.5rem;
 color-adjust: exact;
.custom-control-inline {
 display: inline-flex;
 margin-right: 1rem;
.custom-control-input {
 position: absolute;
 height: 1.25rem;
.custom-control-input:checked ~ .custom-control-label::before {
 color: #fff;
 border-color: #ED6436;
 background-color: #ED6436;
.custom-control-input:focus ~ .custom-control-label::before {
 box-shadow: 0 0 0 0.2rem rgba(237, 100, 54, 0.25);
.custom-control-input:focus:not(:checked) ~ .custom-control-label::before {
 border-color: #f7beab;
 color: #fff;
 background-color: #fce2da;
 border-color: #fce2da;
```

```
color: #6c757d;
.custom-control-input[disabled] ~ .custom-control-label::before, .custom-control-
input:disabled ~ .custom-control-label::before {
 background-color: #e9ecef;
 margin-bottom: 0;
.custom-control-label::before {
 position: absolute;
 top: 0.25rem;
 left: -1.5rem;
 width: 1rem;
 pointer-events: none;
 background-color: #fff;
 border: #adb5bd solid 1px;
.custom-control-label::after {
 position: absolute;
 top: 0.25rem;
 left: -1.5rem;
 display: block;
 height: 1rem;
 background: no-repeat 50% / 50% 50%;
.custom-checkbox .custom-control-label::before {
 border-radius: 0.25rem;
.custom-checkbox .custom-control-input:checked ~ .custom-control-label::after {
.custom-checkbox .custom-control-input:indeterminate ~ .custom-control-label::before
 border-color: #ED6436;
 background-color: #ED6436;
custom-checkbox .custom-control-input:indeterminate ~ .custom-control-label::after
```

```
background-image: url("data:image/svg+xml,%3csvg
.custom-checkbox .custom-control-input:disabled:checked ~ .custom-control-
label::before {
 background-color: rgba(237, 100, 54, 0.5);
label::before {
.custom-radio .custom-control-label::before {
 border-radius: 50%;
.custom-radio .custom-control-input:checked ~ .custom-control-label::after {
.custom-radio .custom-control-input:disabled:checked ~ .custom-control-label::before
.custom-switch {
 padding-left: 2.25rem;
.custom-switch .custom-control-label::before {
 pointer-events: all;
 border-radius: 0.5rem;
 left: calc(-2.25rem + 2px);
 background-color: #adb5bd;
border-color 0.15s ease-in-out, box-shadow 0.15s ease-in-out;
@media (prefers-reduced-motion: reduce) {
```

```
.custom-switch .custom-control-label::after {
    transition: none;
.custom-switch .custom-control-input:checked ~ .custom-control-label::after {
 background-color: #fff;
  transform: translateX(0.75rem);
.custom-switch .custom-control-input:disabled:checked ~ .custom-control-
label::before {
 display: inline-block;
 padding: 0.375rem 1.75rem 0.375rem 0.75rem;
 font-size: 1rem;
  line-height: 1.5;
5L0 3h4z'/%3e%3c/svg%3e") no-repeat right 0.75rem center/8px 10px;
 border: 1px solid #ced4da;
 appearance: none;
.custom-select:focus {
 border-color: #f7beab;
 outline: 0;
 color: #495057;
 background-color: #fff;
.custom-select[multiple], .custom-select[size]:not([size="1"]) {
 padding-right: 0.75rem;
 color: #6c757d;
 background-color: #e9ecef;
.custom-select::-ms-expand {
```

```
.custom-select:-moz-focusring {
 color: transparent;
 text-shadow: 0 0 0 #495057;
.custom-select-sm {
 padding-top: 0.25rem;
 padding-bottom: 0.25rem;
 padding-left: 0.5rem;
 padding-top: 0.5rem;
 padding-bottom: 0.5rem;
 padding-left: 1rem;
 font-size: 1.25rem;
.custom-file {
 position: relative;
 display: inline-block;
 margin-bottom: 0;
 margin: 0;
 opacity: 0;
 border-color: #f7beab;
.custom-file-input[disabled] ~ .custom-file-label,
.custom-file-input:disabled ~ .custom-file-label {
 background-color: #e9ecef;
.custom-file-input:lang(en) ~ .custom-file-label::after {
.custom-file-input ~ .custom-file-label[data-browse]::after {
 content: attr(data-browse);
```

```
.custom-file-label {
 right: 0;
 left: 0;
 padding: 0.375rem 0.75rem;
.custom-file-label::after {
 position: absolute;
 display: block;
 padding: 0.375rem 0.75rem;
 background-color: #e9ecef;
 border-radius: 0 0.25rem 0.25rem 0;
.custom-range {
 appearance: none;
.custom-range:focus {
 outline: none;
.custom-range:focus::-moz-range-thumb {
 box-shadow: 0 0 0 1px #fff, 0 0 0 0.2rem rgba(237, 100, 54, 0.25);
.custom-range:focus::-ms-thumb {
```

```
border: 0;
.custom-range::-webkit-slider-thumb {
 width: 1rem;
 margin-top: -0.25rem;
 border: 0;
 appearance: none;
.custom-range::-webkit-slider-thumb:active {
 background-color: #fce2da;
.custom-range::-webkit-slider-runnable-track {
 width: 100%;
 height: 0.5rem;
 color: transparent;
 cursor: pointer;
 border-color: transparent;
 border-radius: 1rem;
 height: 1rem;
 background-color: #ED6436;
 border: 0;
 border-radius: 1rem;
 appearance: none;
.custom-range::-moz-range-thumb:active {
.custom-range::-moz-range-track {
 background-color: #dee2e6;
 border-color: transparent;
 border-radius: 1rem;
```

```
margin-top: 0;
 margin-right: 0.2rem;
 margin-left: 0.2rem;
 border: 0;
 border-radius: 1rem;
 appearance: none;
.custom-range::-ms-thumb:active {
 background-color: #fce2da;
.custom-range::-ms-track {
 height: 0.5rem;
 color: transparent;
 background-color: transparent;
 border-color: transparent;
 border-width: 0.5rem;
 background-color: #dee2e6;
.custom-range::-ms-fill-upper {
 margin-right: 15px;
 background-color: #dee2e6;
 border-radius: 1rem;
.custom-range:disabled::-webkit-slider-thumb {
 background-color: #adb5bd;
.custom-range:disabled::-webkit-slider-runnable-track {
.custom-range:disabled::-moz-range-track {
 background-color: #adb5bd;
```

```
.custom-control-label::before,
.custom-file-label,
.custom-select {
box-shadow 0.15s ease-in-out;
@media (prefers-reduced-motion: reduce) {
 display: flex;
 flex-wrap: wrap;
 padding-left: 0;
 margin-bottom: 0;
.nav-link {
 display: block;
 padding: 0.5rem 1rem;
 text-decoration: none;
.nav-link.disabled {
 color: #6c757d;
 pointer-events: none;
 cursor: default;
.nav-tabs {
 border-bottom: 1px solid #dee2e6;
 margin-bottom: -1px;
 border: 1px solid transparent;
nav-tabs .nav-link:hover, .nav-tabs .nav-link:focus {
```

```
border-color: #e9ecef #e9ecef #dee2e6;
 color: #6c757d;
 background-color: transparent;
 border-color: transparent;
 border-color: #dee2e6 #dee2e6 #fff;
.nav-tabs .dropdown-menu {
 margin-top: -1px;
.nav-pills .nav-link {
 border-radius: 0.25rem;
.nav-pills .nav-link.active,
 background-color: #ED6436;
.nav-fill > .nav-link,
.nav-fill .nav-item {
 flex: 1 1 auto;
 text-align: center;
 flex-basis: 0;
.tab-content > .tab-pane {
.tab-content > .active {
.navbar {
 position: relative;
 display: flex;
 flex-wrap: wrap;
 justify-content: space-between;
```

```
.container-lq, .navbar .container-xl {
 display: flex;
 padding-top: 0.3125rem;
 padding-bottom: 0.3125rem;
 margin-right: 1rem;
 text-decoration: none;
.navbar-nav {
 padding-left: 0;
 margin-bottom: 0;
 list-style: none;
.navbar-nav .nav-link {
 padding-right: 0;
 padding-left: 0;
.navbar-nav .dropdown-menu {
 position: static;
 float: none;
.navbar-text {
 display: inline-block;
 padding-top: 0.5rem;
 padding-bottom: 0.5rem;
.navbar-collapse {
 flex-grow: 1;
 align-items: center;
```

```
.navbar-toggler {
 padding: 0.25rem 0.75rem;
 line-height: 1;
 background-color: transparent;
 border: 1px solid transparent;
 border-radius: 0.25rem;
.navbar-toggler:hover, .navbar-toggler:focus {
.navbar-toggler-icon {
 display: inline-block;
 vertical-align: middle;
 background: no-repeat center center;
 .navbar-expand-lg {
 .navbar-expand-lg .navbar-nav .dropdown-menu {
 .navbar-expand-lg .navbar-nav .nav-link {
   padding-right: 0.5rem;
   padding-left: 0.5rem;
 .navbar-expand-lq > .container,
 .navbar-expand-lg > .container-fluid, .navbar-expand-lg > .container-sm, .navbar-
expand-lg > .container-md, .navbar-expand-lg > .container-lg, .navbar-expand-lg >
.container-xl {
   display: flex !important;
 .navbar-expand-lg .navbar-toggler {
   display: none;
.navbar-expand {
 flex-flow: row nowrap;
 justify-content: flex-start;
```

```
.navbar-expand > .container,
.navbar-expand > .container-fluid, .navbar-expand > .container-sm, .navbar-expand >
.container-md, .navbar-expand > .container-lg, .navbar-expand > .container-xl {
 padding-right: 0;
 padding-left: 0;
.navbar-expand .navbar-nav {
 flex-direction: row;
.navbar-expand .navbar-nav .dropdown-menu {
 position: absolute;
.navbar-expand .navbar-nav .nav-link {
 padding-right: 0.5rem;
 padding-left: 0.5rem;
.navbar-expand > .container,
.navbar-expand > .container-fluid, .navbar-expand > .container-sm, .navbar-expand >
.container-md, .navbar-expand > .container-lg, .navbar-expand > .container-xl {
 display: flex !important;
.navbar-expand .navbar-toggler {
 display: none;
.navbar-light .navbar-brand {
 color: rgba(0, 0, 0, 0.9);
 color: rgba(0, 0, 0, 0.5);
navbar-light .navbar-nav .nav-link.disabled {
```

```
.navbar-light .navbar-nav .nav-link.show,
.navbar-light .navbar-nav .nav-link.active {
 color: rgba(0, 0, 0, 0.9);
.navbar-light .navbar-toggler {
.navbar-light .navbar-toggler-icon {
 background-image: url("data:image/svg+xml,%3csvg
.navbar-light .navbar-text {
 color: rgba(0, 0, 0, 0.5);
.navbar-light .navbar-text a {
 color: rgba(0, 0, 0, 0.9);
.navbar-dark .navbar-brand {
 color: #fff;
 color: #fff;
.navbar-dark .navbar-nav .nav-link {
 color: rgba(255, 255, 255, 0.5);
 color: rgba(255, 255, 255, 0.25);
.navbar-dark .navbar-nav .show > .nav-link,
.navbar-dark .navbar-nav .active > .nav-link,
color: #fff;
```

```
.navbar-dark .navbar-toggler {
 border-color: rgba(255, 255, 255, 0.1);
.navbar-dark .navbar-toggler-icon {
 color: rgba(255, 255, 255, 0.5);
 color: #fff;
.navbar-dark .navbar-text a:hover, .navbar-dark .navbar-text a:focus {
 color: #fff;
.carousel {
 position: relative;
.carousel-item.active,
.carousel-item-prev {
 display: block;
.carousel-indicators .active {
.carousel-caption {
 padding-top: 20px;
 padding-bottom: 20px;
.align-baseline {
 vertical-align: baseline !important;
```

```
.align-top {
  vertical-align: top !important;
.align-middle {
 vertical-align: middle !important;
 vertical-align: bottom !important;
 vertical-align: text-bottom !important;
 vertical-align: text-top !important;
.bg-primary {
 background-color: #ED6436 !important;
a.bg-primary:hover, a.bg-primary:focus,
button.bg-primary:hover,
button.bg-primary:focus {
 background-color: #dc4614 !important;
.bg-secondary {
 background-color: #65C178 !important;
a.bg-secondary:hover, a.bg-secondary:focus,
button.bg-secondary:hover,
button.bg-secondary:focus {
 background-color: #46ad5b !important;
.bg-success {
 background-color: #28a745 !important;
a.bg-success:hover, a.bg-success:focus,
button.bg-success:hover,
button.bg-success:focus {
 background-color: #1e7e34 !important;
.bg-info {
 background-color: #17a2b8 !important;
a.bg-info:hover, a.bg-info:focus,
button.bg-info:hover,
button.bg-info:focus {
```

```
background-color: #117a8b !important;
.bg-warning {
 background-color: #ffc107 !important;
a.bg-warning:hover, a.bg-warning:focus,
button.bg-warning:hover,
button.bg-warning:focus {
 background-color: #d39e00 !important;
.bg-danger {
 background-color: #dc3545 !important;
a.bg-danger:hover, a.bg-danger:focus,
button.bg-danger:hover,
button.bg-danger:focus {
 background-color: #bd2130 !important;
.bg-light {
 background-color: white !important;
a.bg-light:hover, a.bg-light:focus,
button.bg-light:hover,
button.bg-light:focus {
 background-color: #d6d6dd !important;
.bg-dark {
 background-color: #181818 !important;
a.bg-dark:hover, a.bg-dark:focus,
button.bg-dark:hover,
button.bg-dark:focus {
 background-color: black !important;
.bg-white {
 background-color: #fff !important;
.bg-transparent {
 background-color: transparent !important;
.border {
  border: 1px solid #dee2e6 !important;
```

```
border-top: 1px solid #dee2e6 !important;
.border-right {
 border-right: 1px solid #dee2e6 !important;
.border-bottom {
 border-bottom: 1px solid #dee2e6 !important;
.border-left {
 border-left: 1px solid #dee2e6 !important;
.border-0 {
border: 0 !important;
 border-top: 0 !important;
 border-right: 0 !important;
 border-bottom: 0 !important;
.border-left-0 {
 border-left: 0 !important;
 border-color: #ED6436 !important;
 border-color: #65C178 !important;
border-color: #28a745 !important;
.border-warning {
 border-color: #ffc107 !important;
border-color: #dc3545 !important;
```

```
.border-light {
 border-color: #F2F2F4 !important;
.border-dark {
 border-color: #181818 !important;
.border-white {
 border-color: #fff !important;
 border-radius: 0.2rem !important;
 border-radius: 0.25rem !important;
.rounded-top {
 border-top-left-radius: 0.25rem !important;
 border-top-right-radius: 0.25rem !important;
 border-top-right-radius: 0.25rem !important;
 border-bottom-right-radius: 0.25rem !important;
.rounded-bottom {
 border-bottom-right-radius: 0.25rem !important;
 border-bottom-left-radius: 0.25rem !important;
.rounded-left {
 border-top-left-radius: 0.25rem !important;
 border-bottom-left-radius: 0.25rem !important;
 border-radius: 0.3rem !important;
 border-radius: 50% !important;
.rounded-pill {
 border-radius: 50rem !important;
```

```
border-radius: 0 !important;
display: block;
 display: none !important;
 display: inline !important;
display: inline-block !important;
.d-block {
 display: block !important;
.d-table {
 display: table !important;
display: table-row !important;
.d-table-cell {
display: table-cell !important;
 display: flex !important;
 display: inline-flex !important;
   display: none !important;
   display: inline !important;
 .d-sm-inline-block {
   display: inline-block !important;
   display: block !important;
```

```
display: table !important;
   display: table-row !important;
 .d-sm-table-cell {
   display: table-cell !important;
   display: flex !important;
   display: inline-flex !important;
@media (min-width: 992px) {
 .d-lg-none {
   display: none !important;
 .d-lg-inline {
   display: inline !important;
 .d-lg-inline-block {
   display: inline-block !important;
 .d-lg-block {
   display: block !important;
 .d-lg-table {
   display: table !important;
 .d-lg-table-row {
   display: table-row !important;
 .d-lg-table-cell {
   display: table-cell !important;
 .d-lg-flex {
   display: flex !important;
 .d-lg-inline-flex {
   display: inline-flex !important;
.embed-responsive {
```

```
.embed-responsive::before {
.embed-responsive .embed-responsive-item,
.embed-responsive iframe,
.embed-responsive object,
.embed-responsive video {
 border: 0;
.embed-responsive-21by9::before {
 padding-top: 42.85714%;
.embed-responsive-16by9::before {
 padding-top: 56.25%;
.embed-responsive-4by3::before {
 padding-top: 75%;
.embed-responsive-1by1::before {
 padding-top: 100%;
.flex-row {
 flex-direction: row !important;
.flex-column {
 flex-direction: column !important;
.flex-row-reverse {
 flex-direction: row-reverse !important;
 flex-direction: column-reverse !important;
.flex-wrap {
 flex-wrap: wrap !important;
 flex-wrap: nowrap !important;
```

```
flex-wrap: wrap-reverse !important;
.flex-fill {
flex: 1 1 auto !important;
 flex-grow: 0 !important;
 flex-grow: 1 !important;
flex-shrink: 0 !important;
.flex-shrink-1 {
 flex-shrink: 1 !important;
 justify-content: flex-start !important;
 justify-content: flex-end !important;
.justify-content-center {
 justify-content: center !important;
 justify-content: space-between !important;
 justify-content: space-around !important;
align-items: flex-start !important;
 align-items: flex-end !important;
align-items-center
```

```
align-items: center !important;
 align-items: baseline !important;
 align-items: stretch !important;
 align-content: flex-start !important;
 align-content: flex-end !important;
.align-content-center {
 align-content: center !important;
 align-content: space-between !important;
 align-content: space-around !important;
 align-content: stretch !important;
.align-self-auto {
 align-self: auto !important;
 align-self: flex-start !important;
.align-self-end {
 align-self: flex-end !important;
 align-self: center !important;
 align-self: baseline !important;
 align-self: stretch !important;
```

```
.flex-sm-row {
  flex-direction: row !important;
.flex-sm-column {
 flex-direction: column !important;
.flex-sm-row-reverse {
 flex-direction: row-reverse !important;
 flex-direction: column-reverse !important;
 flex-wrap: wrap !important;
 flex-wrap: nowrap !important;
.flex-sm-wrap-reverse {
 flex-wrap: wrap-reverse !important;
.flex-sm-fill {
 flex: 1 1 auto !important;
 flex-grow: 0 !important;
 flex-grow: 1 !important;
 flex-shrink: 0 !important;
.flex-sm-shrink-1 {
 flex-shrink: 1 !important;
 justify-content: flex-start !important;
 justify-content: flex-end !important;
 justify-content: center !important;
 justify-content: space-between !important;
 justify-content: space-around !important;
.align-items-sm-start {
 align-items: flex-start !important;
```

```
align-items: flex-end !important;
 align-items: center !important;
  align-items: baseline !important;
 align-items: stretch !important;
 align-content: flex-start !important;
.align-content-sm-end {
 align-content: flex-end !important;
.align-content-sm-center {
 align-content: center !important;
 align-content: space-between !important;
 align-content: space-around !important;
 align-content: stretch !important;
 align-self: auto !important;
  align-self: flex-start !important;
 align-self: flex-end !important;
  align-self: center !important;
.align-self-sm-baseline {
 align-self: baseline !important;
 align-self: stretch !important;
.flex-md-row {
 flex-direction: row !important;
  flex-direction: column !important;
.flex-md-row-reverse {
```

```
flex-direction: row-reverse !important;
.flex-md-column-reverse {
 flex-direction: column-reverse !important;
.flex-md-wrap {
 flex-wrap: wrap !important;
 flex-wrap: nowrap !important;
 flex: 1 1 auto !important;
.flex-md-grow-0 {
 flex-grow: 0 !important;
 flex-grow: 1 !important;
.flex-md-shrink-0 {
 flex-shrink: 0 !important;
.flex-md-shrink-1 {
 justify-content: flex-start !important;
.justify-content-md-end {
 justify-content: flex-end !important;
 justify-content: center !important;
.justify-content-md-between {
 justify-content: space-between !important;
 justify-content: space-around !important;
 align-items: flex-start !important;
 align-items: flex-end !important;
 align-items: center !important;
.align-items-md-baseline {
```

```
align-items: baseline !important;
.align-items-md-stretch {
 align-items: stretch !important;
.align-content-md-start {
 align-content: flex-start !important;
 align-content: flex-end !important;
 align-content: center !important;
 align-content: space-between !important;
.align-content-md-around {
 align-content: space-around !important;
 align-content: stretch !important;
 align-self: auto !important;
.align-self-md-start {
 align-self: flex-start !important;
 align-self: flex-end !important;
.align-self-md-center {
 align-self: center !important;
.align-self-md-baseline {
 align-self: baseline !important;
 align-self: stretch !important;
.flex-lg-row {
 flex-direction: row !important;
.flex-lg-column {
 flex-direction: column !important;
.flex-lg-row-reverse {
 flex-direction: row-reverse !important;
.flex-lg-column-reverse {
  flex-direction: column-reverse !important;
  flex-wrap: wrap !important;
```

```
.flex-lg-nowrap {
  flex-wrap: nowrap !important;
.flex-lg-wrap-reverse {
 flex-wrap: wrap-reverse !important;
.flex-lq-fill {
 flex: 1 1 auto !important;
.flex-lg-grow-0 {
 flex-grow: 0 !important;
.flex-lg-grow-1 {
  flex-grow: 1 !important;
.flex-lq-shrink-0 {
 flex-shrink: 0 !important;
.flex-lg-shrink-1 {
 flex-shrink: 1 !important;
.justify-content-lg-start {
  justify-content: flex-start !important;
.justify-content-lg-end {
 justify-content: flex-end !important;
  justify-content: center !important;
.justify-content-lg-between {
 justify-content: space-between !important;
.justify-content-lg-around {
  justify-content: space-around !important;
.align-items-lg-start {
 align-items: flex-start !important;
.align-items-lg-end {
 align-items: flex-end !important;
.align-items-lg-center {
 align-items: center !important;
.align-items-lg-baseline {
 align-items: baseline !important;
.align-items-lg-stretch {
 align-items: stretch !important;
.align-content-lg-start {
 align-content: flex-start !important;
```

```
.align-content-lg-end {
   align-content: flex-end !important;
 .align-content-lg-center {
   align-content: center !important;
 .align-content-lg-between {
   align-content: space-between !important;
   align-content: space-around !important;
 .align-content-lg-stretch {
   align-content: stretch !important;
 .align-self-lg-auto {
   align-self: auto !important;
 .align-self-lg-start {
   align-self: flex-start !important;
 .align-self-lg-end {
   align-self: flex-end !important;
 .align-self-lg-center {
   align-self: center !important;
 .align-self-lg-baseline {
   align-self: baseline !important;
   align-self: stretch !important;
.float-left {
 float: left !important;
.float-right {
 float: right !important;
.float-none {
 float: none !important;
   float: left !important;
   float: right !important;
 .float-sm-none {
   float: none !important;
```

```
@media (min-width: 768px) {
   float: left !important;
   float: right !important;
   float: none !important;
 .float-lg-left {
   float: left !important;
 .float-lg-right {
   float: right !important;
 .float-lg-none {
   float: none !important;
   float: left !important;
   float: right !important;
   float: none !important;
.user-select-all {
 user-select: all !important;
.user-select-auto {
 user-select: auto !important;
.user-select-none {
 user-select: none !important;
 overflow: auto !important;
.overflow-hidden {
 overflow: hidden !important;
```

```
position: static !important;
 position: relative !important;
 position: absolute !important;
.position-fixed {
 position: fixed !important;
 position: sticky !important;
.fixed-top {
position: fixed;
 left: 0;
 z-index: 1030;
.fixed-bottom {
position: fixed;
 left: 0;
 padding: 0;
 margin: -1px;
 border: 0;
 position: static;
 overflow: visible;
```

```
.shadow-sm {
 box-shadow: 0 0.125rem 0.25rem rgba(0, 0, 0, 0.075) !important;
box-shadow: 0 0.5rem 1rem rgba(0, 0, 0, 0.15) !important;
 box-shadow: none !important;
width: 25% !important;
.w-50 {
width: 50% !important;
width: 75% !important;
width: 100% !important;
.w-auto {
width: auto !important;
height: 25% !important;
.h-50 {
height: 50% !important;
height: 75% !important;
height: 100% !important;
.h-auto {
 height: auto !important;
```

```
max-width: 100% !important;
.mh-100 {
 max-height: 100% !important;
 min-width: 100vw !important;
 min-height: 100vh !important;
width: 100vw !important;
.vh-100 {
 height: 100vh !important;
margin: 0 !important;
margin-top: 0 !important;
 margin-right: 0 !important;
 margin-bottom: 0 !important;
margin-left: 0 !important;
margin: 0.25rem !important;
 margin-top: 0.25rem !important;
```

```
.mr-1,
 margin-bottom: 0.25rem !important;
 margin-left: 0.25rem !important;
 margin: 0.5rem !important;
.mt-2,
 margin-top: 0.5rem !important;
 margin-right: 0.5rem !important;
 margin-bottom: 0.5rem !important;
 margin-left: 0.5rem !important;
margin: 1rem !important;
 margin-top: 1rem !important;
 margin-right: 1rem !important;
```

```
margin-bottom: 1rem !important;
 margin-left: 1rem !important;
 margin: 1.5rem !important;
 margin-top: 1.5rem !important;
.mx-4 {
 margin-right: 1.5rem !important;
 margin-bottom: 1.5rem !important;
 margin-left: 1.5rem !important;
 margin: 3rem !important;
margin-top: 3rem !important;
 margin-right: 3rem !important;
 margin-bottom: 3rem !important;
 margin-left: 3rem !important;
padding: 0 !important;
```

```
.py-0 {
padding-top: 0 !important;
.pr-0,
.pb-0,
.py-0 {
 padding-bottom: 0 !important;
 padding-left: 0 !important;
padding: 0.25rem !important;
.pt-1,
.py-1 {
 padding-top: 0.25rem !important;
.pr-1,
 padding-right: 0.25rem !important;
.pb-1,
.py-1 {
 padding-bottom: 0.25rem !important;
 padding-left: 0.25rem !important;
padding: 0.5rem !important;
.py-2 {
 padding-top: 0.5rem !important;
```

```
padding-right: 0.5rem !important;
.py-2 {
 padding-bottom: 0.5rem !important;
 padding-left: 0.5rem !important;
padding: 1rem !important;
.py-3 {
 padding-top: 1rem !important;
 padding-right: 1rem !important;
.pb-3,
.py-3 {
 padding-bottom: 1rem !important;
 padding-left: 1rem !important;
 padding: 1.5rem !important;
.py-4 {
 padding-top: 1.5rem !important;
 padding-right: 1.5rem !important;
.py-4 {
 padding-bottom: 1.5rem !important;
```

```
.pl-4,
 padding-left: 1.5rem !important;
padding: 3rem !important;
.py-5 {
 padding-top: 3rem !important;
 padding-right: 3rem !important;
.py-5 {
 padding-bottom: 3rem !important;
 padding-left: 3rem !important;
 margin: -0.25rem !important;
 margin-top: -0.25rem !important;
 margin-right: -0.25rem !important;
 margin-bottom: -0.25rem !important;
 margin-left: -0.25rem !important;
.m-n2 {
```

```
margin: -0.5rem !important;
 margin-top: -0.5rem !important;
 margin-right: -0.5rem !important;
 margin-bottom: -0.5rem !important;
.mx-n2 {
 margin-left: -0.5rem !important;
 margin: -1rem !important;
 margin-top: -1rem !important;
.mx-n3 {
 margin-right: -1rem !important;
 margin-bottom: -1rem !important;
 margin-left: -1rem !important;
 margin: -1.5rem !important;
 margin-top: -1.5rem !important;
.mx-n4 {
margin-right: -1.5rem !important;
```

```
margin-bottom: -1.5rem !important;
margin: -3rem !important;
margin-top: -3rem !important;
 margin-right: -3rem !important;
.mb-n5,
 margin-bottom: -3rem !important;
.mx-n5 {
 margin-left: -3rem !important;
margin: auto !important;
 margin-top: auto !important;
 margin-right: auto !important;
 margin-bottom: auto !important;
```

```
.mx-auto {
 margin-left: auto !important;
 .m-lg-0 {
   margin: 0 !important;
   margin-top: 0 !important;
 .mx-lg-0 {
   margin-right: 0 !important;
 .mb-lg-0,
 .my-lg-0 \{
   margin-bottom: 0 !important;
 .ml-lg-0,
 .mx-lg-0 {
   margin-left: 0 !important;
 .m-lg-1 {
   margin: 0.25rem !important;
 .mt-lg-1,
   margin-top: 0.25rem !important;
 .mr-lg-1,
   margin-right: 0.25rem !important;
 .my-lg-1 \{
   margin-bottom: 0.25rem !important;
   margin-left: 0.25rem !important;
 .m-lg-2 {
   margin: 0.5rem !important;
 .mt-lg-2,
 .my-lg-2 \{
   margin-top: 0.5rem !important;
 .mr-lg-2,
 .mx-lg-2 {
   margin-right: 0.5rem !important;
 .mb-lg-2,
 .my-lg-2 \{
```

```
.ml-lg-2,
.mx-lg-2 {
 margin-left: 0.5rem !important;
 margin: 1rem !important;
 margin-top: 1rem !important;
 margin-right: 1rem !important;
.mb-lg-3,
 margin-bottom: 1rem !important;
 margin-left: 1rem !important;
 margin: 1.5rem !important;
 margin-top: 1.5rem !important;
 margin-right: 1.5rem !important;
 margin-bottom: 1.5rem !important;
 margin-left: 1.5rem !important;
 margin: 3rem !important;
.mt-lg-5,
 margin-top: 3rem !important;
.mr-lg-5,
 margin-right: 3rem !important;
```

```
.mb-lg-5,
.my-lg-5 \{
 margin-bottom: 3rem !important;
.ml-lg-5,
.mx-lg-5 {
 margin-left: 3rem !important;
 padding: 0 !important;
.py-lg-0 {
 padding-top: 0 !important;
.pr-lg-0,
 padding-right: 0 !important;
.pb-lg-0,
.py-lg-0 {
 padding-bottom: 0 !important;
.px-lg-0 {
 padding-left: 0 !important;
 padding: 0.25rem !important;
.py-lg-1 {
 padding-top: 0.25rem !important;
 padding-right: 0.25rem !important;
.pb-lg-1,
.py-lg-1 {
 padding-bottom: 0.25rem !important;
 padding-left: 0.25rem !important;
 padding: 0.5rem !important;
.pt-lg-2,
.py-lg-2 {
 padding-top: 0.5rem !important;
.pr-lg-2,
.px-lg-2 {
 padding-right: 0.5rem !important;
.pb-lg-2,
.py-lg-2 {
```

```
padding-bottom: 0.5rem !important;
 padding-left: 0.5rem !important;
 padding: 1rem !important;
.py-lg-3 {
 padding-top: 1rem !important;
 padding-right: 1rem !important;
.pb-lg-3,
.py-lg-3 {
 padding-bottom: 1rem !important;
 padding-left: 1rem !important;
 padding: 1.5rem !important;
.py-lg-4 {
 padding-top: 1.5rem !important;
.pr-lg-4,
 padding-right: 1.5rem !important;
.py-lg-4 {
 padding-bottom: 1.5rem !important;
 padding-left: 1.5rem !important;
 padding: 3rem !important;
.pt-lg-5,
.py-lg-5 {
 padding-top: 3rem !important;
.px-lg-5 {
 padding-right: 3rem !important;
```

```
.pb-lg-5,
.py-lg-5 {
 padding-bottom: 3rem !important;
.pl-lg-5,
 padding-left: 3rem !important;
 margin: -0.25rem !important;
.mt-lg-n1,
 margin-top: -0.25rem !important;
.mr-lg-n1,
.mx-lg-n1 {
 margin-right: -0.25rem !important;
.my-lg-n1 {
 margin-bottom: -0.25rem !important;
.ml-lg-n1,
.mx-lg-n1 {
 margin-left: -0.25rem !important;
.m-lg-n2 {
 margin: -0.5rem !important;
.mt-lg-n2,
.my-lg-n2 {
 margin-top: -0.5rem !important;
.mr-lg-n2,
.mx-lg-n2 {
 margin-right: -0.5rem !important;
.mb-lg-n2,
.my-lg-n2 {
 margin-bottom: -0.5rem !important;
.ml-lg-n2,
 margin-left: -0.5rem !important;
 margin: -1rem !important;
.mt-lg-n3,
.my-lg-n3 \{
 margin-top: -1rem !important;
.mr-lg-n3,
.mx-lg-n3 {
 margin-right: -1rem !important;
```

```
.my-lg-n3 {
 margin-bottom: -1rem !important;
 margin-left: -1rem !important;
.m-lg-n4 {
 margin: -1.5rem !important;
 margin-top: -1.5rem !important;
.mr-lg-n4,
.mx-lg-n4 {
 margin-right: -1.5rem !important;
.mb-lg-n4,
.my-lg-n4 {
 margin-bottom: -1.5rem !important;
.ml-lg-n4,
 margin-left: -1.5rem !important;
.m-lg-n5 {
 margin: -3rem !important;
.mt-lg-n5,
 margin-top: -3rem !important;
.mr-lg-n5,
.mx-lg-n5 \{
 margin-right: -3rem !important;
.my-lg-n5 {
 margin-bottom: -3rem !important;
.ml-lg-n5,
.mx-lg-n5 {
 margin-left: -3rem !important;
 margin: auto !important;
.mt-lg-auto,
.my-lg-auto {
.mr-lg-auto,
.mx-lg-auto {
```

```
margin-right: auto !important;
 .mb-lg-auto,
  margin-bottom: auto !important;
 .ml-lg-auto,
 .mx-lg-auto {
   margin-left: auto !important;
 z-index: 1;
 pointer-events: auto;
.text-monospace {
font-family: SFMono-Regular, Menlo, Monaco, Consolas, "Liberation Mono", "Courier
New", monospace !important;
.text-justify {
 text-align: justify !important;
.text-wrap {
 white-space: normal !important;
.text-nowrap {
 white-space: nowrap !important;
 text-overflow: ellipsis;
 white-space: nowrap;
.text-left {
 text-align: left !important;
 text-align: right !important;
 text-align: center !important;
```

```
text-align: left !important;
   text-align: right !important;
   text-align: center !important;
   text-align: left !important;
 .text-md-right {
   text-align: right !important;
   text-align: center !important;
 .text-lg-left {
   text-align: left !important;
 .text-lg-right {
   text-align: right !important;
 .text-lg-center {
   text-align: center !important;
   text-align: left !important;
   text-align: right !important;
   text-align: center !important;
.text-lowercase {
 text-transform: lowercase !important;
.text-uppercase {
text-transform: uppercase !important;
```

```
.text-capitalize {
 text-transform: capitalize !important;
 font-weight: 300 !important;
 font-weight: lighter !important;
 font-weight: 400 !important;
 font-weight: 700 !important;
.font-weight-bolder {
 font-weight: bolder !important;
.font-italic {
 font-style: italic !important;
.text-white {
 color: #fff !important;
 color: #ED6436 !important;
a.text-primary:hover, a.text-primary:focus {
 color: #c53f12 !important;
 color: #65C178 !important;
a.text-secondary:hover, a.text-secondary:focus {
 color: #3e9b52 !important;
 color: #28a745 !important;
 color: #19692c !important;
.text-info {
```

```
color: #17a2b8 !important;
a.text-info:hover, a.text-info:focus {
 color: #0f6674 !important;
 color: #ffc107 !important;
 color: #ba8b00 !important;
.text-danger {
 color: #dc3545 !important;
 color: #a71d2a !important;
.text-light {
 color: #F2F2F4 !important;
a.text-light:hover, a.text-light:focus {
 color: #c9c9d1 !important;
.text-dark {
 color: #181818 !important;
 color: black !important;
.text-body {
 color: #777777 !important;
.text-muted {
 color: #6c757d !important;
 color: rgba(0, 0, 0, 0.5) !important;
.text-white-50 {
 color: rgba(255, 255, 255, 0.5) !important;
```

```
color: transparent;
 background-color: transparent;
 border: 0;
 text-decoration: none !important;
 word-break: break-word !important;
 word-wrap: break-word !important;
color: inherit !important;
.visible {
 visibility: visible !important;
.invisible {
 *::after {
   text-shadow: none !important;
   box-shadow: none !important;
   white-space: pre-wrap !important;
   display: table-header-group;
```

```
orphans: 3;
   page-break-after: avoid;
   min-width: 992px !important;
   min-width: 992px !important;
   border-collapse: collapse !important;
    background-color: #fff !important;
  .table-bordered td {
   border: 1px solid #dee2e6 !important;
  .table-dark {
  .table-dark thead th,
   border-color: #dee2e6;
h2 {
 font-weight: 800 !important;
```

```
h3,
h4 {
 font-weight: 700 !important;
h6 {
  font-weight: 600 !important;
 font-size: inherit;
 margin-left: 0;
  display: none;
 right: 30px;
 bottom: 30px;
  animation: action 1s infinite alternate;
 padding: 30px 20px;
 letter-spacing: 1px;
 color: #F2F2F4;
 outline: none;
 background: #ED6436;
.carousel-caption {
.team img {
 position: relative;
```

```
width: 100%;
height: 100px;
bottom: 0px;
left: 0;
transition: .5s;
}
.team:hower .team-text {
  bottom: 100px;
}

.team .team-social {
  position: absolute;
  width: 100px;
  bottom: -100px;
  left: 0;
  transition: .5s;
}
.team:hower .team-social {
  bottom: 0;
}
.contact-form .help-block ul {
  margin: 0;
  padding: 0;
  list-style-type: none;
}
```

# BloodProject/urls.py

```
from 124ucces.urls import path
from . import views

app_name = 'BloodProject'

urlpatterns = [
    path("", views.index, name="index"),
    path("service", views.service, name="service"),
    path("appointment", views.appointment, name="appointment"),
    path("blog", views.blog, name="blog"),
```

```
path("about", views.about, name="about"),
  path("signup", views.handlesignup, name="signup"),
  path("login", views.handlelogin, name="login"),
  path("logout", views.handlelogut, name="handlelogout"),
```

### BloodProject/views.py

```
from 125ucces.shortcuts import render, redirect
from 125ucces.http import HttpResponse
from 125ucces.core.mail import send mail
def index(request):
   return render(request, 'BloodProject/index.html')
def service(request):
   return render(request, 'BloodProject/service.html')
def appointment(request):
   if request.method == "POST":
       name = request.POST.get('name')
       email = request.POST.get('email')
       date = request.POST.get('date')
   return render(request, 'BloodProject/appointment.html')
def blog(request):
   return render(request, 'BloodProject/blog.html')
def about(request):
   return render(request, 'BloodProject/about.html')
```

```
def handlesignup(request):
   if request.method == 'POST':
       firstname = request.POST['fname']
       lastname = request.POST['lname']
       username = request.POST['username']
       password = request.POST['password']
       confirm password = request.POST['cpassword']
       if password != confirm password:
           messages.error(request, "password do not match")
           return redirect("/")
       if not username.isalnum():
           return redirect("/")
       myuser = User.objects.create user(username, Email, password)
       myuser.first name = firstname
       myuser.last name = lastname
       myuser.save()
       messages.success(request, "Your account created 126uccessfully")
       return redirect("BloodProject:login")
       return render(request, "BloodProject/signup.html")
   if request.method == 'POST':
       loginusername = request.POST['loginusername']
       loginpassword = request.POST['loginpassword']
           messages.success(request, "successfully logedin")
```

```
messages.error(request, "Invalid credentials")
    return redirect("/")

return render(request, "BloodProject/login.html")

def handlelogut(request):
    logout(request)
    messages.success(request, "Successfully logged Out")
    return redirect('/')
```

## **BloodClinic/urls.py**

```
from django.contrib import admin
from django.urls import path, include
from django.conf.urls.static import static

urlpatterns = [
    path('admin/', admin.site.urls),
    path('', include('BloodProject.urls')),
]
```

#### **Conclusion**

Our project is only a humble venture to satisfy the needs to manage their project work. Several user-friendly coding has also adopted. This package shall prove to be a powerful package in satisfying all the requirements of the Farmers and users. The objective of software planning is to provide a frame work that enables the manger to make reasonable estimates made within a limited time frame at the beginning of the software project and should be updated regularly as the project progresses.

- A description of the background and context of the project and its relation to work already done in the area.
- Made statement of the aims and objectives of the project.
- The description of Purpose, Scope, and applicability.
- We & fine the problem on which we are working in the project.
- We describe the requirement Specifications of the system and the actions that can be done on these things.
- We understand the problem domain and produce a model of the system, which describes operations that can be performed on the system.

### References

- https://www.w3schools.com/django/index.php
- https://youtu.be/C1NgOmoOszc?si=drONsDfWUz7-ml9uhttps://docs.djangoproject.com/en/4.2/
- https://youtu.be/SlyxjRJ8VNY?si=-W-l9UHJYGz0Gkp
- https://youtu.be/Mezody4yiXw?si=GVq\_WHUdsIGDsZA3