

```

--Q7--
CREATE PROCEDURE InsertFullOrder
    @ClientNo INT,
    @Name VARCHAR(100),
    @City VARCHAR(50),
    @DateJoined DATE,
    @BalanceDue DECIMAL(10,2),
    @SalesOrderNo INT,
    @SalesOrderDate DATE,
    @OrderTakenBy VARCHAR(100),
    @DeliveryAddress VARCHAR(255),
    @ProductNo INT,
    @Quantity INT
AS
BEGIN
    -- Check if client exists
    IF NOT EXISTS (SELECT 1 FROM Client WHERE ClientNo = @ClientNo)
    BEGIN
        INSERT INTO Client (
            ClientNo, Name, City, Date_Joined, Balance_Due
        )
        VALUES (
            @ClientNo, @Name, @City, @DateJoined, @BalanceDue
        );

        PRINT 'New client inserted';
    END
    ELSE
    BEGIN
        PRINT 'Client already exists';
    END
END

```

```
-- Insert into Sales_Order
INSERT INTO Sales_Order (
    Sales_Order_No,
    Sales_Order_Date,
    Order_Taken_By,
    ClientNo,
    Delivery_Address
)
VALUES (
    @SalesOrderNo,
    @SalesOrderDate,
    @OrderTakenBy,
    @ClientNo,
    @DeliveryAddress
);

-- Insert into Sales_Order_Details
INSERT INTO Sales_Order_Details (
    Sales_Order_No,
    Product_No,
    Quantity
)
VALUES (
    @SalesOrderNo,
    @ProductNo,
    @Quantity
);

PRINT 'Order and details inserted successfully';
END;
```

```
--new client case
EXEC InsertFullOrder
    3,
    'Kasun Silva',
    'Galle',
    '2023-11-01',
    0.00,
    1005,
    '2023-11-02',
    'Nimal',
    'Galle Road',
    101,
    2;

--existing client case
EXEC InsertFullOrder
    1,
    'Alice Smith',
    'Colombo',
    '2023-01-15',
    0.00,
    1006,
    '2023-11-03',
    'Sunil',
    'Colombo 03',
    102,
    1;
```